

1021-1623

12/28/2011

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Thomas A. Lennan
McLaughlin Gormley King Company
8810 Tenth Ave North
Minneapolis, MN 55427
Regulatory Affairs Specialist

DEC 28 2011

DEC 28 2011

Subject: Evercide Total Release Fogger 2620, EPA Reg. No. 1021-1623
Fogger mitigation amendment
Decision: 458772

Dear Mr. Lennan:

The labeling referred to above, submitted in connection with registration under the Federal insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Samantha Hulkower at (703) 603-0683 or Hulkower.Samantha@epa.gov.

Sincerely,

Mark Suarez
Product Manager (13)
Insecticide Branch
Registration Division (7505P)

Enclosure: Copy of Label Stamped "Accepted"

12/1/2011

2/12

2620_1021-1623_0044a1211

MGK®

**McLAUGHLIN
GORMLEY
KING COMPANY**

EVERCIDE® Total Release Fogger 2620

[Contains NYLAR® Insect Growth Regulator]
[RESIDENTIAL SECTION OF LABEL]
[This label will be available in Spanish]

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[Total Release Fogger for Fleas with Insect Growth Regulator
Kills Adult and Preadult Fleas
Prevents Reinfestation for 7 Months
Water-based
Contains No CFC's or Other Ozone Depleting Substances]

Flea eggs deposited on treated areas will not develop into adult fleas
Larvae crawling onto treated areas will not develop into adult fleas
[Nylar®] [brand name] acts on the immature life stage of the flea,
preventing it from developing into biting adults
Breaks the Flea Life Cycle
Controls Reinfestation for [210 days] [30 weeks] [7 months]
Kills - Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae]
[Kills fleas you see and those you don't
Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects
[troublesome flying and crawling household insects]
[Also kills Deer Ticks and other Ixodid species that may carry and transmit
Lyme disease
Effective long-term control. Use Flea and tick products as part of an
integrated pest management program on your pet, around your home and
in your yard.
See additional precautionary statements on side [back]]
[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A
ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC
FEET OF UNOBSTRUCTED SPACE.
[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A
ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC
FEET OF UNOBSTRUCTED SPACE
[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A
ROOM UP TO 22 ft. x 22 ft. with an 8 ft. CEILING OR 4,000 CUBIC FEET
OF UNOBSTRUCTED SPACE.
[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM
UP TO 25 ft. x 25ft. with an 8 ft. CEILING OR 5,000 CUBIC FEET OF
UNOBSTRUCTED SPACE.
[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A
ROOM UP TO 27 ft. x 27 ft with an 8 ft. CEILING OR 6,000 CUBIC FEET
OF UNOBSTRUCTED SPACE.]

[] OR () indicates alternate or optional wording[[
[3 PACK FOR MULTI-ROOM USE]]
[[Nylar®] [brand name] is an insect growth regulator similar to the naturally
occurring insect growth hormones that interferes with [stops] their growth
and development
[Nylar®] [brand name] stops [prevents] the flea from developing into egg-
laying adults
[Nylar®] [brand name] can be used as part of an integrated pest
management [IPM] program
[Nylar®] [brand name] can be a biorational approach to insect control
[Nylar®] [brand name] keeps working in areas exposed to the sun]
[Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
Kills adult and preadult fleas, including flea eggs, for [210 days] [30 weeks]
[7 months]
Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months
Prevents fleas from developing into the biting adult stage
Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs
(larvae)] from becoming full-grown [developing into] biting adults
One treatment works for [210 days] [30 weeks] [7 months] against hatching
fleas [preadult (larval) fleas] [hatching eggs (larvae)]
Kills present [today's] fleas and prevents new [tomorrow's] fleas from
growing up to bite
[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7
months]
Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas
Prevents [stops] the emergence of adult fleas


ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine.....	0.100%
Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.380%
** Permethrin.....	0.400%

OTHER INGREDIENTS.....	99.070%
	100.000
	%

- * MGK® 264, Insecticide Synergist
- ** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE®, NYLAR®, and MGK® - Registered trademarks of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

Federal regulations prohibit
CFC propellants in aerosols



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.



PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months], preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks, and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It allows you to automatically fill a whole room with insect-killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collars, [brand name] pet dusts, [brand name], pet sprays, [brand name] pet dips, [brand name] pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Cockroaches [adults] (nymphs)
Smokey Brown Cockroach [adults] (nymphs)
Brown Banded Cockroach [adults] (nymphs)
Asian Cockroach [adults] (nymphs)
German Cockroach [adults] (nymphs)
American Cockroach [adults] (nymphs)
Australian Cockroach [adults] (nymphs)
Waterbugs [adults] (nymphs)

Sowbugs
Millipedes
Beetles
Ground Beetles
Elm Leaf Beetles
Boxelder Bugs
Earwigs
Lice

Fleas [adults (larvae) (eggs) (preadult)]
Ticks [that may carry and transmit Lyme Disease]

Brown Dog Ticks
Lone Star Ticks
Deer Ticks
Other Ixodid Species
American Dog Ticks
Gulf Coast Ticks

Palmetto Bugs [adults] (nymphs)]

Pillbugs
Clover Mites
Dermestids [Carpet Beetles (Trogoderma)]

Foraging Ants [Fire Ants] [Pharaoh Ants]
Carpenter Ants [Eastern (Western)]
Centipedes

Granary Insects
Flat Grain Beetles
Cadelles
Rice Weevils
Flour Beetles
Cigarette Beetles
Drugstore Beetles
Lesser Grain Borers
Merchant Grain Beetles
Saw-toothed Grain Beetles
Grain Weevils
Warehouse Beetles
Red Flour Beetles

Midges
Flies
Gnats
Cluster Flies
Mosquitoes
Sciarid Flies
Firebrats
Silverfish
Booklice
Wood Borers (exposed stages)
Cheese Mites

Flying Moths [small]
Almond Moths
Chocolate Moths
Tobacco Moths
Indian Meal Moths
Indian Mealworms
Angoumois Grain Moths
Hornets
Carpenter Bees
Wasps
Yellow Jackets [Eastern (Western)]
Grain Mites

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Institutions, Kennels, Kitchens, Pet Sleeping Areas, Rooms,

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP] READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift. For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required

TO USE THIS PRODUCT CORRECTLY :

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. Do not use in a room 5 ft. X 5 ft. with an 8 ft ceiling or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
- EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
- EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
- EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

In the home, exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.

EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment Cover and turn off fish aquariums before activating fogger.

[Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used). Open interior closet doors and cabinets of areas to be treated.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

For best results, treat all infested areas [sites]. Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

Use additional units for remote rooms or where the free flow of fog is not assured.

TO USE THIS PRODUCT CORRECTLY :

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
- EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
- EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
- EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"

For more effective control of storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach,], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry] and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.


Use additional units for remote rooms or where the free flow of fog is not assured.

TO START FOGGING: Immediately before activating fogger complete the door hang tag by filling in the time and date to instruct people not to enter the premises for at least two (2) hours from the activation time. Hang the tag on the door to the entryway.

SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (24) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required

EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

[DOOR HANG TAG LANGUAGE:]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____

2620_1021-1623_12110944a



McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® Total Release Fogger 2620

[Contains NYLAR® Insect Growth Regulator] [COMMERCIAL /INSTITUTIONAL SECTION OF LABEL] [This label will be available in Spanish]

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[Total Release Fogger for Fleas with Insect Growth Regulator]
Kills Adult and Preadult Fleas
Prevents Reinfestation for 7 Months
Water-based
Contains No CFC's or Other Ozone Depleting Substances]

[] OR () indicates alternate or optional wording[[
[3 PACK FOR MULTI-ROOM USE]]
[[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones that interferes with [stops] their growth and development
[Nylar®] [brand name] stops [prevents] the flea from developing into egg-laying adults
[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program
[Nylar®] [brand name] can be a biorational approach to insect control
[Nylar®] [brand name] keeps working in areas exposed to the sun]
[Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
Kills adult and preadult fleas, including flea eggs, for [210 days] [30 weeks] [7 months]
Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months
Prevents fleas from developing into the biting adult stage
Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full-grown [developing into] biting adults
One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite
[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]
Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas
Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas
Larvae crawling onto treated areas will not develop into adult fleas
[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults
Breaks the Flea Life Cycle
Controls Reinfestation for [210 days] [30 weeks] [7 months]
Kills - Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae]
[Kills fleas you see and those you don't
Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects [troublesome flying and crawling household insects]
[Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme disease
Effective long-term control. Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard.
See additional precautionary statements on side [back]]
[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE.
[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSRUCTED SPACE
[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. with an 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE.
[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25ft. with an 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE.
[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft with an 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Includes 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine and Pyrethrins.

8/12

* N-Octyl bicycloheptene dicarboximide 0.380%
 ** Permethrin..... 0.400%

OTHER INGREDIENTS..... 99.070%
 100.000
 %

* MGK® 264, Insecticide Synergist
 ** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
 EVERCIDE®, NYLAR®, and MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____
 Manufactured by:
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427
 EPA Reg. No. 1021-1623 EPA Est. No. 1021-MN-2

Federal regulations prohibit
 CFC propellants in aerosols



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT

Applicators must wear: Long-sleeved shirt and long pants, shoes plus socks, Chemical-resistant gloves made of barrier laminate made of barrier laminate, nitrile rubber, neoprene rubber or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separated from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking, chewing gum, using tobacco , or using the toilet. Users should remove clothing /PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately afte handling this product. Wash the outside of gloves before removing . As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months], preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks, and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It allows you to automatically fill a whole room with insect-killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collars, [brand name] pet dusts, [brand name], pet sprays, [brand name] pet dips, [brand name] pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Cockroaches [adults] (nymphs)]	Sowbugs	Fleas [adults (larvae) (eggs) (preadult)]
Smokey Brown Cockroach [adults] (nymphs)]	Millipedes	Ticks [that may carry and transmit Lyme Disease]
Brown Banded Cockroach [adults] (nymphs)]	Beetles	Brown Dog Ticks
Asian Cockroach [adults] (nymphs)]	Ground Beetles	Lone Star Ticks
German Cockroach [adults] (nymphs)]	Elm Leaf Beetles	Deer Ticks
American Cockroach [adults] (nymphs)]	Boxelder Bugs	Other Ixodid Species
Australian Cockroach [adults] (nymphs)]	Earwigs	American Dog Ticks
Waterbugs [adults] (nymphs)]	Lice	Gulf Coast Ticks
Palmetto Bugs [adults] (nymphs)]	Pillbugs	Foraging Ants [Fire Ants] [Pharaoh Ants]
	Clover Mites	Carpenter Ants [Eastern (Western)]
	Dermeestids [Carpet Beetles (Trogoderma)]	Centipedes
Granary Insects	Midges	Flying Moths [small]
Flat Grain Beetles	Flies	Almond Moths
Cadelles	Gnats	Chocolate Moths
Rice Weevils	Cluster Flies	Tobacco Moths
Flour Beetles	Mosquitoes	Indian Meal Moths
Cigarette Beetles	Sciarid Flies	Indian Mealworms
Drugstore Beetles	Firebrats	Angoumois Grain Moths
Lesser Grain Borers	Silverfish	Hornets
Merchant Grain Beetles	Booklice	Carpenter Bees
Saw-toothed Grain Beetles		Wasps
Grain Weevils	Wood Borers (exposed stages)	Yellow Jackets [Eastern (Western)]
Warehouse Beetles	Cheese Mites	Grain Mites
Red Flour Beetles		

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other

Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP] READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not use in greenhouse where plants are grown for food. Do not use in aircraft cabins. Remove poultry before treating poultry houses. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking:

Avoid contamination of food or feedstuffs. Do not treat establishments where livestock feed is present.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required

Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. . . Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). In homes do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

TO USE THIS PRODUCT CORRECTLY :

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces.

EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"
Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment Cover and turn off fish aquariums before activating fogger.

[Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used). Open interior closet doors and cabinets of areas to be treated.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

For best results, treat all infested areas [sites]. Use only one canister of fogger to treat a room up to 16 ft. x 16 ft. with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]
-Use additional units for remote rooms or where the free flow of fog is not assured.

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.
EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"


For more effective control of storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach,], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry] and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

TO START FOGGING: Immediately before activating fogger complete the door hang tag by filling in the time and date to instruct people not to enter the premises for at least two (2) hours from the activation time. Hang the tag on the door to the entryway. SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required

EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!
Nonrefillable container. Do not reuse or refill this container.
If empty:
Place in trash or offer for recycling if available.
If partly filled:
Call your local solid waste agency for disposal instructions.

[DOOR HANG TAG LANGUAGE:]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____