



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 9, 2022

Thomas A. Lennan
Senior Regulatory Affairs Specialist
McLaughlin Gormley King Company
7325 Aspen Lane N
Minneapolis, MN 55428

Subject: Registration Review Label Mitigation for Pyriproxyfen and Permethrin
Product Name: Evercide Total Release Fogger 2620
EPA Registration Number: 1021-1623
Application Dates: 1/15/2020; 1/5/2021
Decision Numbers: 558862; 572204

Dear Thomas Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Pyriproxyfen and Permethrin Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Page 2 of 2
EPA Reg. No. 1021-1623
Decision No. 558862; 572204

If you have any questions about this letter, please contact Jaclyn Pyne by phone at 202-566-2326, or via email at pyne.jaclyn@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington".

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

EVERCIDE® Total Release Fogger 2620

[Contains NYLAR® Insect Growth Regulator]
 [RESIDENTIAL SECTION OF LABEL]
 [This label will be available in Spanish]

[Total Release Fogger for Fleas with Insect Growth Regulator]
 Kills Adult and Preadult Fleas
 Prevents Reinfestation for 7 Months
 Water-based
 Contains No CFC's or Other Ozone Depleting Substances]

[] OR () indicates alternate or optional wording
 [3 PACK FOR MULTI-ROOM USE]
 [NYLAR®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones that interferes with [stops] their growth and development
 [NYLAR®] [brand name] stops [prevents] the flea from developing into egg-laying adults
 [NYLAR®] [brand name] can be used as part of an integrated pest management [IPM] program
 [NYLAR®] [brand name] can be a biorational approach to insect control
 [NYLAR®] [brand name] keeps working in areas exposed to the sun
 [Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
 Kills adult and preadult fleas, including flea eggs, for [210 days] [30 weeks] [7 months]
 Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months
 Prevents fleas from developing into the biting adult stage
 Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full-grown [developing into] biting adults
 One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
 Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite
 [NYLAR®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]
 Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas
 Flea eggs deposited on treated areas will not develop into adult fleas
 Larvae crawling onto treated areas will not develop into adult fleas
 [NYLAR®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults
 Breaks the Flea Life Cycle
 Controls Reinfestation for [210 days] [30 weeks] [7 months]
 Kills – Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae
 [Kills fleas you see and those you don't
 Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects
 [troublesome flying and crawling household insects]
 [Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme disease
 Effective long-term control. Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard.
 See additional precautionary statements on side [back]]
 [ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. WITH AN 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (5 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25 ft. WITH AN 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft. WITH AN 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE]

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.380%
** Permethrin	0.400%
OTHER INGREDIENTS	99.070%
	100.000%

* MGK® 264®, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE®, NYLAR®, MGK® and 264® - Registered trademarks of McLaughlin Gormley King Company

See inside booklet for [First Aid,] [Precautionary Statements,] Directions for Use and Storage and Disposal.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by


 7325 Aspen Lane North
 Minneapolis, MN 55428

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

Net Contents _____

Federal regulations prohibit
 CFC propellants in aerosols



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months], preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR] [brand name], an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR] [brand name] takes effect.

[EVERCIDE Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks, and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It allows you to automatically fill a whole room with insect-killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collars, [brand name] pet dusts, [brand name], pet sprays, [brand name] pet dips, [brand name] pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Almond Moths, American Cockroach [adults] (nymphs)], Angoumois Grain Moths, Asian Cockroach [adults] (nymphs)], Australian Cockroach [adults] (nymphs)], Beetles, Booklice, Boxelder Bugs, Brown Banded Cockroach [adults] (nymphs)], Cadelles, Carpenter Ants [Eastern (Western)], Carpenter Bees, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches [adults] (nymphs)], Dermestids [Carpet Beetles (Trogoderma)], Drugstore Beetles, Earwigs, Elm Leaf Beetles, Firebrats, Flat Grain Beetles, Fleas [adults (larvae) (eggs) (preadult)], Flies, Flour Beetles, Flying Moths [small], Foraging Ants [Fire Ants] [Pharaoh Ants], German Cockroach [adults] (nymphs)], Gnats, Grain Mites, Grain Weevils, Granary Insects, Ground Beetles, Hornets, Indian Meal Moths, Indian Mealworms, Lesser Grain Borers, Lice, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Palmetto Bugs [adults] (nymphs)], Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Sciarid Flies, Silverfish, Smokey Brown Cockroach [adults] (nymphs)], Sowbugs, Ticks [that may carry and transmit Lyme disease] (American Dog Ticks, Brown Dog Ticks, Deer Ticks, Gulf Coast Ticks, Lone Star Ticks, other Ixodid Species), Tobacco Moths, Warehouse Beetles, Wasps, Waterbugs [adults] (nymphs)], Wood Borers (exposed stages), Yellowjackets [Eastern (Western)]

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Institutions, Kennels, Kitchens, Pet Sleeping Areas, Rooms.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

[STOP] READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

For indoor use only

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm² or 0.25 sq. in. unless size is greater than 10% of label size}

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift. For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. x 5 ft. with an 8 ft. ceiling or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
- EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
- EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
- EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft. with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space.] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25 ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

In the home, exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.

- EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover and turn off fish aquariums before activating fogger.

[Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used). Open interior closet doors and cabinets of areas to be treated.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.


For more effective control of storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Sawtoothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry] and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces. Use additional units for remote rooms or where the free flow of fog is not assured.

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not re-enter for 2 hours.



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

- EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Do Not Puncture or Incinerate!

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

[DOOR HANG TAG LANGUAGE:]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____

[OPTIONAL DOOR HANG TAG LANGUAGE:]

[DO NOT ENTER UNTIL ____ ON ____ NO ENTRE HASTA LAS ____ ÉL ____]

FILL OUT AND PLACE HANG-TAG ON THE DOOR TO THE TREATED AREA TO ALERT FAMILY AND OTHERS WITH ACCESS TO THE TREATED AREA NOT TO ENTER FOR 2 HOURS.

LLENE Y GUINDE LA ETIQUETA EN LA PUERTA DEL ÁREA QUE VA A SER TRATADA PARA ALERTAR A LOS FAMILIARES Y OTROS CON ACCESO AL ÁREA PARA QUE NO ENTREN POR 2 HORAS.]

EVERCIDE® Total Release Fogger 2620

[Contains NYLAR® Insect Growth Regulator]
 [COMMERCIAL /INSTITUTIONAL SECTION OF LABEL]
 [This label will be available in Spanish]

[Total Release Fogger for Fleas with Insect Growth Regulator]
 Kills Adult and Preadult Fleas
 Prevents Reinfestation for 7 Months
 Water-based
 Contains No CFC's or Other Ozone Depleting Substances]

[] OR () indicates alternate or optional wording
 [3 PACK FOR MULTI-ROOM USE]
 [NYLAR®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones that interferes with [stops] their growth and development
 [NYLAR®] [brand name] stops [prevents] the flea from developing into egg-laying adults
 [NYLAR®] [brand name] can be used as part of an integrated pest management [IPM] program
 [NYLAR®] [brand name] can be a biorational approach to insect control
 [NYLAR®] [brand name] keeps working in areas exposed to the sun
 [Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
 Kills adult and preadult fleas, including flea eggs, for [210 days] [30 weeks] [7 months]
 Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months
 Prevents fleas from developing into the biting adult stage
 Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full-grown [developing into] biting adults
 One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
 Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite
 [NYLAR®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]
 Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas
 Flea eggs deposited on treated areas will not develop into adult fleas
 Larvae crawling onto treated areas will not develop into adult fleas
 [NYLAR®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults
 Breaks the Flea Life Cycle
 Controls Reinfestation for [210 days] [30 weeks] [7 months]
 Kills – Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae
 [Kills fleas you see and those you don't
 Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects
 [troublesome flying and crawling household insects]
 [Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme disease
 Effective long-term control. Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard.
 See additional precautionary statements on side [back]]
 [ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. WITH AN 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (5 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25 ft. WITH AN 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE
 [ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft. WITH AN 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE]

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.380%
** Permethrin	0.400%
OTHER INGREDIENTS	99.070%
	<hr/> 100.000%

* MGK® 264®, Insecticide Synergist
 ** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE®, NYLAR®, MGK® and 264® - Registered trademarks of McLaughlin Gormley King Company

See inside booklet for [First Aid,] [Precautionary Statements,] Directions for Use and Storage and Disposal.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured for

 7325 Aspen Lane North
 Minneapolis, MN 55428

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

Net Contents _____

Federal regulations prohibit
 CFC propellants in aerosols



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT

Applicators must wear: Long-sleeved shirt and long pants, shoes plus socks, Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separated from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months], preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR] [brand name], an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR] [brand name] takes effect.

[EVERCIDE Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks, and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It allows you to automatically fill a whole room with insect-killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collars, [brand name] pet dusts, [brand name], pet sprays, [brand name] pet dips, [brand name] pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Almond Moths, American Cockroach [adults] (nymphs)], Angoumois Grain Moths, Asian Cockroach [adults] (nymphs)], Australian Cockroach [adults] (nymphs)], Beetles, Booklice, Boxelder Bugs, Brown Banded Cockroach [adults] (nymphs)], Cadelles, Carpenter Ants [Eastern (Western)], Carpenter Bees, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches [adults] (nymphs)], Dermestids [Carpet Beetles (Trogoderma)], Drugstore Beetles, Earwigs, Elm Leaf Beetles, Firebrats, Flat Grain Beetles, Fleas [adults (larvae) (eggs) (preadult)], Flies, Flour Beetles, Flying Moths [small], Foraging Ants [Fire Ants] [Pharaoh Ants], German Cockroach [adults] (nymphs)], Gnats, Grain Mites, Grain Weevils, Granary Insects, Ground Beetles, Hornets, Indian Meal Moths, Indian Mealworms, Lesser Grain Borers, Lice, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Palmetto Bugs [adults] (nymphs)], Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Sciarid Flies, Silverfish, Smokey Brown Cockroach [adults] (nymphs)], Sowbugs, Ticks [that may carry and transmit Lyme disease] (American Dog Ticks, Brown Dog Ticks, Deer Ticks, Gulf Coast Ticks, Lone Star Ticks, other Ixodid Species), Tobacco Moths, Warehouse Beetles, Wasps, Waterbugs [adults] (nymphs)], Wood Borers (exposed stages), Yellowjackets [Eastern (Western)]

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[STOP] READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

For indoor use only

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm² or 0.25 sq. in. unless size is greater than 10% of label size}

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not use in greenhouse where plants are grown for food. Do not use in aircraft cabins. Remove poultry before treating poultry houses. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking:

Avoid contamination of food or feedstuffs. Do not treat establishments where livestock feed is present.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). In homes do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"

EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"

EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"

EPA PRE-APPROVED PICTOGRAM 4 representing "NO Flames or Pilot Lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft. with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space] [25 ft. x 25 ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.] [27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces.

EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover and turn off fish aquariums before activating fogger.

[Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used). Open interior closet doors and cabinets of areas to be treated.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

Use additional units for remote rooms or where the free flow of fog is not assured.


For more effective control of storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Sawtoothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry] and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not re-enter for 2 hours.



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Do Not Puncture or Incinerate!

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

[DOOR HANG TAG LANGUAGE:]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____

[OPTIONAL DOOR HANG TAG LANGUAGE:]

[DO NOT ENTER UNTIL _____ ON _____ NO ENTRE HASTA LAS _____ ÉL _____

FILL OUT AND PLACE HANG-TAG ON THE DOOR TO THE TREATED AREA TO ALERT FAMILY AND OTHERS WITH ACCESS TO THE TREATED AREA NOT TO ENTER FOR 2 HOURS.

LLENE Y GUINDE LA ETIQUETA EN LA PUERTA DEL ÁREA QUE VA A SER TRATADA PARA ALERTAR A LOS FAMILIARES Y OTROS CON ACCESO AL ÁREA PARA QUE NO ENTREN POR 2 HORAS.]