



11-13-2003

1/3

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

NOV 13 2003

Julie B. Schlekau  
Registration Specialist  
MGK Company  
8810 Tenth Avenue North  
Minneapolis, MN 55427-4372

Subject: Amendment - Update First Aid and Storage and Disposal  
Evercide Total Release Aerosol 2602  
EPA Registration No. 1021-1635  
Your submission dated December 4, 2002

Dear Ms. Schlekau:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

1. Under the "Precautionary Statements" section, please move the statements "Avoid contamination of food or feedstuffs. Remove pets, birds, and cover fish aquariums before spraying" to the "Directions for Use" section of your label.
2. Under the "To Kill Ticks and Fleas" section, add the following sentence to the end of the paragraph: "Also, treat your yard with a product registered for yard application."
3. You may delete the If Swallowed first aid and the Harmful if swallowed statement since the acute oral toxicity is in toxicity category IV. Based on the amount of petroleum distillates in the product you may also delete this statement under ingredient statement and Note to Physician.
4. Revise the first sentence under Precautionary Statements to read, "Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation."

A stamped copy of the label has been enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

Enclosure

**MGK** McLAUGHLIN GORMLEY KING COMPANY  
2602-902



EVERCIDE® Total Release Aerosol 2602

Water Base Formula

For Use in Homes, Rooms and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, office buildings, theaters, garages, hotels, motels, hospitals and kennels.

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

ONE UNIT TREATS UP TO 6,000 CUBIC FEET.

ACTIVE INGREDIENTS:

Pyrethrins .....	0.050%
* Piperonyl butoxide, Technical .....	0.100%
** N-Octyl bicycloheptene dicarboximide .....	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate .....	0.100%
*** OTHER INGREDIENTS .....	99.583%
	100.000%

- \* Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
- \*\* MGK® 284, Insecticide Synergist
- \*\*\* Contains petroleum distillate

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF INHALED:	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash with soap and warm water after use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

NOV 13 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1021-1635

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Authorized for use in Federally Inspected Meat, Milk and Poultry Plants.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Do not apply when food processing facility is in operation or foods are exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are places where prepared foods are served, such as dining rooms, but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not treat establishments where livestock feed is present.

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, houseflies, mosquitoes, rice weevils, saw-toothed grain beetles, small flying moths, sow bugs, spiders and ticks.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling). Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry place. Keep container closed.  
Do Not Puncture or Incinerate!

**DISPOSAL:**

If Empty:	Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filled:	Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Contents \_\_\_\_\_  
Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427



EPA Reg. No. 1021-1635    EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols