

MGK®

McLAUGHLIN
GORMLEY
KING COMPANY



EVERCIDE® Total Release Aerosol 2602

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

Water-Based Formula
For Use in Homes, Rooms and Food and Non-Food Areas of Food
Processing Plants, Restaurants, and Industrial Buildings such as

Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels,
Motels, Hospitals, and Kennels.

ONE UNIT TREATS UP TO 6,000 CUBIC FEET.

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
* Piperonyl butoxide, Technical	0.100%
** N-Octyl bicycloheptene dicarboximide	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
OTHER INGREDIENTS	99.583%
	<hr/> 100.000%

* Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds

** MGK® 264, Insecticide Synergist

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company

Net Weight _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1635

EPA Est. No. 1021-MN-2



Federal regulations prohibit
CFC propellants in aerosols

ACCEPTED

AUG - 5 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1021-1635

1021-1635
8/5/2004

1/3

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.*

Authorized for use in Federally Inspected Meat, Milk, and Poultry Plants.

Avoid contamination of food or feedstuffs.

Remove pets and birds and cover fish aquariums before spraying.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets or cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.)** Call your gas utility or management company if you need assistance with your pilot lights.

Do not apply when food processing facility is in operation or foods are exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storing, packaging (canning, bottling, wrapping, and boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, and syrups). Serving areas are places where prepared foods are served such as dining rooms but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Do not treat establishments where livestock feed is present.

This product will kill Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths, Sowbugs, Spiders, and Ticks.

Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling). Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in center of room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two (2) hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two (2) weeks.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises. Also, treat your yard with a product registered for yard application.

9/3

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

W/W
W