|3| |02| - 1636UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

tuge , 1

25 SEP 1996

Ms. Julie Schlekau MGK, Co. 8810 Tenth Avenue Minneapolis, MN 55427

PM

Æ

{

Dear Ms. Schlekau:

Subject: Labeling EVERCIDE Esfenvalerate 35% Wettable Powder EPA Registration No. 1021-1636 Your Submission Dated June 22, 1995

The labeling referred to above, submitted in connecdtion with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the labeling changes indicated below for the product bearing the amended labeling prior to release for shipment:

- 1. Revise the label claim as follows: "Controls Numerous Pests (listed below) in and Around Structures."
- 2. In the ingredient statement, the terms Active Ingredient and Inert Ingredient should be aligned to the same margin.
- 3. Since the USDA approved the use of this product, add the statement "Authorized for Use in Federally Inspected Meat and Poultry Plants".

Sincerely Yours,

EPA Form 1320-1A (1/90)		Printed on Recycled Parase OFFICIAL FILE COP	Y
DATE	9/26/96		
SURNAME	Blackwell		
SYMBOL		Registration Division (7505C)	47
<u> </u>	······	Ins G9HSWR RACES Inticide Branch	
	······································	Product Manager 13	
		George T. LaRocca	

EVERCIDE® Esfenvalerate 35% Wettable Powder

RECOMMENDED FOR COMMERCIAL AND INDUSTRIAL USE

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

McLAUGHLIN

NG COMPANY

GORMLEY

TELEPHONE (612) 544-0341

Controls Numerous Pests in and Around Structures.

For Use in and Around the Home and Food and Non-Food Areas of: Schools, Warehouses, Office Buildings, Apartment Buildings, Theatres, Hotels, Motels, Kennels, Food Processing Plants, Food Service Establishments, Truck Trailers, Railroad Cars and Food Manufacturing and Warehousing Establishments. Also for Use on Lawns to Kill Fleas and Ticks.

ACTIVE INGREDIENT:	
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	35.00%
INERT INGREDIENTS	
	100.00%

EVERCIDE®-Registered trademark of McLaughlin Gormley King Co.

	KEEP OUT OF REACH OF CHILDREN
	CAUTION
	STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED:	Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED:	Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.
IF ON SKIN:	Wash with plenty of soap and water. Get medical attention if irritation persists.
IF IN EYES:	Flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with scap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product can be mixed with an approved insect growth regulator or pyrethrin-containing products in areas where these products are allowed to be sprayed. Please check specific label directions of these products before using. Do not tank mix this product with dichlorvos -(DDVP) - containing products. Do not use strainers finer than 50 mesh size. This product will not damage paint, fabrics or other surfaces which water will not damage.

FOR INDOOR PESTS:

allowed to be sprayed. Please check specific label directions of these products before using. Do not tank mix this product with dichlorvos -(DDVP) - containing products. Do not use strainers finer than 50 mesh size. This product will not damage paint, fabrics or other surfaces which water will not damage.

FOR INDOOR PESTS:

GENERAL: Use this product to control the pests indicated in the listed areas as a contact spray by mixing either one (1) or two (2) scoops of this product in one (1) gallon of water and mix thoroughly before use. One (1) scoop per gallon of water will make a spray containing 0.025% active ingredient, two (2) scoops per gallon will make a spray containing 0.05% active ingredient. For initial clean out or heavy infestations use two (2) scoops per gallon of spray; for maintenance control use one (1) scoop per gallon. This product can be used as a crack and crevice, spot, or general treatment. When used as a general treatment apply at the rate one (1) gallon of diluted spray per 1,000 square feet of surface area. Each scoop contains 2.80 grams of this product.

Application within Food and Non-Food areas of Food Service and Food Handling Establishments (Places Other Than Private Residences) including, but not limited to: Restaurants, Grocery Stores, Bakeries, Food Manufacturing and Processing Establishments, and Food Warehousing Establishments. Do not treat establishments where livestock feed is present.

Food areas include areas for receiving, storage, packing, canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems, mills, dairies, edible oils, syrups. Serving areas are places where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Non-food areas include garbage rooms, lavatories, floor crains to sewers, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage after canning or bottling.

To Kill the Accessible Stages of Granary Insects: Cadelles, Cigarette Beetles, Confused Flour Beetles, Drug Store Beetles, Granary Weevils, Meal Moth Larvae and Adults, Rice Weevils, Rust Red Flour Beetles, and Saw-Toothed Grain Beetles: Apply as a coarse wet spray to surfaces where these pests are normally found, such as floors, baseboards, around walls, benches, and pieces of equipment. When used as a general treatment apply at a dosage of one (1) gallon of spray per 1,000 square feet. Pay particular attention to cracks, crevices, and similar protected locations in floors and walls. Spray thoroughly around and into floor drains, non-food conveyors, and other areas where granary insects may be found. Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come into contact with food; excessive residues in food may result.

Repeat Application as Needed, but Do Not Exceed More Than One Application Every Fourteen (14) Days.

To Kill Ants, Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Psocids, Scorpions, Silverfish, Sowbugs, Spiders, and Waterbugs: Apply this spray with a sprayer that products coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and pieces of equipment, and in other places where these insects may frequent or shelter. When used as a general treatment apply at a dosage of one (1) gallon of spray per 1,000 square feet. Contact as many insects as possible with direct spray. Repeat applications as needed, but do not exceed more than one application every fourteen (14) days in all types of food handling establishments.

Application Within Residential and Non-Residential Buildings including Homes, Apartment Buildings, Kennels, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings, such as Hospitals, Hotels, Warehouses, Truck Trailers, Railroad Cars, Theaters, office Buildings, and Schools.

GENERAL: Apply as a coarse wet spray to thoroughly treat hiding places, such as cracks, crevices, moist areas around pipes, under refrigerators, along baseboards, or other areas insects may frequent or hide. When used as a general treatment apply at the rate of one (1) gallon of spray mixture per 1,000 square feet. Spray directly on insects when possible. Do not permit humans or pets to contact treated surfaces until the spray has dried. Repeat as necessary. Do not treat establishments where livestock feed is present.

To Kill Ants, Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Psocids, Scorpions, Silverfish, Sowbugs, Spiders, and Waterbugs: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators, cabinets, around garbage cans, plumbing, other utility installations, or other areas insects may frequent or hide. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever these pests may find entrance. Repeat as necessary.

To Kill Carpenter Ants: Apply two (2) scoops per one (1) gallon of water as a coarse spray, around doors, door frames, windows and other areas where these ants enter the premises or hide. Spray into cracks and crevices, through openings or small newly drilled holes into wall voids where these ants or their nests are present.

FOR OUTDOOR PESTS:

GENERAL: Use this product at the rate of two (2) scoops per one (1) gallon of water to control on contact ants, cockroaches, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, boxelder bugs, centipedes, crickets, hornets, millipedes, scorpions, sowbugs (pillbugs), spiders, wasps, and yellow-jackets, treat a 2-6 foot band of soil or other substrate adjacent to buildings, building foundation to a height of 2 to 3 feet, eaves, crawl spaces or other areas where these pests are active and may find entrance. Use two (2) scoops of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

LAWN FLEA AND TICK CONTROL: (Residential, Parks, Institutions, Recreation Areas, Industrial Warehouses, and Athletic Fields Only):

To Kill Fleas and Ticks Harboring in Lawns and Backyards: Dilute and apply as shown in the chart below. Mix well. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the lxodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should be used in conjunction with this product.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

AMOUNT OF PRODUCT TO USE

- 1 Scoop
- 2-Scoops
- 4 Scoops

AMOUNT OF WATER TO USE

3 gallons 6 gallons

12 gallons

AREA TO BE TREATED

500 sq. ft. (50' x 10') 1,000 sq. ft. (50' x 20') 2,000 sq. ft. (50' x 40')

OUTDOOR CONTROL OF ASIAN COCKROACHES:

To control infestations of Asian cockroaches: Dilute 1 2/3 scoops (4.67 grams) of this product in 30 gallons of water to treat 5,000 square feet. Repeat as needed. Keep children and pets off treated areas for 24 hours or until the grass has completely dried.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a warm, dry place. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. In case of spill or leak, soak up with sand, earth or synthetic absorbents. Do not use alkaline absorbents or clean area of spill with alkaline detergents.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in garbage.

蟵

··)

EPA Reg. No. 1021-1636

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

> ACCEPTED with COMMENTS in EPA Letter Dated

Under the Federal Insecticide, Fangicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1021-1636

25 SEP 1996

1

1

EPA Est. No. 1021-MN-2

,)

د د د د د

494