r r		EPA REGISTRATION NO.	DATE OF ISSUANCE	
	US ENVIRONMENTAL PROTECTION AGENCY		MAR 2 6 1993	
	OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	1021-1641 TERM OF ISSUANCE	[ 1840 2 0 1993	
	WASHINGTON, DC 20460	Until Rere	gistration	
ļ	NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PROD		
•	REREGISTRATION	Describe Dest	Jun] Tugantinia	
	(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Evercide Residual Insecticide Concentrate 2662		
AME	E AND ADDRESS OF REGISTRANT (Include ZIP code)			
			1	
1		7	1/05431400	
			1916	
	McLaughlin Gormley King Company			
	8810 Tenth Avenue North			
I	Minneapolis, MN 55427	1		
•	-			
subr	TE: Changes in labeling formula differing in substance from mitted to and accepted by the Registration Division prior fuct always refer to the above U.S. EPA registration numb	to use of the label in comme		
	the basis of information furnished by the registrant, the a Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is her	eby Registered/Reregistered unde	
eg:	opy of the labeling accepted in connection with this Regi istration is in no way to be construed as an indorsement	or approval of this product b	y this Agency. In order to protect	
Reg heal icid Act	istration is in no way to be construed as an indorsement thand the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam is not to be construed as giving the registrant a light to others.	or approval of this product b , may at any time suspend or be in connection with the reg exclusive use of the name o	y this Agency. In order to protect cancel the registration of a pest gistration of a product under this r to its use if it has been covered	
Reg: heal icid Act	istration is in no way to be construed as an indorsement the and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam is not to be construed as giving the registrant a light to others. This product is conditional. FIFRA sec. 3(c)(7)(A) since you h	or approval of this product b , may at any time suspend on the in connection with the reg exclusive use of the name o ly registered in have agreed to:	y this Agency. In order to protect cancel the registration of a pest sistration of a product under this r to its use if it has been covered accordance with	
Reg: heal icid Act	istration is in no way to be construed as an indorsement th and the environment, the Administrator, on his motion, is in accordance with the Act. The acceptance of any nam is not to be construed as giving the registrant a light to others. This product is conditional.	or approval of this product b , may at any time suspend or me in connection with the reg exclusive use of the name o ly registered in nave agreed to: 11 data or othe your product under a Agency requires	y this Agency. In order to protect cancel the registration of a pest gistration of a product under this r to its use if it has been covered accordance with er material for FIFRA section	
Reg: heal icid Act	istration is in no way to be construed as an indorsement Ith and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam- is not to be construed as giving the registrant a light to others. This product is conditional. FIFRA sec. 3(c)(7)(A) since you h 1. Submit and/or cite all registration/ reregistration of y 3(c)(5) or FIFRA section 4 when th	or approval of this product b , may at any time suspend or be in connection with the reg exclusive use of the name o ly registered in have agreed to: ll data or othe your product unde be Agency requires th data.	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants	
Reg: heal icid Act	istration is in no way to be construed as an indorsement th and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam- is not to be construed as giving the registrant a light to others. This product is conditional. FIFRA sec. 3(c)(7)(A) since you h 1. Submit and/or cite al registration/ reregistration of y 3(c)(5) or FIFRA section 4 when th of citient products to submit suc- 2. Make the labeling changes	or approval of this product b , may at any time suspend or me in connection with the reg exclusive use of the name o ly registered in nave agreed to: ll data or othe your product unde the Agency requires th data. s listed below be gistration No. 10	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants fore you release	
Reg: heal icid Act	istration is in no way to be construed as an indorsement th and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam- is not to be construed as giving the registrant a light to others. This product is conditional: FIFRA sec. 3(c)(7)(A) since you h 1. Submit and/or cite al registration/ reregistration of y 3(c)(5) or FIFRA section 4 when th 0. ci   products to submit suc 2. Make the labeling changes the product for shipment: a. Add the phrase, "EFA Reg	or approval of this product b , may at any time suspend or be in connection with the reg exclusive use of the name o ly registered in have agreed to: ll data or othe your product unde be Agency requires th data. s listed below be gistration No. 10 hent.	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants fore you release 21-1641" before	
Reg: heal icid Act	<pre>istration is in no way to be construed as an indorsement is the and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam is not to be construed as giving the registrant a light to others. This product is conditional? FIFRA sec. 3(c)(7)(A) since you h 1. Submit and/or cite at registration/ reregistration of y 3(c)(5) or FIFRA section 4 when th of ci i products to submit suc 2. Make the labeling changes the product for shipment: a. Add the phrase, "EFA Rec you release the product for shipm b. Delete all references to</pre>	or approval of this product b , may at any time suspend or me in connection with the reg exclusive use of the name o ly registered in have agreed to: ll data or othe your product unde the Agency requires th data. s listed below be gistration No. 10 hent. o "Evercide Conce our final printed ent. Refer to th	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants fore you release 21-1641" before ntrate 2457" and labeling before e A-79 Enclosure	
Reg: heal icid Act	<pre>istration is in no way to be construed as an indorsement is the and the environment, the Administrator, on his motion, le in accordance with the Act. The acceptance of any nam is not to be construed as giving the registrant a light to others. This product is conditional? FIFRA sec. 3(c)(7)(A) since you h 1. Submit and/or cite at registration/ reregistration of y 3(c)(5) or FIFRA section 4 when th of ci i products to submit suc 2. Make the labeling changes the product for shipment: a. Add the phrase, "EFA Rec you release the product for shipm b. Delete all references to replace with this product's name. 4. Submit five copies of you you release the product for shipment</pre>	or approval of this product b , may at any time suspend or be in connection with the reg exclusive use of the name o ly registered in have agreed to: ll data or othe your product unde the Agency requires th data. s listed below be gistration No. 10 hent. o "Evercide Conce our final printed ent. Refer to th al printed labelin complied with, the accordance with	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants fore you release 21-1641" before ntrate 2457" and labeling before e A-79 Enclosure ng. the registration FIFRA sec. 6(e). es acceptance of	
Regg heal Act by c	<ul> <li>Add the phrase, "EFA Recyou release the product for shipment.</li> <li>a. Add the phrase, "EFA Recyou release the product for shipment.</li> <li>b. Delete all references to replace to replace to replace to replace to replace to replace the product for shipment.</li> <li>b. Delete all references to replace the product for shipment.</li> </ul>	or approval of this product b , may at any time suspend or be in connection with the reg exclusive use of the name o ly registered in have agreed to: ll data or othe your product unde the Agency requires th data. s listed below be gistration No. 10 hent. o "Evercide Conce our final printed ent. Refer to th al printed labelin complied with, the accordance with	y this Agency. In order to protect cancel the registration of a pest distration of a product under this r to its use if it has been covered accordance with er material for er FIFRA section all registrants fore you release 21-1641" before ntrate 2457" and labeling before e A-79 Enclosure ng. the registration FIFRA sec. 6(e). es acceptance of	

EPA Form 8570-6 (Rev. 5-76) Enclosures

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED. +U.S. GPC: 1992-312-018/80303

# EVERCIDE® Residual Insecticide Concentrate 2662

Water or Oil Dilutable CONTROLS NUMEROUS PESTS IN AND AROUND STRUCTURES RECOMMENDED FOR COMMERCIAL AND INDUSTRIAL USE

**McLAUGHLIN** 

KING COMPANY

**GORMLEY** 

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

ര

TELEPHONE (612) 544-0341

......

• •

2/5

For Use in and Around the Home and Food and Non-Food Areas of: Schools, Warehouses, Office Buildings, Apartment Buildings, Theatres, Hotels, Motels, Kennels, Food Processing Plants, Food Service Establishments, Truck Trailers, Railroad Cars, and Food Manufacturing and Warehousing Establishments. Also for Use on Lawns to Kill Fleas and Ticks.

ACTIVE INGREDIENT:

(\$)-cyano(3-phenoxyphenyl)methyl-(\$)-4-chloro-alpha-(1-methylethyl)benzeneacetate	3.48%
 *INERT INGREDIENTS	<u>96,52%</u>
	100 002

\*Contains petroleum distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

# KEEP OUT OF REACH OF CHILDREN WARNING STATEMENT OF PRACTICAL TREATMENT

IF IN EYES:	Flush with plenty of water. Get immediate medical attention.
IF ON SKIN OR CLOTHING:	Remove contaminated clothing and wash before reuse. Wash with plenty of soap and warm water.
	Get medical attention.
IF SWALLOWED:	Call a physician or Poison Control Center immediately. Gastric Lavage is indicated if
	material was taken internally. Do not induce vomiting. Vomiting may cause aspiration
	pneumonia.
IF INHALED:	Remove victim to fresh air. Apply artificial respiration if indicated.
NOTE TO PHYSICIAN:	Probable mucosal damage may contraindicate the use of gastric lavage.

#### PRECAUTIONARY STATEMENTS

KAZARDS TO HUMANS AND DOMESTIC ANIMALS

# WARNING

Causes substantial but temporary eye injury. Causes skin irritation. May be irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear protective clothing, rubber gloves and goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if swallowed or inhaled or absorbed through skin. Contains petroleum distillate, Do not induce vomiting because of aspiration hazard and the probability of mucosel damage. When applying dilution indoors as a space spray or fog, wear a full faced gas mask with canister of a type recommended for general pesticide protection. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Do not apply directly to food. Cover or remove all food and food processing equipment during application. After spraying in meat packing plants, bakeries and other food processing plants, wash with an effective cleaning compound and then rinse with potable water all equipment, benches, shelving, etc. where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Do not spray plants used for food or feed.

Remove pets, birds, and cover fish aquariums before spraying.

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms while in use. Do not apply in institutions (including libraries, sports facilities, etc.) in the co immediate area where occupants are present.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

## PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product \_\_\_\_\_\_ in a manner inconsistent with its labeling.

EVERCIDE Residual Insecticide Concentrate 2437 can be mixed with methoprene, hydroprene or pyrethrin-containing products in areas where these products are allowed to be sprayed. Please check specific label directions of these products before using. Do not tank mix this product with dichlorvos-(DDVP)-containing products.

SHAKE WELL BEFORE USE

FOR INDOOR PESTS:

GENERAL: Use EVERCIDE Concentrate 2457 insecticide to control the pests indicated in the listed areas as a contect opray by mixing either one (1) or two (2) fluid ounces of concentrate in one (1) gallon of water or oil and mix thoroughly before use. One (1) ounce of Concentrate 2457 per gallon of water or oil will make a spray containing .027% active ingredient, two (2) ounces per gallon will make a spray containing .05% active ingredient. For initial clean out of heavy infestations use two (2) ounces of concentrate per\_gallon of spray; for maintenance control or light infestations use one (1) ounce of concentrate per gallon. Then using oil as the diluent, an odorless light petroleum hydrocarbon as defined by CFR Title 21, Sec. 172.884 should be used for all food area and food related applications. For all applications of contact sprays use at the rate of one (1) gallon (uiluted spray) per 1,000 square feet of surface area.

Application Only Within Food and Non-Food areas of Food Service and Food Handling Establishments (Places Other Than Private Residences) including, But Not Limited To: Restaurants, Grocery Stores, Bakeries, Food Manufasturing and Processing Establishments, and Food Warehousing Establishments. Do not treat establishments where livestock feed is present.

Food areas include areas for receiving, storage, packing, canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems, mills, dairies, edible oils, syrups. Serving areas are places where prepared foods are served, s is dining rooms, but excluding areas where foods may be prepared or held. Non-food areas include garbage rooms, lavatories, floar drains to severs, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage after canning or bottling.

As a Surface Spray:

To Kill the Accessible Stages of Granary Insects: Rice Neevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Neal Noth Larvae and Adults, Cigarette Beetles, Drug Store Beetles, and Granary Weevils: Apply as a coarse wet spray to surfaces where these pasts are normally found, such as floors, baseboards, around walls, benches, and pieces of equipment. Use a dosage of one (1) gallon of spray per 1,000 square feet. Pay particular attention to cracks, crevices, and similar protected locations in floors and walls. Spray thoroughly around and into floor drains, non-food conveyors, and other areas where granery insects may be found. Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come into contact with food; excessive residues in food may result.

Repeat Application as Needed, but do Not Exceed More Than One Application Every Fourteen (14) Days.

1.1.1.1.1.11

To Kill Ants, Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Psocids, Scorpions, Silverfish, Sowbugs, Spiders, and <u>Waterbugs</u>: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and pieces of equipment, and in all piaces where these insects shelter. Use a dosage of one (1) gallon of spray per 1,000 square feet. Contact as many insects as possible with direct spray. Repeat applications as needed, but do not exceed more than one application every fourteen (14) days in all types of food handling er jlishments.

As A Space Spray:

<u>To Kill Houseflies. Moscuitoes, Gnats And Smell Flying Moths</u>: Close room and shut off all air conditioning or ventilating equipment. For space spray applications use a maximum of ten (10) ounces of concentrate diluted in one (1) gallon of oil only to make a 0.25% spray. Use diluted spray in a mechanical aerosol fogger or generator which produces particles of aerosol size thirty (30 microns, or less). Direct spray first into all cracks and crevices, behind all euipment, appliances, cupboards, or any dark harborage areas, then treat as a space spray directing the spray towards the ceiling and upper corners of the room at the rate of one (1) ounce (diluted spray) per 1,000 cubic feet of space. Do not remain in treated area. Keep area closed for at least 1/2 hour and ventilate thoroughly before re-entry. Do not repeat application more than once every three (3) days.

To Kill The Adult And Accessible Forms Of Insect Pests\* Of Stored Food (Stored In Multi-Walled Paper Bags Or In Cloth Bags) In Warehouses. Storage Rooms And Similar Locations: Infested stored products should be removed and destroyed, fumigated or treated with other products approved for this use. Use as above in mechanical serosol foggers at the rate of one (1) ounce per 1,000 cubic feet of space. Keep area closed for at least 1/2 hour. Do not remain in treated area and ventilate thoroughly before re-entry. Do not repeat application more than once every three days.

\*Rice Weevil, Yellow Meal Norm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetles, Angoumois Grain Moth, Mediterranean Flour Moth. Indian Neal Moth, Cigarette Beetle, Grain Mites and Cockroaches.

Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come in contact with food. Food contact surfaces and equipment should be thoroughly cleaned with an effective cleaning compound and rinsed with potable water before using.

### FOR PREMISE PESTS:

Application Within Residential and Non-Residential Buildings including Homes, Apartment Buildings, Kennels, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings, such as Hospitals, Hotels, Warehouses, Truck Trailers, Railroad Cars, Theatres, Office Buildings, and Schools.

4/5

GENERAL: Apply as a coarse wet spray to thoroughly treat hiding places, such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboards to control pests listed below. Use at the rate of one (1) gallon of spray mixture per 1,000 square feet. Spray directly on insects when possible. Do not permit humans or pets to contact treated surfaces until the spray has dried. Repeat as necessary. Do not treat establishments where livestock feed is present.

<u>To Kill Ants. Centipedes. Cockroaches. Crickets. Earwigs. Willipedes. Psocids. Scorpions. Silverfish. Soubugs. Spiders. and Waterbugs</u>: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For Ants, apply to ant trails, also around doors and windows and wherever these pests may find entrance. Repeat as necessary.

<u>To Kill Brown Dog Ticks and Fleas</u>: For Control of Brown Dog Ticks, thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. For control of Fleas, thoroughly apply a fine particle broadcast spray, using the one (1) ounce per gallon of water dilution to infested rugs, carpets, and pet resting areas. Prior to treatment, aquariums and fish bowls should be covered and birds, such as canaries, removed from the area. Do not permit humans or pets to contact treated surfaces until the spray has dried. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do not Spray Pets with This Product. Treat dogs and cats with a product registered for use on animals.

To Kill Carpenter Ants: Apply two (2) ounces per one (1) gallon of water as a coarse spray, around doors, door frames, windows and other areas where these ants enter the premises or hide. Spray into cracks and crevices, through openings or small newly drilled holes into wall voids where these ants or their nests are present.

FUR OUTDOOR PESTS:

GENERAL: Use EVERCIDE Concentrate 2057 at the rate of two (2) fluid ounces per one (1) gallon of water to control of contact cockroaches, ants, crickets, sowbugs, spiders and ticks. Use at the rate of one (1) gallon per 1,000 square feet to sutside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

<u>Building Perimeter Treatment</u>: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and soubugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use two (2) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

LAWN FLEA AND TICK CONTROL:

# To Kill Fleas and Ticks Harboring in Lawns and Backyards: Use this concentrate in a hose-end sprayer. Place required amount of

concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, be' sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid sc g young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the <u>ixodes</u> <u>dammini</u> tick (deer tick), which transmits lyme disease. Also kills forraging fire ants upon direct contact. A registered fire ant more ' treatment should also be used in conjunction with this product.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1/6 Fluid Ounce	3 gallons	500 sq. ft. (50''x 10')
1/3 Fluid Ounce	6 gallons	1,000 sq. ft. (50', x.20')
2/3 Fluid Ounce	12 gallons	2,000 sq. ft. (50' x 40')

OUTDOOR CONTROL OF ASIAN COCKROACHES:

To control outdoor infestations of Asian cockroaches: Dilute 10 teaspoons of EVERCIDE Concentrate, 2457 in 30 gallons of water to treat 5,000 sq. ft. Repeat as needed. Keep children and pets off treated areas for 24 hours or until the grass has completely dried.

STORAGE AND DISPOSAL	
not contaminate water, food, or feed by storage or disposal.	t F # < 7
ORAGE: Store in a warm, dry place. Keep container closed.	e 1
STICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on a : an approved waste disposal facility. In case of spill or leak, soak up with sand, earl mthetic absorbents. Do not use alkaline absorbents or clean area of spill with alkaline stergents.	thor r_re
nthetic absorbents. Do not use alkaline absorbents or clean area of spill with alkaline stergents. <u>SPOSAL</u> : Do not reuse empty container. Wrap container in several layers of newspaper and scard in trash.	1

2.2

1.-

5/5

Net Contents Nanufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Ninneapolis, NN 55427

EPA Reg. No. 1021-

ACCEPTED with COMMENTS in EPA Letter Dated

EPA Est. No. 1021-MN-2

· MAR 2 6 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the perticide registered under EPA Reg. No.

۰.