

LO 21-1645

03-30-2010

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 30 2010

Mr. Steven K. Ditto  
McLaughlin Gormley King Company  
8810 Tenth Avenue North  
Minneapolis, MN 55427

Subject: Label Notification(s) for Pesticide Registration Notice 2008-1

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2008-1 dated March 3, 2010 for the following product(s):

**Evercide Vegetable and Garden Insect Killer 2526 (EPA Reg. No. 1021-1582)**  
**Evercide Residual Insecticide Concentrate 2662 (EPA Reg. No. 1021-1641)**  
**Evercide Emulsifiable Concentrate 2668 (EPA Reg. No. 1021-1645)**  
**Evercide House and Garden Spray 21321 (EPA Reg. No. 1021-1715)**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2008-1 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

A handwritten signature in cursive script, appearing to read "Richard J. Gebken".

Richard J. Gebken  
Product Manager  
Insecticide Branch  
Registration Division (7505P)



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 1021-1645	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Emulsifiable Concentrate 2668	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLaughlin Gormley King Company 8810 10TH AVE N MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  <b>NOTIFICATION</b> EPA Reg. No. <u>MAR 30 2010</u> Product Name _____	

**Section - II**

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_

Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application.

Notification - Explain below.  Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Pyrethroid Non-Agricultural Outdoor Products Notification per EPA letter dated June, 4 2009.

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt.      No. per container	If "Yes" Package wgt.      No. per container

3. Location of Net Contents information  
 Label  Container

4. Size(s) Retail Container  
4-24 oz.

5. Location of Label Directions  
 On Label  On Labeling accompanying product

6. Manner in Which Label is Affixed to Product  
 Lithograph  Other  
 Paper glued  
 Stenciled

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Steven K. Ditto	Title Regulatory Affairs Specialist	Telephone No. (Include Area Code) (763) 544-0341
-------------------------	--	---

Certification  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title  
Regulatory Affairs Specialist

4. Typed Name  
Steven K. Ditto

5. Date  
3/3/2010

6. Date Application Received  
**(Stamped)**



**McLAUGHLIN GORMLEY KING COMPANY**

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

March 3, 2010

Document Processing Desk (NOTIF - PYRETHROID)  
Office of Pesticide Programs (7504P)  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**Via Courier**

Subject: EVERCIDE® Emulsifiable Concentrate 2668  
EPA Reg. No. 1021-1645  
Pyrethroid Non-Agricultural Outdoor Products Notification Per EPA Letter  
Dated June, 4 2009

Dear Sir or Madam:

By Notification we are changing the Environmental Hazards and Directions for Use sections to comply with the June 4, 2009 letter from the Environmental Protection Agency.

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto  
Regulatory Affairs Specialist

Enclosure



# NOTIFICATION

MAR 3 0 2010

4  
12

2668-0209z0310z

EVERCIDE® Emulsifiable Concentrate 2668

# MGK®

McLAUGHLIN  
GORMLEY  
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

Water Dilutable Concentrate To Control Lawn, Ornamental, and Outdoor House and Garden Pests Around Residential Structures

- Contains Esfenvalerate, a Synthetic Pyrethroid

ACTIVE INGREDIENT:

Esfenvalerate .....	0.425%
* OTHER INGREDIENTS .....	99.575%
	<hr/> 100.000%

\* Contains petroleum distillates

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN WARNING

### FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED:	<ul style="list-style-type: none"> <li>▪ Immediately call a poison control center or doctor.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>▪ Do not give any liquid to the person.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents \_\_\_\_\_

Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427  
EPA Est. No. 1021-MN-2

EPA Reg. No. 1021-1645

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## WARNING


Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or on clothing. Avoid contact with eyes. Wear coveralls over short-sleeved shirt and short pants; socks; chemical-resistant footwear; and chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Do not contaminate ornamental fish ponds. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated sites. Do not contaminate water when disposing of equipment wash water or rinsate.

### PHYSICAL OR CHEMICAL HAZARDS

**Combustible.** Do not use or store near heat or open flame.



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Avoid contamination of food and feedstuffs.
- Do not water the treated area to the point of run-off.
- Do not make applications during the rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

SHAKE WELL BEFORE USE

FOR GARDEN VEGETABLE PESTS: Mix EVERCIDE® Emulsifiable Concentrate 2668 in a tank type sprayer or hose end sprayer, at the rate of 1 fluid ounce per gallon of water.

Note: 1 Fluid Ounce = 2 Tablespoonfuls = 6 Teaspoonfuls.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adult), Cowpea Curculio, Cucumber Beetle (adult) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

FOR USE ON THE FOLLOWING VEGETABLES:

CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS & ROSES: Mix EVERCIDE® Emulsifiable Concentrate 2668 in a tank type or hose end sprayer at the rate of 1 fluid ounce per gallon of water. Apply to cover upper and lower leaf surfaces. Apply to runoff. Repeat as needed to maintain control or weekly.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, Whitefly, Japanese Beetle, Spittlebugs, Redheaded Pine Sawfly, Balsam Woolly Adelgid, Pine Chafer, Red Pine Sawfly, Pine Coreid Bug, European Pine Sawfly, and Northern Pine Weevil.

LAWN FLEA AND TICK CONTROL:

To kill fleas and ticks harboring in lawns and backyards, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed one to two (1 - 2) days before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7- to 14-day intervals. Kills the Ixodes dammini (deer tick), which transmits Lyme disease, on contact. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of treated areas until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

HOSE END SPRAY APPLICATION

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 fluid ounce	3 gallons	500 sq. ft. (50' x 10')
2 fluid ounces	6 gallons	1,000 sq. ft. (50' x 20')
4 fluid ounces	12 gallons	2,000 sq. ft. (50' x 40')

**FOR OUTDOOR PESTS:** Mix EVERCIDE® Emulsifiable Concentrate 2668 in a tank-type or hose end sprayer or watering can at the rate of 2 fluid ounces per gallon of water for on-contact control of ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 square feet for outside surfaces of buildings, porches, patios, garages, and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

**Building Perimeter Treatment:** To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, pillbugs, and spiders, treat a 12 – 18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use 16 fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage**

Store in a warm, dry area. Always store pesticides in the original container. Store away from food and pet food.

**Pesticide Disposal and Container Handling**


Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



2668-0209z

**EVERCIDE® Emulsifiable Concentrate 2668**

*[indicates optional text]*

MAKES UP TO 96 GALLONS [OF SPRAY] (quart)

Covers up to 16,000 sq ft of lawn (quart)

*[Icon]* OUTDOOR USE ONLY

CONCENTRATE

Contains Esfenvalerate, a Synthetic Pyrethroid

Multi-Purpose Insect Killer

Low Odor

One Application:

- Kills Beetles (including Japanese Beetle), Caterpillars (including Tomato Hornworm), Ants, Fleas, Ticks (including Ticks which [that] may carry Lyme disease) and [&] other lawn, garden and [&] nuisance pests [insects] [bugs]
- [Kills Ants, Aphids, Caterpillars, Japanese Beetles, Plus Others Listed! See Back]
- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, lawns, and [&] shrubs
- Kills on contact

On [For] Roses, Flowers, Shrubs, Fruits, Vegetables, Lawns and [&] Other Outdoor Surfaces

Controls [Kills over] [more than] 100 insects [bugs] [pests]

Can be used on [most popular] fruits and [&] vegetables (see back panel for details)

Use in [on] Vegetable Gardens

[Use on Shrubs, Flowers, Ornamentals, and [&] Vegetables]

Guaranteed Kill or your money back

Active Ingredient

Esfenvalerate .....	00.425%
---------------------	---------


* Other Ingredients .....	99.575%
---------------------------	---------

\*Contains petroleum distillate

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

See back panel booklet for additional precautionary statements.

**NET 32 FL OZ (1 QT) 946 mL**




Open Resealable Label

for Directions & Precautions

PRESS TO RESEAL

[DNS icon] Easy to apply with [an Ortho Dial 'n Spray®] hose-end or tank sprayer

<b>PRODUCT FACTS</b>	
<b>KILLS</b>	
<b>PESTS [INSECTS] [BUGS]</b>	
Aphids, Beetles (including Japanese Beetle), Caterpillars (including Tomato Hornworm), Ants, Fleas, Ticks (including Ticks which [that] may carry Lyme disease) and [&] other lawn, garden and [&] nuisance bugs [insects] [pests]	
Nuisance Pests: Ants, Fleas, Ticks (including ticks which [that] may carry Lyme Disease) Cockroaches, Spiders, and other nuisance pests.	
<i>[Option to list other pests listed on this label in this section.]</i>	
<b>WHERE TO USE/ AMOUNT TO USE</b>	
<ul style="list-style-type: none"> <li>• In Gardens: 1 fl oz (2 Tbs) / gal water (On Flowers, Shrubs, Vegetables and [&amp;] Fruits)</li> <li>• On Lawns: 2 tsp / gal water / 167 sq ft</li> <li>• For Nuisance Pests Outdoors [On Other Outdoor Surfaces]: 2 oz / gal water / 1000 sq ft</li> </ul>	
 <b>Questions, Comments, or Medical Information?</b> <b>Call 1-800-225-2883    <a href="http://www.ortho.com">www.ortho.com</a></b>	

Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Avoid contamination of food and feedstuffs.
- Do not water the treated area to the point of run-off.
- Do not make applications during the rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.



**IN GARDENS**

**MIXING INSTRUCTIONS  
In Gardens**

**Amount to Use:** 1 fl oz (2 Tbs) per gal of water for hose-end or tank sprayer  
*[DNS icon]* When using **Ortho Dial 'n Spray®**  
 1. Set dial to 1 oz.  
 2. Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water.  
 3. After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray®**, or Hose-End Sprayer] Spray plant to wet the upper and lower leaf surfaces until dripping.

WHEN TO APPLY

Apply as necessary to maintain control waiting at least 7 days between each application.

**PLANTS**

Ornamental Plants including: Roses, Flowers and [&] Shrubs  
 Vegetables: See list in following table.

Vegetables	Days to Harvest	Vegetables	Days to Harvest	Vegetables	Days to Harvest
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

**PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]**

On Ornamental Plants [including: Roses, Flowers and Shrubs]

Aphid, Armyworm, Balsam Woolly Adelgid, Buckhorn Aphid, Cabbage Looper, Cucumber Beetle (adult) - spotted and [&] striped, Cutworm, European Pine Sawfly, Fall Webworm, Flea Beetle, Grasshopper, Gypsy Moth, Imported Cabbageworm, Japanese Beetle, Leafhopper, Looper, Northern Pine Weevil, Pine Chafer, Pine Coreid Bug, Red Pine Sawfly, Redheaded Pine Sawfly, Saltmarsh Caterpillar, Spittlebug, Tent Caterpillar, and [&] Whitefly

10  
12

On Vegetables and [&] Melons

Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adult), Cowpea Curculio, Cucumber Beetle (adult) - spotted and [&] striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and [&] Whitefly

ON OTHER OUTDOOR SURFACES

**BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]**

Ants, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders, and Ticks.

**MIXING INSTRUCTIONS**  
**On Other Outdoor Surfaces**

**Amount to Use:** 2 fluid ounces [4 Tbs.] per gallon of water for 1000 square feet of outside surfaces [in a hose-end or tank sprayer].

[When using **Ortho Dial 'n Spray**<sup>®</sup>

1. Set dial to 2 fluid ounces
2. Add 6 fluid ounces to sprayer jar. **DO NOT** add water.
3. Spray evenly over 3,000 sq ft (50' x 60')

HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray**<sup>®</sup>, or Hose-End Sprayer]. Spray outdoor surfaces of buildings, porches, patios, garages, and [&] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.

ON LAWNS

**BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]**

Fleas and [&] Ticks (including ticks which [that] may carry Lyme disease)  
Also kills foraging fire ants upon direct contact.

**MIXING INSTRUCTIONS**  
**On Lawns**


**Amount to Use:** 2 tsp per gal of water for each 167 sq ft for hose-end sprayers

[DINS icon] When using **Ortho Dial 'n Spray**<sup>®</sup>

1. Set dial to 2 tsp.
2. Add 6 fl oz (12 Tbs) to sprayer jar. **DO NOT** add water.
3. Spray evenly over 3000 sq ft (50' x 60')

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs



### HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray®, or Hose-End Sprayer].

- Measure lawn. Calculate square feet by multiplying length times width. *[walking man icon]*
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.
- [Treat fire ant mounds with Ortho Orthene® Fire Ant Killer.]

**Important:** Do not spray animals. Dogs and cats and their kennels or bedding areas should also be treated with a registered flea and tick control product [such as (product name)] in conjunction with this application.

### WHEN TO MOW LAWN

For best results, mow a day or two before spraying.

#### WHEN TO APPLY

Apply as necessary, waiting 7 to 14 days between each application.

*[reentry icon]* People and pets may enter treated area after spray has dried.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

##### Pesticide Storage

Store in a warm, dry area. Always store pesticides in the original container. Store away from food and pet food.

##### Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### WARNING:

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or on clothing. Avoid contact with eyes. Wear coveralls over short-sleeved shirt and short pants; socks; chemical-resistant footwear; and chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

#### FIRST AID:


IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**Note to Physician:** Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

#### ENVIRONMENTAL HAZARDS




12  
12

This pesticide is highly toxic to fish. ~~Do not apply directly to water.~~ Do not contaminate ornamental fish ponds. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. ~~Do not contaminate water when disposing of equipment wash waters or rinsate.~~ Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

**Combustible.** Do not use or store near heat or open flame.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

 **Questions, Comments, or Medical Information?**  
Call 1-800-225-2883      [www.ortho.com](http://www.ortho.com)

Ortho®, Dial 'n Spray®, Registered trademarks of Monsanto Company  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

EPA Reg No 1021-1645-  
EPA Est.  
Superscript is first letter of lot number