



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 21, 2026

Thomas Lennan
Senior Regulatory Affairs Specialist
McLaughlin Gormley King Company D/B/A MGK
7325 Aspen Lane N.
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Esfenvalerate
Product Name: EVERCIDE EMULSIFIABLE CONCENTRATE 2668
EPA Registration Number: 1021-1645
Case Number: 481958
Application Dates: 11/3/2020

Dear Thomas Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Esfenvalerate Interim Decision and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at (202) 566-2273, or via email at smith.carolyn@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Jaclyn Pyne".

Jaclyn Pyne, Team Leader
Risk Management and Implementation Branch 3
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

EVERCIDE® Emulsifiable Concentrate 2668

Water Dilutable Concentrate to Control Lawn, Ornamental, and Outdoor House and Garden Pests around Residential Structures

Contains Esfenvalerate, a Synthetic Pyrethroid

For outdoor use only

ACTIVE INGREDIENT:

Esfenvalerate, (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.425%
*OTHER INGREDIENTS.....	99.575%
	100.000%

* Contains petroleum distillates

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

ACCEPTED

01/21/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under
EPA Reg. No. 1021-1645

KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15–20 minutes.Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">Immediately call a poison control center or doctor.Do not induce vomiting unless told to do so by a poison control center or doctor.Do not give any liquid to the person.Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by



7325 Aspen Lane North
Minneapolis, MN 55428

EPA Reg. No. 1021-1645

EPA Est. No. 1021-MN-2

Net Contents: _____

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or on clothing. Avoid contact with eyes. Wear coveralls over short-sleeved shirt and short pants; socks; chemical-resistant footwear; and chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Do not contaminate ornamental fish ponds. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated sites.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. **Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.**"

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

USE RESTRICTIONS:

Avoid contamination of food and feedstuffs.
Do not water the treated area to the point of runoff.

Do not make applications during the rain.

Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Do not allow to enter outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm² or 0.25 sq. in. unless size is greater than 10% of label size}

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size (for example 2 ft by 1. Ft. or 4 ft. by 0.5 ft).

SHAKE WELL BEFORE USE

SPRAY DRIFT ADVISORIES

- Take precautions to minimize spray drift.

FOR GARDEN VEGETABLE PESTS: Mix EVERCIDE® Emulsifiable Concentrate 2668 in a tank type sprayer or hose end sprayer, at the rate of 1 fl. oz. per gallon of water.

Note: 1 Fluid Ounce = 2 Tablespoonfuls = 6 Teaspoonfuls.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adult), Cowpea Curculios, Cucumber Beetles (adult) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, and Whiteflies.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

FOR USE ON THE FOLLOWING VEGETABLES:

CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7

Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS & ROSES: Mix EVERCIDE Emulsifiable Concentrate 2668 in a tank type or hose end sprayer at the rate of 1 fl. oz. per gallon of water. Apply to cover upper and lower leaf surfaces. Repeat as needed to maintain control or weekly.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, Whiteflies, Japanese Beetles, Spittlebugs, Redheaded Pine Sawflies, Balsam Woolly Adelgids, Pine Chafer, Red Pine Sawflies, Pine Coreid Bugs, European Pine Sawflies, and Northern Pine Weevils.

LAWN FLEA AND TICK CONTROL:

To kill fleas and ticks harboring in lawns and backyards, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed one to two (1 to 2) days before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pests will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14-day intervals. Kills the *Ixodes dammini* (deer tick), which transmits Lyme disease, on contact. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of treated areas until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

HOSE END SPRAY APPLICATION

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 fl. oz.	3 gallons	500 sq. ft. (50' x 10')
2 fl. oz.	6 gallons	1,000 sq. ft. (50' x 20')
4 fl. oz.	12 gallons	2,000 sq. ft. (50' x 40')

FOR OUTDOOR PESTS: Mix EVERCIDE Emulsifiable Concentrate 2668 in a tank-type or hose end sprayer or watering can at the rate of 2 fl. oz. per gallon of water for on-contact control of ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 sq. ft. for outside surfaces of buildings, porches, patios, garages, and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury. For crack and crevice treatments, treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, pillbugs, and spiders, treat a 12 to 18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use 16 fl. oz. of concentrate per gallon of water and apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE

Store in a warm, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[indicates optional text]

For outdoor use only

MAKES UP TO 96 GALLONS [OF SPRAY] (quart)
Covers up to 16,000 sq ft of lawn (quart)

[Icon] OUTDOOR USE ONLY

CONCENTRATE

Contains Esfenvalerate, a Synthetic Pyrethroid

Multi-Purpose Insect Killer

Low Odor

One Application:

- Kills Beetles (including Japanese Beetles), Caterpillars (including Tomato Hornworms), Ants, Fleas, Ticks (including Ticks which [that] may carry Lyme disease) and [& other lawn, garden and [& nuisance pests [insects] [bugs]
- [Kills Ants, Aphids, Caterpillars, Japanese Beetles, Plus Others Listed! See Back]
- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, lawns, and [& shrubs
- Kills on contact

On [For] Roses, Flowers, Shrubs, Fruits, Vegetables, Lawns and [& Other Outdoor Surfaces

Controls [Kills over] [more than] 100 insects [bugs] [pests]

Can be used on [most popular] fruits and [& vegetables (see back panel for details)

Use in [on] Vegetable Gardens

[Use on Shrubs, Flowers, Ornamentals, and [& Vegetables]

Guaranteed Kill or your money back

Active Ingredient

Esfenvalerate.....	0.425%
*OTHER INGREDIENTS.....	99.575%
	100.000%

* Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel booklet for additional precautionary statements.

Net 32 Fl. Oz. (1 Qt.) 946 mL

Open Resealable Label

for Directions & Precautions

PRESS TO RESEAL

[DNS icon] Easy to apply with [an Ortho Dial 'n Spray®] hose-end or tank sprayer

PRODUCT FACTS

KILLS

PESTS [INSECTS] [BUGS]

Aphids, Beetles (including Japanese Beetles), Caterpillars (including Tomato Hornworms), Ants, Fleas, Ticks (including Ticks which [that] may carry Lyme disease) and [&] other lawn, garden and [&] nuisance bugs [insects] [pests]

Nuisance Pests: Ants, Fleas, Ticks (including ticks which [that] may carry Lyme Disease) Cockroaches, Spiders, and other nuisance pests.

[Option to list other pests listed on this label in this section.]

**WHERE TO USE/
AMOUNT TO USE**

- In Gardens: 1 fl. oz. (2 Tbsp.) / gal water (On Flowers, Shrubs, Vegetables and [&] Fruits)
- On Lawns: 2 tsp / gal water / 167 sq ft
- For Nuisance Pests Outdoors [On Other Outdoor Surfaces]: 2 oz. / gal water / 1000 sq ft



Questions, Comments, or Medical Information?
Call 1-800-225-2883 www.ortho.com

Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

USE RESTRICTIONS:

Avoid contamination of food and feedstuffs.

Do not water the treated area to the point of runoff.

Do not make applications during the rain.

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size (for example 2 ft by 1. Ft. or 4 ft. by 0.5 ft).

SPRAY DRIFT ADVISORIES

- Take precautions to minimize spray drift.

IN GARDENS

MIXING INSTRUCTIONS In Gardens

Amount to Use: 1 fl. oz. (2 Tbsp.) per gal of water for hose-end or tank sprayer

[DNS icon] When using **Ortho Dial 'n Spray®**

1. Set dial to 1 oz.
2. Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water.
3. After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbsp.) = 3 teaspoons (tsp) 1 fl. oz. = 2 Tbsp.

HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray®**, or Hose-End Sprayer] Spray plant to wet the upper and lower leaf surfaces until dripping.

WHEN TO APPLY

Apply as necessary to maintain control waiting at least 7 days between each application.

PLANTS

Ornamental Plants including: Roses, Flowers and [&] Shrubs

Vegetables: See list in following table.

Vegetables	Days to Harvest	Vegetables	Days to Harvest	Vegetables	Days to Harvest
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]

On Ornamental Plants [including: Roses, Flowers and Shrubs]

Aphids, Armyworms, Balsam Woolly Adelgids, Buckhorn Aphids, Cabbage Loopers, Cucumber Beetles (adult) - spotted and [&] striped, Cutworms, European Pine Sawflies, Fall Webworms, Flea Beetles, Grasshoppers, Gypsy Moths, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Loopers, Northern Pine Weevils, Pine Chafer, Pine Coreid Bugs, Red Pine Sawflies, Redheaded Pine Sawflies, Saltmarsh Caterpillars, Spittlebugs, Tent Caterpillars, and [&] Whiteflies.

On Vegetables and [&] Melons

Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adult), Cowpea Curculios, Cucumber Beetles (adult) - spotted and [&] striped, Cutworms, Diamondback Moths, European Corn Borer, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borer, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, and [&] Whiteflies.

ON OTHER OUTDOOR SURFACES

BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Ants, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders, and Ticks.

MIXING INSTRUCTIONS On Other Outdoor Surfaces

Amount to Use: 2 fl. oz. [4 Tbsp.] per gallon of water for 1000 sq. ft. of outside surfaces [in a hose-end or tank sprayer].

[When using **Ortho Dial 'n Spray®**]

1. Set dial to 2 fl. oz.
2. Add 6 fl. oz. to sprayer jar. **DO NOT** add water.
3. Spray evenly over 3,000 sq. ft. (50' x 60')

HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray®**, or Hose-End Sprayer]. Spray outdoor surfaces of buildings, porches, patios, garages, and [&] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fish ponds or other bodies of water. For crack and crevice treatments, treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants

ON LAWNS

BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Fleas and [&] Ticks (including ticks which [that] may carry Lyme disease)
Also kills foraging fire ants upon direct contact.

MIXING INSTRUCTIONS On Lawns

Amount to Use: 2 tsp. per gal. of water for each 167 sq. ft. for hose-end sprayers

[DINS icon] When using Ortho Dial 'n Spray®

1. Set dial to 2 tsp.
2. Add 6 fl. oz. (12 Tbsp.) to sprayer jar. **DO NOT** add water.
3. Spray evenly over 3000 sq. ft. (50' x 60')

1 Tablespoon (Tbsp.) = 3 teaspoons (tsp.)

1 fl oz. = 2 Tbsp.

HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray®, or Hose-End Sprayer].

- Measure lawn. Calculate sq. ft. by multiplying length times width. [walking man icon]
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.
- [Treat fire ant mounds with Ortho Orthene® Fire Ant Killer.]

Important: Do not spray animals. Dogs and cats and their kennels or bedding areas should also be treated with a registered flea and tick control product [such as (product name)] in conjunction with this application.

WHEN TO MOW LAWN

For best results, mow a day or two before spraying.

WHEN TO APPLY

Apply as necessary, waiting 7 to 14 days between each application.

[reentry icon] People and pets may enter treated area after spray has dried.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE

Store in a warm, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING:

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or on clothing. Avoid contact with eyes. Wear coveralls over short-sleeved shirt and short pants; socks; chemical-resistant footwear; and chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID:

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not contaminate ornamental fish ponds. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. **Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.**"

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

✉ Questions, Comments, or Medical Information?
Call 1-800-225-2883 www.ortho.com

Ortho®, Dial 'n Spray®, Registered trademarks of Monsanto Company
EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

EPA Reg. No. 1021-1645-

EPA Est.

Superscript is first letter of lot number