MCLAUGHLIN GORMLEY KING COMPANY

socioe of o

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

OIL SOLUBLE FORMULATION - WILL NOT DILUTE WITH WATER

ACTIVE INGREDIENTS:

Piperonyl butoxide, Technical

100.00%

EPA Est. No. 1021-MN-2

Equivalent to 80.00% (butylcarbityl) (6-propylpiperonyl) ether and 20.00% related compounds

KEEP OUT OF REACH OF CHILDRENCAUTIONAVISO

FIRST AID	
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
going for treatment. For	einer or label with you when calling a poison control center or doctor or or information regarding medical emergencies or pesticide incidents, call in Center at 1-888-740-8712.

• • • • Net Contents ____



MCLAUGHLIN GORMLET KING COMPANY

Minneapolis, MN 55427

EPA Reg. No. 20, 2005 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as unjended, for the pesticide registe of under EP A Reg. No.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes skin initiation. Causes moderate eye initiation. Harmful if swallowed. Do not get on skin or clothing. Avoid contact with eyes. Wear coveralls over short-sleeved shirt and short pants, socks, chemical-resistant footwear, chemical-resistant gloves such as Barrier Laminate, Butyl, Nitrile, or Viton, and goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feedstuffs.

This product is designed to be tank mixed with non-synergized contact or residual insecticides for use in mosquito adulticides as well as food and non-food areas of food handling, food processing, food preparation, food product storage, transportation, and bottling facilities, including Federally inspected meat and poultry plants and non-Federally inspected facilities.

Observe all directions on the insecticide product label as well as this label. For crop use and as a mosquito adulticide, tank mix Piperonyl Butoxide OS for a maximum application rate of 0.021 lb. a.i. per acre. For other uses, tank mix with a maximum of twice the amount of pyrethroid insecticide in the spray mixture (1 part pyrethroid to 2 parts Piperonyl Butoxide OS). Always apply in accordance with the more restrictive of label limitations and precautions. Do not exceed any label dosage rates. This product cannot be mixed with any product with label prohibitions against such mixing.

Page 1 of 2 Pbos-805

STORAGE AND DISPOSAL

2

.

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

•

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

•

Page 2 of 2 Pbos-805

٠.