1021-1649

2695-504

ACCEPTED JUN 29 2004 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 1021-1649 EPA Reg. No.

6/29/2004

MULTICIDE® Wasp and Hornet Killer 2695

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on Wasp, Hornet, and Yellow Jacket nests.

	••••	
Kills Wasps, Yellow Jackets, and Hornets on contact		
Gives rapid knockdown and kill of Wasps, Yellow Jackets, and Hornets	•	
Gives rapid contact kill and residual kill of insects returning to the treated nest	••••	
Reaches nests more than 20 feet above ground	• • • •	•••
Dielectric Breakdown Voltage: 41.0 KV by ASTM Test Method D-877-87	****	•••••
ACTIVE INGREDIENTS: Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl)	•••••	
cyclopropanecarboxylate]	0.200%**	
cyclopropanecarboxylate* OTHER INGREDIENTS	0.125% 99.675%	
t Containe netroleum distillete	100.000%	

#### \* Contains petroleum distillate MULTICIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN

# CAUTION

	FIRST AID
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Immediately call a poison control center or doctor.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIA	N: Contains petroleum distillate - vomiting may cause aspiration pneumonia. For information regarding medical emergencies or

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### PRECAUTIONARY STATEMENTS

## CAUTION

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing, preparation, food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/feed should be covered or removed.

Remove pets and birds and cover fish aquariums before spraying.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<u>For Control of Nests of Wasps, Yellow Jackets, and Hornets</u>: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Hose off foliage of desirable plants that were contacted with spray.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

	STORAGE AND DISPOSAL	
STORAGE: Stor Do Not Puncture	e in a cool dry place. Keep container closed. or Incinerate!	
DISPOSAL: If Empty: If Partly Filled:	Place in trash or offer for recycling if available. Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. unused product down any indoor or outdoor drain.	Never place
	Net Weight Manufactured by: McLAUGHLIN GORMLEY KING COMPANY	

8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1649 EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols