2695-805



MULTICIDE® Wasp and Hornet Killer 2695

D)

500E/ EI

**McLAUGHLIN** MGK

GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-034

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on Wasp, Hornet, and Yellow Jacket nests.

Kills Wasps, Yellow Jackets, and Hornets on contact Gives rapid knockdown and kill of Wasps, Yellow Jackets, and Hornets Gives rapid contact kill and residual kill of insects returning to the treated nest Reaches nests more than 20 feet above ground Dielectric Breakdown Voltage: 41.0 KV by ASTM Test Method D-877-87

### **ACTIVE INGREDIENTS:**


Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-	
dimethyl -3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-	
methylprop-1-enyl) cyclopropanecarboxylate	0.125%
OTHER INGREDIENTS	99.675%
	100.000%

Contains petroleum distillate

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	Remove contact lenses, if present, after the first 5
	minutes, then continue rinsing eye.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> </ul>
	Rinse skin immediately with plenty of water for 15-20 minutes.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED:	<ul> <li>Immediately call a poison control center or doctor.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
	ains petroleum distillate – vomiting may cause aspiration egarding medical emergencies or pesticide incidents, call the
International Poison Center at	1-888-740-8712. Have the product container or label with you zenter or doctor or going for treatment.



Federal regulations prohibit CFC propellants in aerosols



#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and other acuatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing, preparation, storage, or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food/feed.

> Page 1 of 2 2695-805

Remove pets and birds and cover fish aquariums before spraying.

For Control of Nests of Wasps, Yellow Jackets, and Homets: The best time to spray the nest is in the early morning or early evening when the air temperature is cooler, most insects are in the nest, and little activity is observed around the nest opening. Spray only if the air is still. Stand of at a safe distance from the nest. Do not stand directly under the nest. Hold container upright at. arms length and point the actuator at the nest. First spray the opening of the nest. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Hose off foliage of desirable plants contacted with spray.

٠,•

"Phis product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application" to asphalt roofing shingles as staining may occur. Test in an inconspicuous area and re-check in a few hours before using in areas where spray may contact these surfaces.

P		STORAGE AND DISPOSAL
~	STORAGE: Stor	re in a cool dry place. Keep container closed.
°_*		
-	DISPOSAL:	
•	Do Not Puncture	or incinerate!
	If empty:	Place in trash or offer for recycling if available.
	If partly filled: instructions.	Call your local solid waste agency or 1-800-CLEANUP for disposal

Page 2 of 2 2695-805

### ACCEPTED 1 3 2005 DEC Under the Federal Insecticide, Fungleide, and Rodentleide Act, as amended, for the posticide registered under EPA Heg. No. 1021-1649

e