

**MGK®** McLAUGHLIN  
GORMLEY  
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on Wasp, Hornet, and Yellow Jacket nests.

Kills Wasps, Yellow Jackets, and Hornets on contact  
Gives rapid knockdown and kill of Wasps, Yellow Jackets, and Hornets  
Gives rapid contact kill and residual kill of insects returning to the treated nest  
Reaches nests more than 20 feet above ground  
Dielectric Breakdown Voltage: 57.2 KV by ASTM Test Method D-877-87

**ACTIVE INGREDIENTS:**

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl) cyclopropanecarboxylate].....	0.200%
3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate .....	0.125%
<b>OTHER INGREDIENTS</b> .....	99.675%
	100.000%

\* Contains petroleum distillate  
MULTICIDE® - Registered trademark of McLaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

**NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**ACCEPTED**  
AUG - 7 2006  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1649

Net Weight \_\_\_\_\_

Manufactured by:  
McLAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1649

EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols



**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

**PHYSICAL OR CHEMICAL HAZARDS**

**Flammable.** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing, preparation, storage, or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food/feed.

Remove pets and birds and cover fish aquariums before spraying.

1021-1649

081072006

1/2

For Control of Nests of Wasps, Yellow Jackets, and Hornets: The best time to spray the nest is in the early morning or early evening when the air temperature is cooler, most insects are in the nest, and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest. Do not stand directly under the nest. Hold container upright at arms length and point the actuator at the nest. First spray the opening of the nest. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Hose off foliage of desirable plants contacted with spray.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Test in an inconspicuous area and re-check in a few hours before using in areas where spray may contact these surfaces.

#### STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.