

5114/2009



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 1 4 2009

Mr. Steven K. Ditto Registration Specialist McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4319

### Subject: Label Notification for Pesticide Registration Notices 98-10 and 2007-4 (EPA Registration Number 1021-1666)

Dear Mr. Ditto,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10 and 2007-4 dated February 3, 2009 for the product PYROCIDE<sup>®</sup> Pressurized Multi-Purpose Spray 7416 (EPA Registration Number 1021-1666). The Registration Division (RD) has conducted its review of this request for its applicability under PRNs 98-10 and 2007-4 and finds that the label changes requested fall within the scope of PRNs 98-10 and 2007-4. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Steve Schaible of my staff at 703-308-9362.

Sincerely,

m

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

# 2016

Please read instructions before completing form					Form Approved	Form Approved. OMB No. 2070-0060. Approval expires 05-31-98		
	ed States			Registration		OPP Identifier Number		
€EPA	Environmental	gency		Amendm	ent			
	on, DC 20460 X		Other					
		Application			1 I			
1. Company/Product Numb 1021-1666	2. EPA Product Manager Richard Gebken				3. Propose	d Classification		
4. Company/Product (Name		PM#			✓ None	Restricted		
PYROCIDE® Pressuri	ay 7416	ay 7416 10						
5. Name and Address of Ap		6. Expedited Review. In accordance with FIFRA				ction 3(c)(3)(b)(i), my		
McLaughlin Gormley H 8810 10TH AVE N	product is similar or identical in composition and lab				tion and label	ing to:		
MINNEAPOLIS, MN 5	EPA Reg. No.			NOTIFICATION				
Check if this		Product Name			MAY 1 4 2009			
		· · · ·	Section - II	· · · · ·				
Amendment	Explain below.				Final printer	l labels in res	nonse to	
	ليسبيا			Agency letter dated				
Resubmission	er dated							
Notification - Explain below.					Other - Explain below.			
Explanation: Use addition			-					
Notifications pursuant	PR Notice 2007-4 and	PR Notice 9	8-10					
······			Section - III					
1. Material This Product Wil	Be Packaged In:							
Child-Resistant Packaging	Unit Packaging		Water Soluble	e Packaging		2. Type of	Container	
☐ Yes*	☐ Yes			Yes		Meta		
✓ No	✓ No			No		Plast	ic	
	If "Yes"	No. per	lf "Yes"		No. per	Glass	6	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Pape	r	
be submitted						Other	(Specify)	
3. Location of Net Contents information		4. Size(s) Retail Container 6-24 oz.			5. Location of Label Direction		tions	
✓ Label Container				<u> </u>				
6. Manner in Which Label is		litheese h			0	On Labeling	accompanying product	
O. Mannel In which Labers	Affixed to Product	Lithograph Paper glued			Other			
		Stenciled						
			Section - IV					
1. Contact Point (Complete	items directly below for ider				essary, to pro	cess this ann	lication.)	
Name		Title			,, p. e		No. (Include Area Code)	
Steven K. Ditto		Registration Specialist			(763) 544-0341			
		Certification					6. Date Application	
		and all attachments thereto are true, accurate and complete.			ete.	Received		
	nowingly false or misleading	statement may	be punishable	by fine or imp	risonment or		(Stompod)	
both under applicable lav	V	3, Title					(Stamped)	
2. Signature		Registration Specialist						
						_		
4. Typed Name		5. Date						
Steven K. Ditto		2/3/2009	1					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.





McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

February 3, 2009

Document Processing Desk (NOTIF) U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs (H7504P) Room S-4900, One Potomac Yard 2777 South Crystal Dr. Arlington, VA 22202-4501 Via Courier

Subject: PYROCIDE® Pressurized Multi-Purpose Spray 7416 EPA Reg. No. 1021-1666 Notification Per PR-Notice 2007-4

Dear Sir or Madam:

By Notification we are changing the storage and disposal language to comply with the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Chang-

Steven K. Ditto Registration Specialist

Enclosure



## **Quality Products Since 1902**

PYROCIDE® Pressurized Multi-Purpose Spray 7416

7416-0209

#### McLAUGHLIN (łk GORMLEY KING COMPANY 8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341 [] OR () indicates alternate or optional wording [Contains pyrethrins, a botanical insecticide] [Kills Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Mosquitoes and Gnats] [For use in Animal Quarters, Dairies, Milk Rooms, Milking Parlors, Calving Areas, Dairy and Hog Barns as well as outdoor areas] [For use on Beef Cattle, Dairy Cattle, Horses, Hogs, Chickens, and other livestock] [Quick killing pyrethrin kills flying insects in dairies, barns, storage sites and other listed areas] NOTIFICATION [For use in homes and food and non-food areas of restaurants, food processing plants, and other commercial and industrial sites] [Kills flies, mosquitoes and other listed flying pests] MAY 1 4 2009 [With whisper quiet sprayer] [Kills listed pests] ACTIVE INGREDIENTS: Pyrethrins... 0.50% Piperonyl butoxide, Technical ..... 5.00% OTHER INGREDIENTS ..... 94.50% 100.00% Equivalent to 4.00% (butylcarbityl) (6-propylpiperonyl) ether and 1.00% related compounds. PYROCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company KEEP OUT OF REACH OF CHILDREN CAUTION **FIRST AID** IF ON SKIN OR CLOTHING: Take off contaminated dothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712. Net Weight Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 EPA Reg. No. 1021-1666 EPA Est. No. 1021-MN-2 PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] contains the guick killing botanical insecticide, Pyrethrins, [an extract of a Chrysanthemum flower], which provides kill of insects upon direct contact with an added benefit of flushing these insects to aid in a more complete kill. ر ن

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed animal quarters. [This product] provides fast kill of the listed pests. [PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can also be used on listed livestock and horses for quick kill of pests on these animals.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed pet quarters. [This product] [brand rame, provides fast kill of the listed pests. ډر د ډ טر ددردر

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in restaurants and other listed areas to kill, on contact, listed posts.

دددر



For use in:

Animal Holding Areas, Animal Quarters, Attics, Barns, Beef Barns, Bottling Plants, Buildings Housing Animals or Poultry, Calving Barns, Canneries, Commercial Buildings, Crematoriums, Dairy Barns, Dairies, Dried Fruit Storage Areas, Dumpsters, Factories, Farm Structures, Food Processing Plants, Food Storage Areas, Funeral Parlors, Garbage Cans, Goat Holding Areas, Grain Elevators, Grain Storage, Hog Barns, Hornes, Horse Stables, Hotels, Industrial Plants, Institutions, Kennels, Kitchens, Livestock Holding Areas, Loafing Sheds, Mausoleums, Milk Houses, Milk Rooms, Milk Sheds, Milking Rooms, Mortuaries, Pet Sleeping Areas, Poultry Houses, Railroad Cars, Restaurants, Rice Mills, Seed Storage, Sheep Holding Areas, Ships, Stables, Storage Areas [Sites], Stored Products, Supermarkets, Swine Houses, Theaters, Tobacco Warehouses, Trailers, Trucks, Utility Rooms, Veterinaries, Warehouses, Washrooms, Wheat Mills.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE

USE RESTRICTIONS: Do not contaminate food or feedstuffs.

SHAKE BEFORE USE AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from face. Press valve down and spray as directed.

FOR USE IN ANIMAL QUARTERS, Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses and other listed animal areas: For rapid kill of Flies, Mosquitoes, Gnats, Stable Fly, House Fly, Horse Fly, Lesser House Fly, Deer Fly, Horn Fly, Black Fly: Spray at the rate of 5 to 10 seconds per 1000 cubic feet of space directing the spray toward the ceiling and upper corners and not directly towards the animals or birds. For best results, close doors and windows if possible, before spraying and keep them closed for 10 to 15 minutes. Applicator should vacate the treated area and ventilate thoroughly prior to returning.

#### FOR USE ON LIVESTOCK:

To protect beef cattle, dairy cattle, horses and other livestock from attacks and to kill Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Lesser House Flies, Mosquitoes and Gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly.

To protect from Face Flies, spray the face and head or spray on a cloth and rub on the face being certain to avoid contact with the eyes. Repeat treatment as necessary when flies are troublesome.

For biting and sucking lice on cattle, horses, sheep, goats and hogs, spray to thoroughly wet the hair of the animal including the head and brush of the tail. Repeat treatment in 10 days to kill newly hatched lice.

For sheep "tick" or ked, thoroughly wet all portions of the body by spraying directly into the wool. Treat at a rate to sufficiently wet the animat.

To kill fleas and Ixodid ticks on livestock, spray to thoroughly wet animal.

[INDOOR USE]: Do not use in food areas or where food processing is underway. SPACE TREATMENT INDOORS:

Close all doors and windows, turn off fans and air conditioner and spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average size room [1,000 cubic feet] [10 ft. x 12 ft. x 8 ft.]. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before entry.

For use in Food Areas of Food Handling Establishments: When applying as a space treatment in food handling areas, the food handling operation must be shut down. In food processing areas, all utensils, shelving, etc., where food will be handled must be covered or removed before treatment or washed with an effective cleaning compound followed by a potable water rinse prior to use.

FLIES, GNATS, MOSQUITOES, FLYING MOTHS, exposed stages of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Clothes Moth, Chocolate Moth, Almond Moth, Miller Moth and other listed flying insects: Direct spray into all parts of the room, with special attention to hiding places. Sweep up and destroy fallen insects.

EXPOSED STAGES of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Chocolate Moth, Almond Moth, Millers and other flying moths: Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Infested stored products should be fumigated or treated with EPA approved products [such as] [brand name].

#### SPACE TREATMENT OUTDOORS:

FOR ADULT MOSQUITO, GNAT, MIDGE, FLY AND FLYING INSECT: Use prior to entry outdoors to reduce annoyance from these and other flying pests. Spray around patio, porches, gazebos, shrubbery, vegetation and any other listed areas where mosquitoes may rest. For best results, treat when wind velocity does not exceed 5 miles per hour.

#### SURFACE TREATMENT INDOORS:

FOR USE IN CANNERIES: Thoroughly clean floors, conveying equipment and walls, with special attention to cracks and Qevices prior to bringing in produce. Spray the entire space inside of the cannery including walls, ceiling and floors, paying special attention to forcing the spray into all cracks and cravices to kill fruit flies, moths, house flies and other listed insects.

FOR USE IN FOOD AND NONFOOD AREAS OF FOOD PROCESSING PLANTS, Industrial Installations, Bakeries, Rice and What Mills, Restaurants, Tobacco Warehouses, Grain Elevators and Warehouses: Spray as directed to kill listed flying insects. The use of this product in food processing or fcod handling establishments should be confined to time periods when the plant is not in operation. Food should be covered or removed during treatment, and the plant is not in operation.

FOR USE IN STORAGE SITES: This product can be used in warehouse bins and trucks, cargo ships, mills, bin hoppers, elevators and conveying equipment as a clean up prior to using them for storage. In mills and elevators, all infested accumulations of grain should be removed from the bin hoppers. All storage and conveying equipment should be thoroughly cleaned by sweeping out the waste grain, cobwebs and other debris from the walls and rafters as well as on the floor

and door frames with special attention to material lodged in the cracks and crevices. All of the debris should be removed and burned to kill eggs and insects that might be present.

FOR FARMS, particular attention should be given to cleaning up around the used feed and grain bags, grain residues from wagons, harvesting equipment and feed troughs. Newly harvested grain should not be placed in the same bin with carry-over grain and all carry-over grain stocks that are not treated with grain protectant should be fumigated. These cleaning operations should be done within two or three weeks before harvest.

After above sanitation measures have been employed, spray all areas prior to use for storage as directed.

CLOTHES MOTHS and other Flying Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

FLEAS AND TICKS: FOR USE IN LISTED PET AREAS. Remove and either launder or destroy pet's old bedding. To reduce infestation, thoroughly spray the animal's clean bedding, sleeping quarters, kennel, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at the distance of 12 to 18 inches. Also spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Allow treated areas to dry thoroughly before allowing pets to re-enter. For best results, pets should be

treated with an EPA registered flea and tick control products before they return to the treated area. DO NOT TREAT PETS WITH THIS PRODUCT.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage** 

Store in a cool, dry area away from children, preferably a secure storage area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

NOTIFICATION

loof lo

MAY 1 4 2009

د ر د ۱ ۱ ۱

> Page 3 of 3 7416-0209