



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 17, 2016

Steven K. Ditto
Mclaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

Subject: Amended Reregistration Label/Label Amendment to add Zika claims
Product Name: Pyroicide Pressurized Multi-Purpose Spray 7416
EPA Registration Number: 1021-1666
Application Date: 09/15/2009, 03/01/2016
Decision Numbers: 410893, 412410, 514686

Dear Mr. Ditto,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. The Agency, has also completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrins and PBO RED, and has concluded that your submission is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

NOTE: This product is **not** yet being reregistered under section 4(g) of FIFRA.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 2/29/2012
- Alternate CSF A, dated 2/29/2012
- Alternate CSF B, dated 2/29/2012
- Alternate CSF D, dated 1/24/2012

A copy of your label stamped "Accepted" is enclosed. This labeling supersedes all previously accepted labeling. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40

Page 2 of 2

EPA Reg. No. 1021-1666

Decision No. 410893, 412410, 514686

CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Jessica Rogala by phone at 703-347-0263, or via email at rogala.jessica@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'J S', is positioned above the typed name.

Jennifer Urbanski Saunders, Product Manager 4
Invertebrate & Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

PYROCID[®] Pressurized Multi-Purpose Spray 7416

[Commercial Section of Label]

[] OR () indicates alternate or optional wording


[Contains pyrethrins, a botanical insecticide]
[Kills Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Mosquitoes and Gnats]
[For use in Animal Quarters, Dairies, Milk Rooms, Milking Parlors, Calving Areas, Dairy and Hog Barns as well as outdoor areas]
[For use on Beef Cattle, Dairy Cattle, Horses, Hogs, Chickens, and other livestock]
]
[Quick killing pyrethrin kills flying insects in dairies, barns, storage sites and other listed areas]

[For use in homes and food and non-food areas of restaurants, food processing plants, and other commercial and industrial sites]
[Kills flies, mosquitoes and other listed flying pests]
[With whisper quiet sprayer]
[Kills listed pests]
[Kills mosquitoes that may carry/transmit the Zika virus]
[Kills Aedes mosquitoes that may carry/transmit the Zika virus]
[Kills Aedes mosquitoes]
[Kills mosquitoes, including those/(Aedes),that may carry and transmit Zika virus.]

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl butoxide	5.00%
OTHER INGREDIENTS	94.50%
	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds.
PYROCID[®], MGK[®] - Registered trademarks of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by

8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1666

EPA Est. No. 1021-MN-2

Net Weight: _____

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All handlers must wear:

- Long-sleeved shirt,
- Long pants
- Shoes and socks, and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to or near water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to fish in water adjacent o treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. See Direction for Use for additional precautions and requirements.

This product is highly toxic to bees exposed to direct treatment on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] contains the quick killing botanical insecticide, Pyrethrins, [an extract of a Chrysanthemum flower], which provides kill of insects upon direct contact with an added benefit of flushing these insects to aid in a more complete kill.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed animal quarters. [This product] provides fast kill of the listed pests. [PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can also be used on listed livestock and horses for quick kill of pests on these animals.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed pet quarters. [This product] [brand name] provides fast kill of the listed pests.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in restaurants and other listed areas to kill, on contact, listed pests.

For use in:

Animal Holding Areas, Animal Quarters, Attics, Barns, Beef Barns, Bottling Plants, Buildings Housing Animals or Poultry, Calving Barns, Canneries, Commercial Buildings, Crematoriums, Dairy Barns, Dairies, Dried Fruit Storage Areas, Dumpsters, Factories, Farm Structures, Food Processing Plants, Food Storage Areas, Funeral Parlors, Garbage Cans, Goat Holding Areas, Grain Elevators, Grain Storage, Hog Barns, Homes, Horse Stables, Hotels, Industrial Plants, Institutions, Kennels, Kitchens, Livestock Holding Areas, Loafing Sheds, Mausoleums, Milk Houses, Milk Rooms, Milk Sheds, Milking Rooms, Mortuaries, Pet Sleeping Areas, Poultry Houses, Railroad Cars, Restaurants, Rice Mills, Seed Storage, Sheep Holding Areas, Ships, Stables, Storage Areas [Sites], Stored Products, Supermarkets, Swine Houses, Theaters, Tobacco Warehouses, Trailers, Trucks, Utility Rooms, Veterinaries, Warehouses, Washrooms, Wheat Mills.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

RESTRICTIONS:

Entry and Application Restrictions:

- Do not apply this product in a way that will contact workers or other person either directly or through drift. Only protected handlers may be in the area during application.

For use as a surface spray:

- Do not enter or allow others to enter until sprays have dried.

For use as a space spray:

- Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

For indoor uses:

- Do not use in aircraft.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

When used in residential sites:

- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

When used in dairy barns or facilities:

- Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensil before application. Wash teats of animals before milking.

When used in food handling or food processing facilities:

- Do not make space spray application when facility is in operation.
- Prior to space spray applications cover or remove food and drinking water.
- Prior to space spray applications cover food processing surfaces or clean after treatment and before use.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

For outdoor uses:

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack and crevice treatment. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters

. All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label:

1. Treatment to soil or vegetation around structures;
2. Application to lawns, turf and other vegetation;

3. Applications to building foundations, up to a maximum height of 3 feet.

- Do not make outdoor applications during rain.
- Do not water the treated area to the point of run-off
- Do not wet plans to the point of runoff or drip.

SHAKE BEFORE USE AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from face. Press valve down and spray as directed.

FOR USE IN ANIMAL QUARTERS, Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses and other listed animal areas: For rapid kill of Flies, Mosquitoes, Gnats, Stable Fly, House Fly, Horse Fly, Lesser House Fly, Deer Fly, Horn Fly, Black Fly: Spray at the rate of 5 to 10 seconds per 1000 cubic feet of space directing the spray toward the ceiling and upper corners and not directly towards the animals or birds. For best results, close doors and windows if possible, before spraying and keep them closed for 10 to 15 minutes. Applicator should vacate the treated area and ventilate thoroughly prior to returning.

FOR USE ON LIVESTOCK:

To protect beef cattle, dairy cattle, horses and other livestock from attacks and to kill Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Lesser House Flies, Mosquitoes and Gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly.

To protect from Face Flies, spray the face and head or spray on a cloth and rub on the face being certain to avoid contact with the eyes. Repeat treatment as necessary when flies are troublesome.

For biting and sucking lice on cattle, horses, sheep, goats and hogs, spray to thoroughly wet the hair of the animal including the head and brush of the tail. Repeat treatment in 10 days to kill newly hatched lice.

For sheep "tick" or ked, thoroughly wet all portions of the body by spraying directly into the wool. Treat at a rate to sufficiently wet the animal.

To kill fleas and Ixodid ticks on livestock, spray to thoroughly wet animal.

[INDOOR USE]:

SPACE TREATMENT INDOORS:

Close all doors and windows, turn off fans and air conditioner and spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average size room [1,000 cubic feet] [10 ft. x 12 ft. x 8 ft.]. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before entry.

FLIES, GNATS, MOSQUITOES, FLYING MOTHS, exposed stages of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Clothes Moth, Chocolate Moth, Almond Moth, Miller Moth and other listed flying insects: Direct spray into all parts of the room, with special attention to hiding places. Sweep up and destroy fallen insects.

EXPOSED STAGES of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Chocolate Moth, Almond Moth, Millers and other flying moths: Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Infested stored products should be fumigated or treated with an EPA registered product.

SPACE TREATMENT OUTDOORS:

FOR ADULT MOSQUITO, GNAT, MIDGE, FLY AND FLYING INSECT: Use prior to entry outdoors to reduce annoyance from these and other flying pests. Spray around patio, porches, gazebos, shrubbery, vegetation and any other listed areas where mosquitoes may rest. For best results, treat when wind velocity does not exceed 5 miles per hour.

SURFACE TREATMENT INDOORS:

FOR USE IN CANNERIES: Thoroughly clean floors, conveying equipment and walls, with special attention to cracks and crevices, prior to bringing in produce. Spray the entire space inside of the cannery including walls, ceiling and floors, paying special attention to forcing the spray into all cracks and crevices to kill fruit flies, moths, house flies and other listed insects.

FOR USE IN FOOD AND NONFOOD AREAS OF FOOD PROCESSING PLANTS, Industrial Installations, Bakeries, Rice and Wheat Mills, Restaurants, Tobacco Warehouses, Grain Elevators and Warehouses: Spray as directed to kill listed flying insects. The use of this product in food processing or food handling establishments should be confined to time periods when the plant is not in operation. Food should be covered or removed during treatment.

FOR USE IN STORAGE SITES: This product can be used in warehouse bins and trucks, cargo ships, mills, bin hoppers, elevators and conveying equipment as a cleanup prior to using them for storage. In mills and elevators, all infested accumulations of grain should be removed from the bin hoppers. All storage and conveying equipment should be thoroughly cleaned by sweeping out the waste grain, cobwebs and other debris from the walls and rafters as well as on the floor and door frames with special attention to material lodged in the cracks and crevices. All of the debris should be removed and burned to kill eggs and insects that might be present.

FOR FARMS, particular attention should be given to cleaning up around the used feed and grain bags, grain residues from wagons, harvesting equipment and feed troughs. Newly harvested grain should not be placed in the same bin with carry-over grain and all carry-over grain stocks that are not treated with grain protectant should be fumigated. These cleaning operations should be done within two or three weeks before harvest.

After above sanitation measures have been employed, spray all areas prior to use for storage as directed.

CLOTHES MOTHS and other Flying Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

FLEAS AND TICKS: FOR USE IN LISTED PET AREAS. Remove and either launder or destroy pet's old bedding. To reduce infestation, thoroughly spray the animal's clean bedding, sleeping quarters, kennel, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at the distance of 12 to 18 inches. Also spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Allow treated areas to dry thoroughly before allowing pets to re-enter. For best results, pets should be treated with an EPA registered flea and tick control products before they return to the treated area. DO NOT TREAT PETS WITH THIS PRODUCT.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Storage

Store in a cool, dry area away from children, preferably a secure storage area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

PYROCID[®] Pressurized Multi-Purpose Spray 7416

[Residential Section of label]

[] OR () indicates alternate or optional wording

[Contains pyrethrins, a botanical insecticide]
[Kills Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies,
Mosquitoes and Gnats]

]]
[Quick killing pyrethrin kills flying insects in listed areas]

[For use in homes.]

[Kills flies, mosquitoes and other listed flying pests]

[Kills mosquitoes that may carry/transmit the Zika virus]

[Kills Aedes mosquitoes that may carry/transmit the Zika virus]

[Kills Aedes mosquitoes]

[Kills mosquitoes, including those/(Aedes),that may carry and transmit
Zika virus.]

[With whisper quiet sprayer]

[Kills listed pests]

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl butoxide	5.00%
OTHER INGREDIENTS	94.50%
	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

PYROCID[®], MGK[®] - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a poison control center or doctor for treatment advice.
-------------------------	---

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by



8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1666

EPA Est. No. 1021-MN-2

Net Weight: _____

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to or near water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to fish in water adjacent o treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. See Direction for Use for additional precautions and requirements.

This product is highly toxic to bees exposed to direct treatment on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

[PYROCID[®] Pressurized Multi-Purpose Spray 7416] [brand name] contains the quick killing botanical insecticide, Pyrethrins, [an extract of a Chrysanthemum flower], which provides kill of insects upon direct contact with an added benefit of flushing these insects to aid in a more complete kill.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name]. [This product] provides fast kill of the listed pests.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed pet quarters. [This product] [brand name] provides fast kill of the listed pests.

[PYROCIDE® Pressurized Multi-Purpose Spray 7416] [brand name] can be used in listed areas to kill, on contact, listed pests.

For use in:

Attics, Garbage Cans, Homes, Kennels, Kitchens, Pet Sleeping Areas, Storage Areas [Sites] Trailer Homes, Washrooms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

RESTRICTIONS:

Entry and Application Restrictions:

- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before use.

For use as a surface spray:

- Do not allow adults, children, or pets to enter until sprays have dried.

For use as a space spray:

- Do not allow adults, children or pets to enter until vapors, mists, and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Do not remain in the treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

For indoor residential use:

- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces or wash them before use.
- Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.

For outdoor uses:

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack and crevice treatment. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters

. All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label:

- Treatment to soil or vegetation around structures;
- Application to lawns, turf and other vegetation;
- Applications to building foundations, up to a maximum height of 3 feet.

- Do not make outdoor applications during rain.
- Do not water the treated area to the point of run-off
- Do not wet plants to the point of runoff or drip.

SHAKE BEFORE USE AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from face. Press valve down and spray as directed.

SPACE TREATMENT INDOORS:

Close all doors and windows, turn off fans and air conditioner and spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average size room [1,000 cubic feet] [10 ft. x 12 ft. x 8 ft.]. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before entry.

FLIES, GNATS, MOSQUITOES, FLYING MOTHS, exposed stages of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Clothes Moth, Chocolate Moth, Almond Moth, Miller Moth and other listed flying insects: Direct spray into all parts of the room, with special attention to hiding places. Sweep up and destroy fallen insects.

EXPOSED STAGES of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Chocolate Moth, Almond Moth, Millers and other flying moths: Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Infested stored products should be fumigated or treated with an EPA registered product.

SPACE TREATMENT OUTDOORS:

FOR ADULT MOSQUITO, GNAT, MIDGE, FLY AND FLYING INSECT: Use prior to entry outdoors to reduce annoyance from these and other flying pests. Spray around patio, porches, gazebos, shrubbery, vegetation and any other listed areas where mosquitoes may rest. For best results, treat when wind velocity does not exceed 5 miles per hour.

SURFACE TREATMENT INDOORS:

After above sanitation measures have been employed, spray all areas prior to use for storage as directed.

CLOTHES MOTHS and other Flying Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

FLEAS AND TICKS: FOR USE IN LISTED PET AREAS. Remove and either launder or destroy pet's old bedding. To reduce infestation, thoroughly spray the animal's clean bedding, sleeping quarters, kennel, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at the distance of 12 to 18 inches. Also spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Allow treated areas to dry thoroughly before allowing pets to re-enter. For best results, pets should be treated with an EPA registered flea and tick control products before they return to the treated area. DO NOT TREAT PETS WITH THIS PRODUCT.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Storage

Store in a cool, dry area away from children, preferably a secure storage area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.