

PM 03

1021-1667

3/13/98

P 175

Please read instructions before completing form

Form Approved OMB No. 2070-0060. Approval expires 05-31-98



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1667	2. EPA Product Manager George LaRocca <i>S. Ceuf</i>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® House & Garden Spray 2664	PM# 03	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels must be submitted to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> 'Me Too' Application. MAR 13 1998
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
By notification, we have modified the ingredients statement to substitute common name for chemical name.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
If "Yes" Unit Packaging wgt.		No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
*Certification must be submitted					<input type="checkbox"/> Paper
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, in process of application.)		
Name JULIE B. SCHLEKAU	Title Registration Specialist	Telephone No. (Include Area Code) (612) 544-0341

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Julie B Schlekau</i>	3. Title Registration Specialist	
4. Typed Name JULIE B. SCHLEKAU	5. Date 2/27/98	

2664-298

MGK McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

[] OR () indicates alternate or optional wording

Kills [controls] ornamental garden pests for up to 7 days

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days

Provides rapid knock-down and kill

Residually controls [kills] cockroaches, spiders, crickets and other crawling insects for weeks

Residually controls [kills] fleas and ticks indoors and around pet areas for weeks

Water-based formula

Do not spray in hot sun or temperatures over 90° F (32° C)

NOTIFICATION

MAR 13 1998

3/13/98

ACTIVE INGREDIENTS:

Permethrin	0.200%
Related reaction products	0.017%
Tetramethrin	0.200%
OTHER INGREDIENTS	99.583%
	100.000%

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN:	Wash with plenty of soap and water. Get medical attention if irritation persists.
IF SWALLOWED:	Call a physician or Poison Control Center immediately.
IF IN EYES:	Flush with plenty of water. Get medical attention if irritation persists.
IF INHALED:	Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by disposing of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

[EVERCIDE® MULTIPURPOSE] [brand name] contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. [EVERCIDE® MULTIPURPOSE] [brand name] provides effective [residual] control.

[EVERCIDE® MULTIPURPOSE] [brand name] [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

[EVERCIDE® MULTIPURPOSE] [brand name] can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, ((such as) [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and prior to re-entry.

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Residential Greenhouse, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Dust Mites	Centipedes	American Dog Tick
Asian Cockroach	Ground Beetles	Ants	Brown Dog Tick
German Cockroach	Elm Leaf Beetle	Bedbugs	Gulf Coast Ticks
American Cockroach	Boxelder Bug	Lice	Lone Star Tick
Australian Cockroach	Earwigs	Biting Lice	Deer Ticks
Oriental Cockroach	Clover Mites	Carpet Beetles	Other Ixodid Species
Crickets	Pillbugs	Dermestid Beetles	
Waterbugs	Silverfish	Trogoderma	
Palmetto Bugs	Firebrats	Black Carpet Beetle	
Granary Insects	Flying Moths	Wasps	Biting Fly
Cadelle	Clothes Moth	Hornets	Deer Fly
Flat Grain Beetle	Webbing Clothes Moth	Mud Daubers	Face Fly
Flour Beetle	Small Flying Moths	Papernest Wasps	Flies
Cigarette Beetle	Indian Mealworm	Bees	Fruit Flies
Confused Flour Beetle	Almond Moth	Small Flying Insects	Gnats
Drugstore Beetle	Chocolate Moth	Flying Insects	Horse Fly
Lesser Grain Borer	Tobacco Moth		House Fly
Merchant Grain Beetle	Indian Meal Moth	Sand Fly	Midge
Sawtoothed Grain Beetle	Angoumois Grain Moth	Sciarid Fly	Mosquitoes
Grain Weevil	Booklice	Black Fly	Stable Fly
Warehouse Beetle	Wood Borers		Vinegar Fly
Rice Weevil	Weevils		
Red Flour Beetle			
Grain Mite			
House Mite			

For use in home greenhouses on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]


African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphid	Inchworms	Oleander Caterpillar	Two Spotted Mites
Armyworm	Japanese Beetle	Psyllids	Tent Caterpillars
Asparagus Beetle	Lace Bug	Red Spider Mites	Thrips
Boxelder Bug	Leaf Miners	Rose Chafer	Whitefly
Cabbage Looper	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cankerworm	Leafhoppers	Southern Army Worm	Corn Ear Worm
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf tiers	Spotted Mites	
Colorado Potato Beetle	Mealy Bugs	Stink Bugs	
Cucumber Beetle	Mexican Bean Beetles	Tarnished Plant Bug	
Cutworm	Mites	Tomato Pin Worm	
Diamondback Moth			
Eastern Tent Caterpillar			
Flea Beetle			
Gypsy Moth [adult & larvae]			

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. DO NOT CONTAMINATE FOOD AREAS.

INDOOR USE:

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans. Repeat as necessary.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry. Repeat as necessary.

For best results, pets should be treated with EPA registered flea and tick control product, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application prior to re-entry. Repeat as necessary.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. TO KILL ANTS, treat around doors, window frames and other areas of entry. Spray on ants whenever possible. Repeat as necessary.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected. Repeat as necessary

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use. Repeat as necessary.

EXPOSED STAGES of Granary Insects, Flour Beetles, Caddises, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried. Repeat as necessary.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:


Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS: Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 18-24 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area. Repeat as necessary.

WASPS, HORNETS, BEES, YELLOW JACKETS, PAPERNEST WASPS: Holding container 18-24 inches away from these insects, spray them directly. Do not spray into nests or hives. Use only an EPA registered product (EPA registered product such as) [brand name] designed for use on nests and hives. Repeat as necessary.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible. Repeat as necessary.

SPIDERS: Spray directly on spiders and webs. Repeat as necessary.



SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

Aphid	Inchworms	Oleander Caterpillar	Two Spotted Mites
Armyworm	Japanese Beetle	Psyllids	Tent Caterpillars
Asparagus Beetle	Lace Bug	Red Spider Mites	Thrips
Boxelder Bug	Leaf Miners	Rose Chafer	Whitefly
Cabbage Looper	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cankerworm	Leafhoppers	Southern Army Worm	Corn Ear Worm
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf-tiers	Spotted Mites	
Colorado Potato Beetle	Mealy Bugs	Stink Bugs	
Cucumber Beetle	Mexican Bean Beetles	Tarnished Plant Bug	
Cutworm	Mites	Tomato Pin Worm	
Diamondback Moth			
Eastern Tent Caterpillar			
Flea Beetle			
Gypsy Moth [adult & larvae]			

Use in home greenhouses on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:] African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatsy, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CAN 24-36 INCHES FROM PLANT. Caution should be taken when spraying tender or new growth on young plants. Plants should be sprayed on a few leaves to assure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweeping motion. Avoid excessive wetting of plant foliage with spray. Spray plants at a rate of 1 linear foot per second. For heavy growth, spray both sides of plants. Repeat as necessary. Do not spray when temperature exceeds 90° F.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

