

1021-1667

1-11-2001

1/4

2664-999

**MIGK** McLAUGHLIN  
GORMLEY  
KING COMPANY

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

[ ] OR ( ) indicates alternate or optional wording

Kills [controls] ornamental garden pests for up to 7 days

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days

Provides rapid knock-down and kill

Residually controls [kills] cockroaches, spiders, crickets and other crawling insects for weeks

Residually controls [kills] fleas and ticks indoors and around pet areas for weeks

Water-based formula

Do not spray in hot sun or temperatures over 90° F (32° C)

**ACCEPTED**  
JAN 11 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1021-1667

**ACTIVE INGREDIENTS:**

Permethrin .....	0.200%
Related reaction products .....	0.017%
Tetramethrin .....	0.200%
<b>OTHER INGREDIENTS</b> .....	<b>99.583%</b>
	<b>100.000%</b>

\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN:	Wash with plenty of soap and water. Get medical attention if irritation persists.
IF SWALLOWED:	Call a physician or Poison Control Center immediately.
IF IN EYES:	Flush with plenty of water. Get medical attention if irritation persists.
IF INHALED:	Remove victim to fresh air. Apply artificial respiration if indicated.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by disposing of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

EVERCIDE® MULTIPURPOSE [brand name] contains a combination of ingredients that provides rapid knock-down and kill of the listed pests. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. [EVERCIDE® MULTIPURPOSE] [brand name] provides effective [residual] control.

[EVERCIDE® MULTIPURPOSE] [brand name] [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

[EVERCIDE® MULTIPURPOSE] [brand name] can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and prior to re-entry.

Use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

- |                         |                      |                      |  |
|-------------------------|----------------------|----------------------|--|
| Cockroaches             | Sowbugs              | Spiders              | Ticks [that may carry and transmit Lyme disease] |
| Smokey Brown Cockroach  | Millipedes           | Scorpions            | Fleas  |
| Brown Banded Cockroach  | Dust Mites           | Centipedes           | American Dog Tick                                |
| Asian Cockroach         | Ground Beetles       | Ants                 | Brown Dog Tick                                   |
| German Cockroach        | Elm Leaf Beetle      | Bedbugs              | Gulf Coast Ticks                                 |
| American Cockroach      | Boxelder Bug         | Lice                 | Lone Star Tick                                   |
| Australian Cockroach    | Earwigs              | Biting Lice          | Deer Ticks                                       |
| Oriental Cockroach      | Clover Mites         | Carpet Beetles       | Other Ixodid Species                             |
| Crickets                | Pillbugs             | Dermeid Beetles      |  |
| Waterbugs               | Silverfish           | Trogoderma           |  |
| Palmetto Bugs           | Firebrats            | Black Carpet Beetle  |  |
|                         |                      |                      |  |
| Granary Insects         | Flying Moths         | Wasps                | Biting Fly                                       |
| Cadelle                 | Clothes Moth         | Hornets              | Deer Fly   |
| Flat Grain Beetle       | Webbing Clothes Moth | Mud Daubers          | Face Fly   |
| Flour Beetle            | Small Flying Moths   | Papemest Wasps       | Flies  |
| Cigarette Beetle        | Indian Mealworm      | Bees                 | Fruit Flies                                      |
| Confused Flour Beetle   | Almond Moth          | Small Flying Insects | Gnats  |
| Drugstore Beetle        | Chocolate Moth       | Flying Insects       | Horse Fly  |
| Lesser Grain Borer      | Tobacco Moth         |                      | House Fly  |
| Merchant Grain Beetle   | Indian Meal Moth     | Sand Fly             | Midge  |
| Sawtoothed Grain Beetle | Angoumois Grain Moth | Sciarid Fly          | Mosquitoes                                       |
| Grain Weevil            | Booklice             | Black Fly            | Stable Fly                                       |
| Warehouse Beetle        | Wood Borers          |                      | Vinegar Fly                                      |
| Weevil                  | Weevils              |                      |  |
| Flour Beetle            |                      |                      |  |
| Grain Mite              |                      |                      |  |
| Cheese Mite             |                      |                      |  |

Use on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatsyhedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

- |                             |                      |                      |                   |
|-----------------------------|----------------------|----------------------|-------------------|
| Aphid                       | Inchworms            | Oleander Caterpillar | Two Spotted Mites |
| Armyworm                    | Japanese Beetle      | Psyllids             | Tent Caterpillars |
| Asparagus Beetle            | Lace Bug             | Red Spider Mites     | Thrips            |
| Boxelder Bug                | Leaf Miners          | Rose Chafer          | Whitefly          |
| Cabbage Looper              | Leaf Beetles         | Soft Brown Scale     | Tomato Fruit Worm |
| Cankerworm                  | Leafhoppers          | Southern Army Worm   | Corn Ear Worm     |
| Caterpillars                | Leafrollers          | Spider Mites         |                   |
| Chewing Insects             | Leafiers             | Spotted Mites        |                   |
| Colorado Potato Beetle      | Mealy Bugs           | Stink Bugs           |                   |
| Cucumber Beetle             | Mexican Bean Beetles | Tarnished Plant Bug  |                   |
| Cutworm                     | Mites                | Tomato Pin Worm      |                   |
| Diamondback Moth            |                      |                      |                   |
| Eastern Tent Caterpillar    |                      |                      |                   |
| Flea Beetle                 |                      |                      |                   |
| Gypsy Moth [adult & larvae] |                      |                      |                   |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ALL DIRECTIONS COMPLETELY BEFORE USE**

**SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.**

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.  
**DO NOT CONTAMINATE FOOD AREAS.**

**INDOOR USE:**

**FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS and other flying insects:** Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

**FLEAS AND TICKS:** Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans. Repeat as necessary.

**FLEAS AND TICKS IN PET BEDDING AND PET AREAS:** Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other hiding places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry. Repeat as necessary.

For best results, pets should be treated with EPA registered flea and tick control product, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application prior to re-entry. Repeat as necessary.

**COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects:** Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible. Repeat as necessary.

**CARPET BEETLES: [Dermestids (Trogoderma)]:** Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, walls, window sills, baseboards and wherever these insects are seen or suspected. Repeat as necessary.

**BEDBUGS:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use. Repeat as necessary.

**POSED STAGES of Granary Insects, Flour Beetles, Caddises, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm.** Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried. Repeat as necessary.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

**OUTDOOR USE:**

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

**FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS:** Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 18-24 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area. Repeat as necessary.

**WASPS, HORNETS, BEES, YELLOW JACKETS, PAPERNEST WASPS:** Holding container 18-24 inches away from these insects, spray them directly. Do not spray into nests or hives. Use only an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives. Repeat as necessary.

**ANTS:** Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible. Repeat as necessary.

**SPIDERS:** Spray directly on spiders and webs. Repeat as necessary.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

- |                             |                      |                      |                   |
|-----------------------------|----------------------|----------------------|-------------------|
| Aphid                       | Inchworms            | Oleander Caterpillar | Two Spotted Mites |
| Armyworm                    | Japanese Beetle      | Psyllids             | Tent Caterpillars |
| Parasitic Wasp              | Lace Bug             | Red Spider Mites     | Thrips            |
| Boxelder Bug                | Leaf Miners          | Rose Chafer          | Whitefly          |
| Cabbage Looper              | Leaf Beetles         | Soft Brown Scale     | Tomato Fruit Worm |
| Cankerworm                  | Leafhoppers          | Southern Army Worm   | Corn Ear Worm     |
| Caterpillars                | Leafrollers          | Spider Mites         |                   |
| Chewing Insects             | Leafhoppers          | Spotted Mites        |                   |
| Colorado Potato Beetle      | Mealy Bugs           | Stink Bugs           |                   |
| Cucumber Beetle             | Mexican Bean Beetles | Tarnished Plant Bug  |                   |
| Cutworm                     | Mites                | Tomato Pin Worm      |                   |
| Diamondback Moth            |                      |                      |                   |
| Eastern Tent Caterpillar    |                      |                      |                   |
| Flea Beetle                 |                      |                      |                   |
| Gypsy Moth [adult & larvae] |                      |                      |                   |

For use on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:] African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CAN 24-36 INCHES FROM PLANT. Caution should be taken when spraying tender or new growth on young plants. Plants should be sprayed on a few leaves to assure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweeping motion. Avoid excessive wetting of plant foliage with spray. Spray plants at a rate of 1 linear foot per second. For heavy growth, spray both sides of plants. Repeat as necessary. Do not spray when temperature exceeds 90° F.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Contents \_\_\_\_\_  
Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

