

1021-1667

8-16-2004

116

	United States Environmental Protection Agency Washington, DC 20460	Registration Amendment Other	OPP Identifier Number
		X	
	<b>Application for Pesticide - Section I</b>		

1. Company/Product Number 1021-1667	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Crawling Insect Killer 2548	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____  Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
AUG 16 2004

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 By notification, we are adding various marketing phrases and correcting disposal statements per PR-Notice 2001-6 for a pressurized container.

**Section - III**


1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. _____ No. per container _____	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. _____ No. per container _____	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
*Certification must be submitted			
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other			

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Thomas A. Lennan	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
--------------------------	----------------------------------	-----------------------------------------------------

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.	6. Date Application Received  (Stamped)
2. Signature 	3. Title Registration Specialist
4. Typed Name Thomas A. Lennan	5. Date 7/26/2004

2664-0704

NOTIFICATION

AUG 16 2004

2/16

**MGK**® **McLAUGHLIN GORMLEY KING COMPANY**

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

[ ] OR ( ) indicates alternate or optional wording

New Handle—Fog Big Areas Fast

New Handle--Delivers Fine Fog Spray, Treats Big Areas Fast

Treats an Avg. Patio (500 Sq ft) – 4 times (16 oz. Size)

Treats an Avg. Patio (500 Sq ft) – 5 times (20 oz. Size)

Great Before Parties and Picnics

Guaranteed to work or your money back

Kills [controls] ornamental garden pests for up to 7 days

Kills and repels mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects

[Kills and repels mosquitoes and other listed pests]

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days

Provides rapid knock-down and kill

Residually controls [kills] cockroaches, spiders, crickets and other crawling insects for weeks

Residually controls [kills] fleas and ticks indoors and around pet areas for weeks

Water-based formula

[For use around Home Areas Only]

Do not spray in hot sun or temperatures over 90° F (32° C)

Kills on contact

Controls Mosquitoes, flies, gnats, moths & other flying insects

Use on porches, patio areas, screens, window frames, doors & other areas

Use indoors & outdoors to control mosquitoes & a wide variety of pests

Use on houseplants & shrubbery to control ornamental pests

Provides effective residual insect control



**ACTIVE INGREDIENTS:**

Permethrin .....	0.200%
Related reaction products .....	0.017%
Tetramethrin .....	0.200%

<b>OTHER INGREDIENTS</b> .....	<b>99.583%</b>
	<b>100.000%</b>

\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**FIRST AID**

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

**PRECAUTIONARY STATEMENTS**

**CAUTION**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by disposing of wastes.

2/16

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

[EVERCIDE® MULTIPURPOSE] [brand name] contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. [EVERCIDE® MULTIPURPOSE] [brand name] provides effective [residual] control.

[EVERCIDE® MULTIPURPOSE] [brand name] [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

[EVERCIDE® MULTIPURPOSE] [brand name] can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and prior to re-entry.

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loading Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Ground Beetles	Centipedes	American Dog Tick
Asian Cockroach	Elm Leaf Beetle	Ants	Brown Dog Tick
German Cockroach	Boxelder Bug	Bedbugs	Gulf Coast Ticks
American Cockroach	Earwigs	Lice	Lone Star Tick
Australian Cockroach	Clover Mites	Carpet Beetles	Deer Ticks
Oriental Cockroach	Pillbugs	Dermeid Beetles	Other Ixodid Species
Crickets	Silverfish	Trogoderma	
Waterbugs	Firebrats	Black Carpet Beetle	
Palmetto Bugs			

Granary Insects	Flying Moths	Wasps	Biting Fly
Cadelle	Clothes Moth	Hornets	Deer Fly
Flat Grain Beetle	Webbing Clothes Moth	Mud Daubers	Face Fly
Flour Beetle	Small Flying Moths	Papernest Wasps	Flies
Cigarette Beetle	Indian Mealworm	Bees	Fruit Flies
Confused Flour Beetle	Almond Moth	Small Flying Insects	Gnats
Drugstore Beetle	Chocolate Moth	Flying Insects	Horse Fly
Lesser Grain Borer	Tobacco Moth		House Fly
Merchant Grain Beetle	Indian Meal Moth	Sand Fly	Midge
Sawtoothed Grain Beetle	Angoumois Grain Moth	Sciariid Fly	Mosquitoes
Grain Weevil	Booklice	Black Fly	Stable Fly
Warehouse Beetle	Wood Borers		Vinegar Fly
Rice Weevil	Weevils		
Red Flour Beetle			
Grain Mite			
Cheese Mite			

For use on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphid	Inchworms	Oleander Caterpillar	Two Spotted Mites
Armyworm	Japanese Beetle	Psyllids	Tent Caterpillars
Asparagus Beetle	Lace Bug	Red Spider Mites	Thrips
Boxelder Bug	Leaf Miners	Rose Chafer	Whitefly
Cabbage Looper	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cankerworm	Leafhoppers	Southern Army Worm	Corn Ear Worm
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf tiers	Spotted Mites	
Colorado Potato Beetle	Mealy Bugs	Stink Bugs	

Cucumber Beetle  
Cutworm  
Diamondback Moth  
Eastern Tent Caterpillar  
Flea Beetle  
Gypsy Moth [adult & larvae]

Mexican Bean Beetles  
Mites

Tarnished Plant Bug  
Tomato Pin Worm

4/6

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

#### INDOOR USE:

**FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS** and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

**FLEAS AND TICKS:** Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

**FLEAS AND TICKS IN PET BEDDING AND PET AREAS:** Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application prior to re-entry.

**COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS** and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

**CARPET BEETLES:** [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected.

**BEDBUGS:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

**EXPOSED STAGES of Granary Insects, Flour Beetles, Caddises, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm.** Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

#### OUTDOOR USE:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

**FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS:** Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 18-24 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area,

screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, PAPERNEST WASPS: Holding container 18-24 inches away from these insects, spray them directly. Do not spray into nests or hives. Use only an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

Aphid	Inchworms	Oleander Caterpillar	Two Spotted Mites
Armyworm	Japanese Beetle	Psyllids	Tent Caterpillars
Asparagus Beetle	Lace Bug	Red Spider Mites	Thrips
Boxelder Bug	Leaf Miners	Rose Chafer	Whitefly
Cabbage Looper	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cankerworm	Leafhoppers	Southern Army Worm	Corn Ear Worm
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf tiers	Spotted Mites	
Colorado Potato Beetle	Mealy Bugs	Stink Bugs	
Cucumber Beetle	Mexican Bean Beetles	Tarnished Plant Bug	
Cutworm	Mites	Tomato Pin Worm	
Diamondback Moth			
Eastern Tent Caterpillar			
Flea Beetle			
Gypsy Moth [adult & larvae]			

For use on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatsyhedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CAN 24-36 INCHES FROM PLANT. Caution should be taken when spraying tender or new growth on young plants. Plants should be sprayed on a few leaves to assure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweeping motion. Avoid excessive wetting of plant foliage with spray. Spray plants at a rate of 1 linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90° F.

STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry place. Keep container closed.

**DISPOSAL:**

Do Not Puncture or Incinerate!

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Net Weight \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427



Federal regulations prohibit CFC propellants in aerosols

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

6/6

# MGK<sup>®</sup>

**McLAUGHLIN GORMLEY KING COMPANY**  
8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

July 26, 2004

Document Processing Desk (NOTIF)  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs (7504C)  
Ariel Rios Building  
1200 Pennsylvania Avenue  
Washington, DC 20460-001

Via Courier

Subject:

EVERIDE® House and Garden Spray 2664  
EPA Reg. No. 1021-1667  
Notification per PR Notice 98-10

Dear Sir or Madam:

By notification, we are adding various marketing phrases and correcting disposal statements per PR-Notice 2001-6 for a pressurized container.

Enclosed are 2 copies of the label with 1 copy with changes highlighted.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY



Thomas A. Lennan  
Registration Specialist

Enclosure

