



McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

Kills mosquitoes that may carry West Nile Virus
Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours
Eight (8) hour control against West Nile Virus infected mosquitoes
Fog your yard patio for eight (8) hours of residual protection against mosquitoes that carry West Nile Virus

New Handle—Fog Big Areas Fast
New Handle—Delivers Fine Fog Spray; Treats Big Areas Fast
Treats an Avg. Patio (500 Sq ft) – 4 times (16 oz. Size)
Treats an Avg. Patio (500 Sq ft) – 5 times (20 oz. Size)
Treats Your Patio 4 (5) Times *
* 20' x 25'


Use Before Parties and Picnics
Guaranteed to work or your money back
Kills [controls] ornamental garden pests for up to 7 days
Kills and repels mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects
[Kills and repels mosquitoes and other listed pests]
Effective [residual] [long term] control
Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days
Provides rapid knock-down and kill
Residually controls [kills] cockroaches, spiders, crickets and other crawling insects for weeks
Residually controls [kills] fleas and ticks indoors and around pet areas for weeks
Kills on contact
Controls Mosquitoes, flies, gnats, moths & other flying insects
Use on porches, patio areas, screens, window frames, doors & other areas
Use indoors & outdoors to control mosquitoes & a wide variety of pests
Use on houseplants & shrubbery to control ornamental pests
Provides effective residual insect control
Water-based formula
[For use around Home Areas Only]

Do not spray in hot sun or temperatures over 90° F (32° C)

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Includes Permethrin (0.200%), Related reaction products (0.017%), Tetramethrin (0.201%), and OTHER INGREDIENTS (99.583%). Total 100.000%.

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
EVERCIDE® - Registered trademark of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN
CAUTION

Table with 2 columns: IF ON SKIN OR CLOTHING: and FIRST AID. Includes instructions to take off contaminated clothing, rinse skin with water, and call a poison control center.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Weight _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Federal regulations prohibit
CFC propellants in aerosols



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply to any body of water. Do not contaminate water by disposing of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

1021-1667

10-6-2004

5/1

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control.

[EVERCIDE® House & Garden Spray 2664] [brand name] [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and prior to re-entry.

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Ground Beetles	Centipedes	American Dog Tick
Asian Cockroach	Elm Leaf Beetles	Ants	Brown Dog Tick
German Cockroach	Boxelder Bugs	Bedbugs	Gulf Coast Tick
Australian Cockroach	Earwigs	Lice	Lone Star Tick
Crickets	Clover Mites	Carpet Beetles	Deer Tick
Waterbugs	Pillbugs	Dermeid Beetles	Other Ixodid Species
Palmetto Bugs	Silverfish	Trogoderma	
	Firebrats	Black Carpet Beetles	
	Flying Moths		
Granary Insects	Clothes Moths	Wasps	Biting Flies
Cadelles	Webbing Clothes Moths	Hornets	Deer Flies
Flat Grain Beetles	Small Flying Moths	Mud Daubers	Face Flies
Flour Beetles	Indian Mealworms	Papernest Wasps	Flies
Cigarette Beetles	Almond Moths	Bees	Fruit Flies
Confused Flour Beetles	Chocolate Moths	Small Flying Insects	Gnats
Drugstore Beetles	Tobacco Moths	Flying Insects	Horse Flies
Lesser Grain Borers	Indian Meal Moths		House Flies
Merchant Grain Beetles	Angoumois Grain Moths	Sand Flies	Midges
Saw-toothed Grain Beetles	Booklice	Sciarid Flies	Mosquitoes
Grain Weevils	Wood Borers	Black Flies	Stable Flies

Warehouse Beetles
Rice Weevils
Red Flour Beetles
Grain Mites
Cheese Mites

Vinegar Flies

For use on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphids	Inchworms	Oleander Caterpillars	Two-spotted Mites
Armyworms	Japanese Beetles	Psyllids	Tent Caterpillars
Asparagus Beetles	Lace Bugs	Red Spider Mites	Thrips
Boxelder Bugs	Leaf Miners	Rose Chafers	Whiteflies
Cabbage Loopers	Leaf Beetles	Soft Brown Scales	Tomato Fruit Worms
Cankerworms	Leafhoppers	Southern Army Worms	Corn Ear Worms
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf tiers	Spotted Mites	
Colorado Potato Beetles	Mealy Bugs	Stink Bugs	
Cucumber Beetles	Mexican Bean Beetles	Tarnished Plant Bugs	
Cutworms	Mites	Tomato Pin Worms	
Diamondback Moths			
Eastern Tent Caterpillars			
Flea Beetles			
Gypsy Moth [adult & larvae]			

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

Handwritten initials: H/C

INDOOR USE:

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application prior to re-entry.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected.

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

EXPOSED STAGES OF Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS: Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 18-24 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, PAPERNEST WASPS: Holding container 18-24 inches away from these insects, spray them directly. Do not spray into nests or hives. Use only an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

Aphids	Inchworms	Oleander Caterpillars	Two-spotted Mites
Armyworms	Japanese Beetles	Psyllids	Tent Caterpillars
Asparagus Beetles	Lace Bugs	Red Spider Mites	Thrips
Boxelder Bugs	Leaf Miners	Rose Chafers	Whiteflies
Cabbage Loopers	Leaf Beetles	Soft Brown Scales	Tomato Fruit Worms
Cankerworms	Leafhoppers	Southern Army Worms	Corn Ear Worms
Caterpillars	Leafrollers	Spider Mites	
Chewing Insects	Leaf-tiers	Spotted Mites	
Colorado Potato Beetles	Mealy Bugs	Stink Bugs	Gypsy Moth [adult & larvae]
Cucumber Beetles	Mexican Bean Beetles	Tarnished Plant Bugs	
Cutworms	Mites	Tomato Pin Worms	
Diamondback Moths			
Eastern Tent Caterpillars			
Flea Beetles			

h/c

For use on ornamental plants, shrubs, vines and houseplants including, but not limited to:]
[such as:]

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24-36 INCHES FROM PLANT. Caution should be taken when spraying tender or new growth on young plants. Plants should be sprayed on a few leaves to assure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow

sweeping motion. Avoid excessive wetting of plant foliage with spray. Spray plants at a rate of 1 linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.