



McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[ ] OR ( ) indicates alternate or optional wording

Kills mosquitoes that may carry West Nile Virus
Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours
Eight (8) hour control against West Nile Virus-infected mosquitoes
Fog your yard (patio) for eight (8) hours of residual protection against mosquitoes that carry West Nile Virus

New Handle—Fog Big Areas Fast
New Handle—Delivers Fine Fog Spray; Treats Big Areas Fast
Treats an Avg. Patio (500 Sq ft) – 4 times (16 oz. Size)
Treats an Avg. Patio (500 Sq ft) – 5 times (20 oz. Size)
Treats Your Patio 4 (5) Times \*
\* 20' x 25'

Use Before Parties and Picnics
Guaranteed to work or your money back
Kills [controls] ornamental garden pests for up to 7 days
Kills and repels Mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects
[Kills and repels mosquitoes and other listed pests]
Effective [residual] [long term] control
Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days
Provides rapid knockdown and kill

Residually controls [kills] Cockroaches, Spiders, Crickets and other crawling insects for weeks
Residually controls [kills] Fleas and Ticks indoors and around pet areas for weeks

Kills on contact
Controls Mosquitoes, Flies, Gnats, Moths & other flying insects
Use on porches, patio areas, screens, window frames, doors & other areas
Use indoors & outdoors to control mosquitoes & a wide variety of pests
Use on houseplants & shrubbery to control ornamental pests
Provides effective residual insect control
Water-based formula
[For use around Home Areas Only]

\*Do not spray in hot sun or temperatures over 90°F (32°C)

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Includes Permethrin (0.200%), Related reaction products (0.017%), and Tetramethrin (0.200%).

OTHER INGREDIENTS ..... 99.583%
100.000%

\*\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

ACCEPTED JUN - 1 2005
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1667

KEEP OUT OF REACH OF CHILDREN CAUTION

Table with 2 columns: Situation (IF SWALLOWED, IF ON SKIN OR CLOTHING) and First Aid instructions.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Weight \_\_\_\_\_

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based

1021-1667
6-1-2005

formula can be used on flying and crawling insects, indoor and outdoor houseplants, and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Cockroaches, Ants, Flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in areas [including but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Lofting Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] the following flying and crawling insects [on contact] [such as]:

Almond Moths	Cockroaches	Ground Beetles	Sciarid Flies
American Dog Ticks	Confused Flour Beetles	Gulf Coast Ticks	Scorpions
Angoumois Grain Moths	Crickets	Homets	Silverfish
Ants	Deer Flies	Horse Flies	Small Flying Insects
Asian Cockroaches	Deer Ticks	Houseflies	Small Flying Moths
Australian Cockroaches	Dermeestid Beetles	Indian Meal Moths	Smokey Brown Cockroach
Bedbugs	Drugstore Beetles	Indian Mealworms	Sowbugs
Bees	Earwigs	Lesser Grain Borers	Spiders
Biting Flies	Elm Leaf Beetles	Lice	Stable Flies
Black Carpet Beetles	Face Flies	Lone Star Ticks	Ticks [that may carry and transmit Lyme disease]
Black Flies	Firebrats	Merchant Grain Beetles	
Booklice	Fiat Grain Beetles	Midges	Tobacco Moths
Boxelder Bugs	Fleas	Millipedes	Trogoderma
Brown-banded Cockroaches	Flies	Mosquitoes	Vinegar Flies
Brown Dog Ticks	Flour Beetles	Mud Daubers	Warehouse Beetles
Cadellies	Flying Insects	Other Ixodid Species	Wasps
Carpet Beetles	Flying Moths	Palmetto Bugs	Waterbugs
Centipedes	Fruit Flies	Paper Nest Wasps	Webbing Clothes Moths
Cheese Mites	German Cockroaches	Pillbugs	Weevils
Chocolate Moths	Gnats	Red Flour Beetles	Wood Borers

Cigarette Beetles	Grain Mites	Rice Weevils
Clothes Moths	Grain V. ls	Sand Flies
Clover Mites	Granary Insects	Saw-toothed Grain Beetles

For use on ornamental plants, shrubs, vines and houseplants including [but not limited to] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Camation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatsyhedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills [controls] the following plant insects [on contact] [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leafliers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tomato Fruit Worms
Cabbage Loopers	Gypsy Moth [adult and larvae]	Mites	Tarnished Plant Bugs
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

INDOOR USE:

Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Spray surface areas and contact as many insects as possible.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into

4/1

center of room with a slow sweeping motion. Spray 5 – 10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

**FLEAS AND TICKS:** Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply spray uniformly to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

**FLEAS AND TICKS IN PET BEDDING AND PET AREAS:** Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters, and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 – 18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to contact treated areas until completely dry.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

**COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS,** and other listed crawling insects: Directly spray as many insects as possible in addition to thoroughly spraying all parts of rooms suspected of harboring these pests. Pay special attention to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, in cabinets, along baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage, and other utility installation areas, contacting insects with spray whenever possible. TO KILL ANTS, treat around doors, window frames, and other areas of entry. Directly spray ants whenever possible.

**CARPET BEETLES:** [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. When possible, thoroughly spray both top and bottom of rugs and carpets. Also, treat shelves, closets, areas under furniture, floors, walls, windowsills, baseboards, and wherever these insects are seen or suspected.

**BEDBUGS:** Lightly spray mattresses, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture, and other infested areas. Allow treated articles to dry before use.

**EXPOSED STAGES of Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, Weevils, Cheese Mites, and Indian Mealworms:** Dispose of infested packaged goods. Remove all other items from pantry, shelves, and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers, cabinets, and other areas where these insects tend to congregate. After spray is dry, install new shelf paper and return packages to shelves.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

**OUTDOOR USE:**

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

**FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects:** Hold container 18 – 24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

**WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS:** Hold container 18 – 24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

**ANTS:** Spray ant trails, hills, mounds, and other areas of entry and infestation. Spray on ants when possible.

**SPIDERS:** Spray directly on spiders and webs.

**SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetles, Boxelder Bugs, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs:** Thoroughly spray on surfaces and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

**GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS**

Kills [controls] the following plant insects [on contact] [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaf tiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tarnished Plant Bugs
Cabbage Loopers	Gypsy Moths [adult and larvae]	Mites	Tomato Fruit Worms
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

For use on ornamental plants, shrubs, vines, and houseplants including [but not limited to] [such as]:

African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous

3/4

Ornamental, Dogwood, Dracena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24 – 36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry place. Keep container closed.

**DISPOSAL:**

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

h/r