

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 2 4 2007

Mr. Thomas A. Lennan Registration Specialist McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

RE: EVERCIDE® House & Garden Spray 2664

EPA Registration Number: 1021-1667 Date of Submission: August 28, 2007

Dear Mr. Lennan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 28, 2007, for the product EVERCIDE® House & Garden Spray 2664. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely, Abllomai

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions before comp	neting form						u. Approval expires 05-31-98
		d States			Registration		OPP Identifier Number
SEPA Environmental Protection A			jency		Amendme	ent	
		on, DC 20460		Х	Other		
		Application 1	for Pesticid	e - Sectior	ı l		
1. Company/Product Number	er e		2. EPA Produ	ct Manager		3. Proposed	Classification
1021-1667			George Lal	Rocca			
4. Company/Product (Name)		PM#			✓ None	Restricted
EVERCIDE® House &	Garden Spray 2664			13			
5. Name and Address of Ap			6. Expedited	Review. In a	ccordance wi	th FIFRA Section	on 3(c)(3)(b)(i), my
McLAUGHLIN GORMI						ion and labeling	
8810 TENTH AVENUE	E NORTH						
MINNEAPOLIS, MN 5	5427		EPA Reg. No.				
•			ľ				
			Product Nan	ne			
Check if this i	is a new address				· · · · · · · · · · · · · · · · · · ·		
			Section - II				···
□ Amendment -	Explain below.	•		n	Final printed	labels in respo	inse to
Amendment	Explain bolow.		Final printed labels in response to Agency letter dated MOTHELO				
- Besubmission	n in response to Agency lette	ar dated			"Me Too" Ap	0.0	OTIFICATION
L] Hesubillission	Till response to Agency letti	a ualeu	-	ليبنا	INIG TOO AP		CED 6 4 2007
✓ Notification -	Explain below.				Other - Expla		SEP 2 4 2007
	al page(s) if necessary. (Fo	r section I and S	ection II)	· <u> </u>	Outer - Expir	aiii below.	
-	deleting pest that are			by the Cali	fornia Air E	Recourees Br	nard ·
•	o use areas, houseplant		awiing bugs	by life Call	ioinia Air r	iesources Di	Jaiu.
we are also deletering tw	o use areas, nouseplant	s and and mis.					
	·		O				
			Section - III			•	
1. Material This Product Wil			,	· · · · · · · · · · · · · · · · · · ·	······		
Child-Resistant Packaging	Unit Packaging		Water Soluble	Packaging		2. Type of Co	ontainer
☐ Yes*	Yes	•		Yes		Metal	
∐ No	No ·		<u> </u>	No		│	
	If "Yes"	No. per	If "Yes"		No. per	☐ Glass	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	
be submitted	·	ļ	<u> </u>			Uther (· · · · · · · · · · · · · · · · · · ·
Location of Net Contents	information	4. Size(s) Reta	tail Container		5. Location of Label Directions		ons
Label Container						On Label	
						On Labeling a	accompanying product
Manner in Which Label is	Affixed to Product	Lithograph			Other		
		Paper glued					•
		Stenciled					
			Section - IV				
1. Contact Point (Complete	items directly below for iden	tification of indiv	ridual to be con	tacted, if nec	essary, to pro	cess this applic	ation.)
Name		Title				Telephone No	o. (Include Area Code)
Thomas A. Lennan Registration		Registration	n Specialist			(763) 544-0341	
			·				
	•	Certification			-		6. Date Application
I certify that the statemen	its I have made on this form	and all attachm	ents thereto ar	e true, accura	te and comple	ete.	Received
I acknowledge that any knowingly false or misleading statement may			be punishable	by fine or imp	risonment or		
both under applicable law		•	·				(Stamped)
2. Signature 3. Title							
	1	Registration	Specialist			t (
Shomen 1.	100000]				Ç 6	1
4. Typed Name	+tww-	+				00000	4 ''''
		I5. Date					ı
Thomas A. Lennan		5. Date 8/28/2007	•				

4. Typed Name
Thomas A. Lennan

5. Da
8/2
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

McLAUGHLIN GORMLEY KING COMPANY

2Eb \$ \$ 5007

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-MOLLY OLLION

[] OR () indicates alternate or optional wording

[Kills mosquitoes that may carry West Nile Virus

Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours

Eight (8) hour control against West Nile Virus-infected mosquitoes

Fog your yard (patio) for eight (8) hours of residual protection against mosquitoes that carry West Nile Virus

New Handle-Fog Big Areas Fast

New Handle-Delivers Fine Fog Spray, Treats Big Areas Fast

Treats an Avg. Patio (500 Sq ft) - 4 times (16 oz. Size)

Treats an Avg. Patio (500 Sq ft) - 5 times (20 oz. Size)

Treats Your Patio 4 (5) Times *

* 20 ' x 25 '

Use Before Parties and Picnics

For use on porches patio areas, screens, window frames, doors and other areas.

Guaranteed to work or your money back

Kills [controls] ornamental garden pests for up to 7 days

Kills and repels Mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects

Kills and repels mosquitoes and other listed pests

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines for up to 7 days

Provides rapid knockdown and kill

Residually controls [kills] Fleas and Ticks indoors and around pet areas for weeks

Kills on contact

Provides effective residual insect control

Water-based formula

For use around Home Areas Only

Controls[Kills] Mosquitoes, Flies, Gnats,[Flying] Moths & other flying insects

Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard. I

Use on porches, patio areas, screens, window frames, doors & other areas

Use indoors & outdoors to control mosquitoes & a wide variety of pests

Use on shrubbery to control ornamental pests

*Do not spray in hot sun or temperatures over 90°F (32°C)

ACTIVE INGREDIENTS:

** Permethrin	0.200%
Related reaction products	0.017%
Tetramethrin	0.200%
OTHER INGREDIENTS	99.583%
TOTAL c cccc	100.000%

** Cis-traûs isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE®: Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Weight _

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.



[PRODUCT FACTS]

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on flying and garden insects, and outdoor plant, and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in areas [including but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Omamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] the following insects [on contact] [such as]:

Deer Flies	Gulf Coast Ticks	Sand Flies	
Deer Ticks	Hornets	Sciarid Flies	
Face Flies	Horse Flies	Small Flying Insects	
	-		
Fleas	Houseflies	Small Flying Moths	
Flies	Indian Meal Moths	Stable Flies	
Flying Insects	Lone Star Ticks	Ticks [that may carry and transmit Lyme disease]	
Flying Moths	Midges	Vinegar Flies	
Fruit Flies	Mosquitoes	1	
Gnats	Mud Daubers	Wasps	
Grain Mites	Other Ixodid Species	Webbing Clothes	
100 000	Paper Nest Wasps	Moths	
	Deer Flies Deer Ticks Face Flies Fleas Flies Flying Insects Flying Moths Fruit Flies Gnats Grain Mites	Deer Ticks Hornets Face Flies Horse Flies Fleas Houseflies Flies Indian Meal Moths Flying Insects Lone Star Ticks Flying Moths Midges Fruit Flies Mosquitoes Gnats Mud Daubers Grain Mites Other Ixodid Species	

For use on ornamental plants, shrubs, vines including [but not limited to] [such as]:

African Violet, Asoidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Culceolaria, Caiendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrycanthemuns, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony,

Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills [controls] the following plant insects [on contact] [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaftiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tomato Fruit Worms
Cabbage Loopers	Gypsy Moth [adult and larvae]	Mites	Tarnished Plant Bugs
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	<u> </u>

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

[1.]SHAKE WELL BEFORE [USING.] EACH USE. [2.] HOLD CONTAINER UPRIGHT. [3.]APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

INDOOR USE:

Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Spray surface areas and contact as many insects as possible.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 – 10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

FLEAS AND TICKS: Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply spray uniformly to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors,

of 3

and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters. and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 - 18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to contact treated areas until completely dry.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects: Hold container 18 - 24 inches from shrubs. bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas. screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS: Hold container 18 - 24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] the following plant insects [on contact] [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaftiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tamished Plant Bugs
Cabbage Loopers	Gypsy Moths [adult and larvae]	Mites	Tomato Fruit Worms
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psytlids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

For use on ornamental plants, shrubs, vines, including [but not limited to] [such as]: African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous Ornamental, Dogwood, Dracena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24 - 36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. [Mist the plants lightly] Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal

instructions.

[Notice Buyer Assumes all risk of use, storage or handling of this product not in accordance with directions.1

Our Guarantee: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase pric