

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Thomas A. Lennan Registration Specialist McLAUGHLIN GORMLEY KING Company 8810 Tenth Avenue North Minneapolis, MN 55427

OCT 16 2009

SUBJECT:

Applications for Pesticide Notification – Adding Money Back Guarantee and Marketing

Statements

EVERCIDE® House & Garden Spray 2664

EPA Reg. No. 1021-1667

EVERCIDE® 2.5 Permethrin Concentrate/Repellent

EPA Reg. No. 1021-1758

MGK® Pressurized Repellent Spray 2850

Applications Dated October 5, 2007

EPA Reg. No. 1021-1825

Dear Mr. Lennan:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions before comp		·					O. Approval expires 05-31-98
10.00		d States			Regitation		OPP Identifier Number
SEPA	Environmental F	Protection Ag	ency		Amendme	nt	
	Washingto	n, DC 20460		X	Other		
		Application 1	or Pesticid	e - Section	1		
1. Company/Product Number	)r		2. EPA Produ	ct Manager		3. Proposed	Classification
1021-1667			George Lai	_			
4. Company/Product (Name	)	)	PM#			☑ None	Restricted
EVERCIDE® House &	•		'*'"	13		10,40%	Land New Heleu
5. Name and Address of Ap		:	6 Evanditad			h EIEDA Conti	on 3(n)/3)/h)/i) my
-	LEY KING COMPANY		-				on 3(c)(3)(b)(i), my
1		2 2	product is sim	mar or identica	a in compositi	on and labeling	ງ ເບ:
8810 TENTH AVENUE	<del> </del>		 			NOTIF	FICATION
MINNEAPOLIS, MN 5	0421		EPA Reg. N	0.			v a v a - v a
,						OCT	<b>1 6</b> 2008
		:	Product Nar	ne ·			T O FOOD
☐ Check if this	is a new address	<u> </u>					
		Ç.	Section - II				
Amendment -	Explain below.				Final printed	labels in respo	ense to
		***		· · •	Agency letter	r dated	
Resubmission	n in response to Agency lette	r dated			"Me Too" Ap		
				, -	•		
☑ Notification -	Explain below.	in the same of the	•		Other - Expla	ain below.	
	al page(s) if necessary. (For	section I and S	Section II.)				
•	adding a money back o	1		a marketin	o phrase		
)	accing a money back g			· G IIIGINOGII	g piliago.		
		1		J			
			-				
			Section - III				
1. Material This Product Wi	l Be Packaged In:						
Child-Resistant Packaging	Unit Packaging		Water Soluble	e Packaging		2. Type of C	ontainer
☐ Yes*	☐ Yes	100		Yes		Metal	0
☐ No	No No	Control of the Contro	」 ·	No		Plastic	:
	If "Yes"	No. per	If "Yes"		No. per	Glass	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	
be submitted		1	309			1 = :	Specify)
3. Location of Net Contents	information	4. Size(s) Reta	il Conteiner		5 Location o	of Label Direction	
1		T. DIZO(3) FIBE	an Container		Jo. Location C	On Label	OHO
Label L	Container						aaaamaaniina aradiist
C Manage to Miles to 1 of 11	Although to Dondon's F	l isha	<del></del>		<u> </u>	On Labeling	accompanying product
6. Manner in Which Label is	Affixed to Product	Lithograph			Other	•	٠
	닏	Paper glued					
		Stenciled					
			Section - IV				
1. Contact Point (Complete	items directly below for iden	tification of indi	vidual to be col	ntacted, if nec	essary, to pro	cess this appli	cation.)
Name		Title				Telephone N	
Thomas A. Lennan		1100					o. (Include Area Code)
		11	Specialist	,		(763) 544-	
I		Registration	n Specialist			(763) 544-	
		Registration	Specialist			(763) 544-	0341
I cortify that the statemen	nts I have made on this form	Registration Certification		re true accura	ite and comple		6. Pate Application
1	nts I have made on this form	Registration Certification and all attachm	nents thereto a		-		0341
l acknowledge that any k	nowingly false or misleading	Registration Certification and all attachm	nents thereto a		-		0341 6. Date Application Received
l acknowledge that any li both under applicable la	nowingly false or misleading	Registration Certification and all attachm statement may	nents thereto a		-		6. Pate Application
l acknowledge that any k	nowingly false or misleading	Registration Certification and all attachm statement may	nents thereto a		-		0341 6. Date Application Received
l acknowledge that any li both under applicable la	nowingly false or misleading	Registration Certification and all attachm statement may	nents thereto a		-		0341 6. Date Application Received
l acknowledge that any k both under applicable las 2. Signature	nowingly false or misleading	Registration Certification and all attachm statement may 3. Title Registration	nents thereto a		-		0341 6. Date Application Received
l acknowledge that any k both under applicable las 2. Signature	nowingly false or misleading	Registration Certification and all attachm statement may	nents thereto a		-		0341 6. Date Application Received



# McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

October 5, 2007

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject:

EVERCIDE® House & Garden Spray 2664

EPA Reg. No. 1021-1667

Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding a money back guarantee statement and a marketing phrase.

Enclosed are 2 copies of the label, one copy has changes highlighted in yellow

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Thomas A. Lennan

Registration Specialist

**Enclosure** 



EVERCIDE® House & Garden Spray 2664

For Residential Use Only



8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

[ Kills mosquitoes that may carry West Nile Virus

Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours

Eight (8) hour control against West Nile Virus-infected mosquitoes

Fog your yard (patio) for eight (8) hours of residual protection against mosquitoes that carry West Nile Virus

New Handle-Fog Big Areas Fast

New Handle-Delivers Fine Fog Spray; Treats Big Areas Fast

Treats an Avg. Patio (500 Sq ft) - 4 times (16 oz. Size)

Treats an Avg. Patio (500 Sq ft) - 5 times (20 oz. Size)

Treats Your Patio 4 (5) Times \*

\* 20 ' x 25 '

Use Before Parties and Picnics

For use on porches patio areas, screens, window frames, doors and other areas.

Guaranteed to work or your money back

Kills (controls) ornamental garden pests for up to 7 days

Kills and repels Mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects

Kills and repels mosquitoes and other listed pests

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines for up to 7 days

Provides rapid knockdown and kill

Residually controls [kills] Fleas and Ticks indoors and around pet areas for weeks

Kills on contact

Provides effective residual insect control

Water-based formula

For use around Home Areas Only

Controls[Kills] Mosquitoes, Flies, Gnats, [Flying] Moths & other flying insects

Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard. ]

Use on porches, patio areas, screens, window frames, doors & other areas

Use indoors & outdoors to control mosquitoes & a wide variety of pests

Use on shrubbery to control ornamental pests

\*Do not spray in hot sun or temperatures over 90°F (32°C)

## **ACTIVE INGREDIENTS:**

, 101172 0.12512.1110.	
** Permethrin	0.200%
Related reaction products	0.017%
Tetramethrin	0.200%
OTHER INGREDIENTS	99.583%
TOTAL	100.000%

\*\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF SWALLOWED:	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
	ner or label with you when calling a poison control center or doctor or information regarding medical emergencies or pesticide incidents, call

Net Weight \_\_\_\_ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols



# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

## **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

#### PHYSICAL OR CHEMICAL HAZARDS

**Contents under pressure.** Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NOTIFICATION

OCT 16 2008

Page 1 of 3 2664-1007



### [PRODUCT FACTS]

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on flying and garden insects, and outdoor plant, and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in areas [including but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] the following insects [on contact] [such as]:

Almond Moths	Deer Flies	Gulf Coast Ticks	Sand Flies
American Dog Ticks	Deer Ticks	Hornets	Sciarid Flies
Angoumois Grain Moths	Face Flies	Horse Flies	Small Flying Insects
Bees	Fleas	Houseflies	Small Flying Moths
Biting Flies	Flies	Indian Meal Moths	Stable Flies
Black Flies	Flying Insects	Lone Star Ticks	Ticks [that may carry and transmit Lyme disease]
Brown Dog Ticks	Flying Moths	Midges	Vinegar Flies
Chocolate Moths	Fruit Flies	Mosquitoes	1
Cigarette Beetles	Gnats	Mud Daubers	Wasps
Clothes Moths	Grain Mites	Other Ixodid Species	Webbing Clothes
		Paper Nest Wasps	Moths

For use on ornamental plants, shrubs, vines including [but not limited to] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus,

Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills (controls) the following plant insects (on contact) (such as):

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaftiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tomato Fruit Worms
Cabbage Loopers	Gypsy Moth [adult and larvae]	Mites	Tarnished Plant Bugs
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

[1.]SHAKE WELL BEFORE [USING.] EACH USE. [2.] HOLD CONTAINER UPRIGHT. [3.]APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

#### INDOOR USE:

Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Spray surface areas and contact as many insects as possible.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 – 10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

FLEAS AND TICKS: Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply spray uniformly to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per





second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters, and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 – 18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to contact treated areas until completely dry.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

#### **OUTDOOR USE:**

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects: Hold container 18 – 24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS: Hold container 18 – 24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills (controls) the following plant insects (on contact) (such as):

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaftiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tarnished Plant Bugs
Cabbage Loopers	Gypsy Moths [adult and larvae]	Mites	Tomato Fruit Worms

Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

For use on ornamental plants, shrubs, vines, including [but not limited to] [such as]:
 African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium,
 Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria,
 Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous
 Ornamental, Dogwood, Dracena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern,
 Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly,
 Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium,
 Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus,
 Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant,
 Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24 – 36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. [Mist the plants lightly] Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

[ Notice Buyer Assumes all risk of use, storage or handling of this product not in accordance with directions.]

[ Our Guarantee: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price]

[Graphic: [Brand Name] Quality Pledge]

#### [Satisfaction Guaranteed]

[If for any reason you are not completely satisfied with the performance or results of this [Brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]