1021-1667

06/22/2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Steve K. Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

NOTIFICATION

Subject: Notification to add optional directions EPA Registration Number: 1021-1667 Decision: 450054

Dear Mr. Ditto:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN)98-10 dated May 25, 2011, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683.

. 1

Sincerely.

Mark Suarez Product Manager 13 Insecticide Branch Registration Division (7505P)

Enclosures:

Copy of Label Stamped "Notification"

Please read instructions before comp	eleting form				For proved.	OMB No. 2070-00)60. Approval expires 05-31-98
United States				Registratio		OPP Identifier Number	
SEPA	Environmenta	al Protection Age	ency 🕇	· · · · · · · · · · · · · · · · · · ·	Amendme		
Washington, DC 20460		· -	X Other				
		Application fo	or Pesticide				
Company/Product Number	er		2. EPA Produc	t Manager	· · · · · · · · · · · · · · · · · · ·	3. Proposed	Classification
021-1667			Richard Geb	oken			
. Company/Product (Name	;)	ļ r	PM#			🗹 None	Restricted
EVERCIDE® House a	nd Garden Spray 266	64	10				
. Name and Address of Ap	plicant (Include Zip Code))	6. Expedited F	Review. In a	ccordance wit	h FIFRA Sect	ion 3(c)(3)(b)(i), my
/IcLaughlin Gormley K	(ing Company	r	product is simil	ar or identic	al in compositi	on and labelir	ng to:
810 10TH AVE N							
INNEAPOLIS, MN 5	5427	ļ	EPA Reg. No				
		10	Product Nam	e			
Check if this	is a new address		action !!				
		5	ection - II		<u></u>		· · · · · · · · · · · · · · · · · · ·
Amendment -	Explain below.				-	labels in resp	onse to
Resubmission	n in response to Agency le	etter dated			Agency letter "Me Too" Ap		<u> </u>
Notification -		-		[]			
Explanation: Use addition	Explain below.				Other - Expla	ain below.	
		S	ection - III				
. Material This Product Wil	I Be Packaged In:						
hild-Resistant Packaging	Unit Packaging		Water Soluble	Packaging		2. Type of C	Container
Yes*	Yes		י 🗆	res		Metal	
V No	✓ No			No		Plasti	c
	lf "Yes"	No. per	lf "Yes"		No. per	Glass	
Certification must	Unit Packaging wgt.	container	Package wgt.		container		
e submitted			····				(Specify)
Location of Net Contents		4. Size(s) Retail	Container			f Label Direct	ions
🗸 Label 🗌	Container	6-24 oz.				On Label	
		<u> </u>				On Labeling	accompanying product
Manner in Which Label is	Affixed to Product	∑ Lithograph			Other		
	L	_ Paper glued					
<u> </u>			ection - IV				
Contact Point (Complete	items directly below for ide			acted if neo	essary to prov	cess this annli	ication)
Name	iterine anothy bolow for fu	Title				1	No. (Include Area Code)
Steven K. Ditto			Affairs Specialist (763) 544-0341		. ,		
						1, 20, 044	
		Certification				1	6, Date Application
I certify that the statemer	nts I have made on this for		nts thereto are	true, accura	ite and comple	ete.	Received
	nowingly false or misleadi						
both under applicable lav		,, _		-			(Stamped)
2. Signature 3. Title		3. Title					
			Affairs Specialist				
In	$\leq \geq 1$		1				
I. Typed Name	<u> </u>	5. Date	<u> </u>				
		5/25/2011					
PA Form 8570-1 (Rev. 8-9	4) Previous editions are c	obsolete.					
							ι ί ι ίζιις
				•			ς ς ς ς ς ς



McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

May 25, 2011

Document Processing Desk (NOTIF) Richard Gebken, PM 10 Office of Pesticide Programs (7504P) U.S. ENVIRONMENTAL PROTECTION AGENCY Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Subject: EVERCIDE® House & Garden Spray 2664 EPA Reg. No. 1021-1667 Notification Per PR Notice 98-10

Dear Mr. Gebken:

By Notification we are adding the non-public health pests Asian Lady Beetles, Boxelder Bugs, Brown Marmorated Stink Bugs (BMSB), and Stink Bugs to the listed pests throughout the label and on a front panel marketing claim.

Via Courier

Enclosed are 2 copies of the label, one copy with changes highlighted.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other change have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto Regulatory Affairs Specialist

Enclosure



Quality Products Since 1902

	(\mathcal{C}	48
2664_1021-1667_0525	McLAUGHLIN GORMLEY KING COMPANY polis, Minnesota 55427-4319 U.S.A Tele		arden Spray 2664 ntial Use Only
Treats an Avg. Patio (500 Sq ft) – 5 times (20 oz. Treats Your Patio 4 (5) Times * * 20 ' x 25 ' From the Outdoor Experts. Use Before Parties a For use on porches patio areas, screens, window Guaranteed to work or your money back Kills [controls] ornamental garden pests for up to Kills and repels Mosquitoes, Biting Flies, Gnats, I Kills and repels mosquitoes and other listed pests Effective [residual] [long term] control Kills [controls] insects on ornamental plants, shru Provides rapid knockdown and kill Residually controls [kills] Fleas and Ticks indoors Kills on contact Provides effective residual insect control Water-based formula For use around Home Areas Only Controls [Kills] Mosquitoes, Flies, Gnats,[Flying] f	A protection against mosquitoes al protection against mosquitoes g Areas Fast Size). Treats your 20' x 25' Patio 3 times (14 oz. size) Size). Treats your 20' x 20' Patio 4 times (14 oz. size) and Picnics of frames, doors and other areas. 7 days Moths, and Other Flying Insects s bbs, vines for up to 7 days and around pet areas for weeks Moths & other flying insects ad pest management program on your pet, around your h ames, doors & other areas a wide variety of pests	NOTIFICATION JUN 2 2 2011	
*Do not spray in hot sun or temperatures over 90'	°F (32°C)		

AUTIVE MOREDIENTO:	
** Permethrin	0.200%
Related reaction products	0.017%
Tetramethrin	0.200%
OTHER INGREDIENTS	99.583%
TOTAL	100.000%

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID				
IF SWALLOWED:	 Immediately call a poison control center or doc 				
	 Do not induce vomiting unless told to do so by 				
	 Do not give any liquid to the person. 				
	Do not give anything by mouth to an unconscio	us person.			
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. 				
	 Rinse skin immediately with plenty of water for 				
	Call a poison control center or doctor for treatment advice.				
	label with you when calling a poison control center or d	octor or going for treatment. For informa	tion regarding medic	al	
emergencies or pesticide incid	ents, call 1-888-740-8712.		6666		
	Net Weight		σιιι		
	Manufactured	by:	ε εεφ		
	Mc LAUGHLIN GORMLEY				
	8810 Tenth Avenue	e North	с	CLELL	
	Minneapolis, MN	55427	C C		
	EPA Reg. No. 1021-1667	EPA Est. No. 1021-MN-2		i i	
	/3	A DOOM	ις τς	(((((((((((((((((((
	Federal regulations prohibit	773)	с. с.	َ ب ر	
	CFC propellants in aerosols	CFCs	(((((((((((((((((((ιιιι	
	(A. C.	HE 0200K 1	(
		1000m	1 (
			ίιιι	Page 1 of s	
			ີ 2664 10	21-1667_052	
			c cc-c-		
			c		

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[PRODUCT FACTS: Kills Insects: Mosquitoes, Flies, gnats, flying moths and other flying insects]

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on flying and garden insects, and outdoor plant, and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in areas [including but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Almond Moths	Deer Flies	Gulf Coast Ticks	Sand Flies
American Dog Ticks	Deer Ticks	Hornets	Sciarid Flies
Angoumois Grain	Face Flies	Horse Flies	Small Flying Insects
Moths			
Bees	Fleas	Houseflies	Small Flying Moths
Biting Flies	Flies	Indian Meal Moths	Stable Flies
Black Flies	Flying Insects	Lone Star Ticks	Ticks (that may carry and transmit Lyme
			disease]
Brown Dog Ticks	Flying Moths	Midges	Vinegar Flies
Chocolate Moths	Fruit Flies	Mosquitoes	
Cigarette Beetles	Gnats	Mud Daubers	Wasps
Clothes Moths	Grain Mites	Other Ixodid Species	Webbing Clothes
		Paper Nest Wasps	Moths

Kills [controls] the following insects [on contact] [such as]:

For use on ornamental plants, shrubs, vines including [but not limited to] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracefia, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, C. C. Salvia. Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

6.6.6 cccic Page 2 of 5 2664_1021-1667_0525 LLLLC

ιειε

Kills (controls) the following plant insects (on contact) [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback	Leaftiers	Spotted Mites
Asian Lady Beetles	Moths		
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tomato Fruit Worms
Brown Marmorated Stink Bugs (BMSB)			
Cabbage Loopers	Gypsy Moth [adult and larvae]	Mites	Tarnished Plant Bugs
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

[HOW TO USE:]

[1.]SHAKE WELL BEFORE [USING.] EACH USE. [2.] HOLD CONTAINER UPRIGHT. [3.]APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

INDOOR USE:

Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Spray surface areas and contact as many insects as possible.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 – 10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

FLEAS AND TICKS: Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply spray uniformly to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters, and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 – 18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to contact treated areas until completely dry.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: (1)Applications to lawns, turf, and other vegetation.



All outdoor applications to impervious surfaces such as sidewalk, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use.

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects: Hold container 18 – 24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS: Hold container 18 – 24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] the following plant insects [on contact] [such as]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaftiers	Spotted Mites
Asparagus Beetles	Eastern Tent	Mealy Bugs	Stink Bugs
Asian Lady Beetles	Caterpillars		
Boxelder Bugs	Flea Beetles	Mexican Bean	Tarnished Plant Bugs
Brown Marmorated Stink Bugs (BMSB)		Beetles	
	Charles Mathe Fodult	B dite e	Tamata Envit Manua
Cabbage Loopers	Gypsy Moths [adult and larvae]	Mites	Tomato Fruit Worms
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

For use on ornamental plants, shrubs, vines, including [but not limited to] [such as]:

African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous Ornamental, Dogwood, Dracena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24 – 36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. [Mist the plants lightly] Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal. Pesticide Storage
Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food.
Pesticide Disposal and Container Handling Do Not Puncture or Incinerate!
Nonrefillable container. Do not reuse or refill this container.
Place in trash or offer for recycling if available.
If partly filled:
Call your local solid waste agency for disposal instructions.

6466 6466

c

ειςτις

*čiuci*či

68265

cecce

Page 4 of 5

2664_1021-1667_0525

[Notice Buyer Assumes all risk of use, storage or handling of this product not in accordance with directions.] [Our Guarantee [Brand name]No Quibble Guarantee®: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price]

[[Brand name] & Your Environment statement: Your home and yard are places for family and pets to enjoy. That's why [Brand name] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow in structions for a ppropriate usage, storage and disposal.]

[Graphic: [Brand Name] Quality Pledge]

.

3

. . e

.

. ,

[Satisfaction Guaranteed] [If for any reason you are not completely satisfied with the performance or results of this [Brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.

....c С С **ιιι**() () () () () c 2664_1021-1667_0525

8 8