

1021-1667

8/2/2011

1087

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 2, 2011

Steve Ditto
McLaughlin Gormley King Company
8810 Tenth Ave. N
Minneapolis, MN 55427

Subject: Amended Reregistration Label
Product Name: Evercide House and Garden Spray 2664
EPA Registration Number: 1021-1667
EPA Decision Numbers: 435931 and 413860

Dear Mr. Ditto:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the permethrin and tetramethrin REDs, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 2/16/2010
- Alternate CSF, dated 2/16/2010
- Alternate CSF A, dated 2/16/2010
- Alternate CSF B, dated 2/16/2010

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Jennifer Urbanski at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted," dated 8/2/11
Acute Toxicity Review, dated 6/10/10
Product Chemistry Reviews, dated 12/1/10 and 1/3/11*

307

2664-0811

MGK®

McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE® House & Garden Spray 2664

For Residential Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

[Kills mosquitoes that may carry West Nile Virus

Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours

Eight (8) hour control against West Nile Virus-infected mosquitoes

Fog your yard (patio) for eight (8) hours of residual protection against mosquitoes that carry West Nile Virus

New Handle—Fog Big Areas Fast

New Handle—Delivers Fine Fog Spray; Treats Big Areas Fast

Treats an Avg. Patio (500 Sq ft) – 4 times (16 oz. Size). Treats your 20' x 25' Patio 3 times (14 oz. size)

Treats an Avg. Patio (500 Sq ft) – 5 times (20 oz. Size). Treats your 20' x 20' Patio 4 times (14 oz. size)

Treats Your Patio 4 (5) Times *

* 20' x 25'

From the Outdoor Experts. Use Before Parties and Picnics

For use on porches patio areas, screens, window frames, doors and other areas.

Guaranteed to work or your money back

Kills [controls] ornamental garden pests for up to 7 days

Kills and repels Mosquitoes, Biting Flies, Gnats, Moths, and Other Flying Insects

Kills and repels mosquitoes and other listed pests

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines for up to 7 days

Provides rapid knockdown and kill

Residually controls [kills] Fleas and Ticks indoors and around pet areas for weeks

Kills on contact

Provides effective residual insect control

Water-based formula

For use around Home Areas Only

Controls [Kills] Mosquitoes, Flies, Gnats, [Flying] Moths & other flying insects

Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard.]

Use on porches, patio areas, screens, window frames, doors & other areas

Use indoors & outdoors to control mosquitoes & a wide variety of pests

Use on shrubbery to control ornamental pests

*Do not spray in hot sun or temperatures over 90°F (32°C)

ACTIVE INGREDIENTS:

** Permethrin 0.200%

Tetramethrin..... 0.200%

OTHER INGREDIENTS 99.600%

TOTAL 100.000%

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

ACCEPTED
AUG 02 2011
Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:
EPA. Reg. No: 1021-1667

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Weight _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Federal regulations prohibit
CFC propellants in aerosols



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Do not contaminate water when disposing of equipment, washwater, or rinsate. Drift and runoff may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[PRODUCT FACTS: Kills Insects: Mosquitoes, Flies, gnats, flying moths and other flying insects]

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on flying and garden insects, and outdoor plant, and ornamental pests. [EVERCIDE® House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Flies and other listed pests.

[EVERCIDE® House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in:
Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] the following insects [on contact] :

Almond Moths	Deer Flies	Gulf Coast Ticks	Sand Flies
American Dog Ticks	Deer Ticks	Hornets	Sciarid Flies
Angoumois Grain Moths	Face Flies	Horse Flies	Small Flying Insects
Bees	Fleas	Houseflies	Small Flying Moths
Biting Flies	Flies	Indian Meal Moths	Stable Flies
Black Flies	Flying Insects	Lone Star Ticks	Ticks [that may carry and transmit Lyme disease]
Brown Dog Ticks	Flying Moths	Midges	Vinegar Flies
Chocolate Moths	Fruit Flies	Mosquitoes	
Cigarette Beetles	Gnats	Mud Daubers	Wasps
Clothes Moths	Grain Mites	Other Ixodid Species	Webbing Clothes Moths
		Paper Nest Wasps	

For use on ornamental plants, shrubs, vines including:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

5087

Kills [controls] the following plant insects [on contact]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leaf tiers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tomato Fruit Worms
Cabbage Loopers	Gypsy Moth [adult and larvae]	Mites	Tarnished Plant Bugs
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Cheewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafer	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

[HOW TO USE:]

[1.]SHAKE WELL BEFORE [USING.] EACH USE. [2.] HOLD CONTAINER UPRIGHT.

[3.]APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds and cover fish aquariums before spraying.

Do not apply when food is present. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Remove or cover exposed food and drinking water before application.

INDOOR USE:

Spray surface areas and contact as many insects as possible.

Not for broadcast use on indoor residential surfaces.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 – 10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Sweep up and discard fallen insects.

FLEAS AND TICKS: Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply spray uniformly to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per second with a slow sweeping motion. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters, and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 – 18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow adults, children, or pets to enter the treated area until sprays have dried.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

All outdoor applications must be limited to spot or crack-and crevice-treatments only, except for the following permitted use: Applications to lawns, turf, and other vegetation. Do not water the treated area to the point of run-off. Do not make applications during the rain.

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects: Hold container 18 – 24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS: Hold container 18 – 24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] the following plant insects [on contact]:

Aphids	Cutworms	Leafrollers	Spider Mites
Armyworms	Diamondback Moths	Leafliers	Spotted Mites
Asparagus Beetles	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Boxelder Bugs	Flea Beetles	Mexican Bean Beetles	Tarnished Plant Bugs
Cabbage Loopers	Gypsy Moths [adult and larvae]	Mites	Tomato Fruit Worms
Cankerworms	Inchworms	Oleander Caterpillars	Tomato Pin Worms
Caterpillars	Japanese Beetles	Psyllids	Two-spotted Mites
Chewing Insects	Lace Bugs	Red Spider Mites	Tent Caterpillars
Colorado Potato Beetles	Leaf Miners	Rose Chafers	Thrips
Corn Ear Worms	Leaf Beetles	Soft Brown Scales	Whiteflies
Cucumber Beetles	Leafhoppers	Southern Army Worms	

For use on ornamental plants, shrubs, vines, including: African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous Ornamental, Dogwood, Dracena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24 – 36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. [Mist the plants lightly] Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:
Place in trash or offer for recycling if available.

If partly filled:
Call your local solid waste agency for disposal instructions.

[Notice Buyer Assumes all risk of use, storage or handling of this product not in accordance with directions.]
[Our Guarantee [Brand name]No Quibble Guarantee®: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price]
[[Brand name] & Your Environment statement: Your home and yard are places for family and pets to enjoy. That's why [Brand name] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.]
[Graphic: [Brand Name] Quality Pledge]
[Satisfaction Guaranteed]
[If for any reason you are not completely satisfied with the performance or results of this [Brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

