



**OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION**

WASHINGTON, D.C. 20460

November 21, 2025

Thomas Lennan  
Senior Regulatory Affairs Specialist  
McLaughlin Gormley King Company D/B/A MGK  
7325 Aspen Lane North  
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Tetramethrin and  
Permethrin  
Product Name: EVERCIDE HOUSE & GARDEN SPRAY 2664  
EPA Registration Number: 1021-1667  
Case Number: 476485 and 473793  
Application Dates: November 13, 2020

Dear Thomas Lennan:

In accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), the Agency has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Tetramethrin and Permethrin Decisions and has concluded that your submission is acceptable. The amended label, submitted in connection with registration under FIFRA, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at 202-566-2273, or via email at [smith.carolyn@epa.gov](mailto:smith.carolyn@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive, flowing style.

Jaclyn Pyne, Team Leader  
Risk Management and Implementation Branch 3  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

ENCLOSURE: Stamped label

# EVERCIDE® House & Garden Spray 2664

For Residential Use Only

[ ] OR ( ) indicates alternate or optional wording

[Kills mosquitoes that may carry West Nile virus  
Continues to kill mosquitoes that land on treated surfaces for up to eight (8) hours  
Eight (8) hour control against West Nile virus-infected mosquitoes  
Fog your yard (patio) for eight (8) hours of residual protection against mosquitoes that carry West Nile virus and/or Zika virus  
[Kills Aedes mosquitoes]  
Kills and repels mosquitoes that may carry/transmit the Zika virus  
Eight (8) hour control against mosquitoes that may carry transmit the Zika virus  
Kills and repels Aedes mosquitoes that may carry/transmit the Zika virus  
Kills and repels mosquitoes, including those/ (Aedes) that may carry/transmit Zika virus  
New Handle—Fog Big Areas Fast  
New Handle—Delivers Fine Fog Spray; Treats Big Areas Fast  
Treats an Avg. Patio (500 Sq. ft.) – 4 times (16 oz. Size). Treats your 20' x 25' Patio 3 times (14 oz. size)  
Treats an Avg. Patio (500 Sq. ft.) – 5 times (20 oz. Size). Treats your 20' x 20' Patio 4 times (14 oz. size)  
Treats Your Patio 4 (5) Times \*  
\* 20' x 25' '  
From the Outdoor Experts. Use Before Parties and Picnics  
For use on porches patio areas, screens, window frames, doors and other areas.

Guaranteed to work or your money back  
Kills [controls] ornamental garden pests for up to 7 days  
Kills and repels Mosquitoes, Biting Flies, Gnats, Moths, and Other Listed Flying Insects  
Kills and repels mosquitoes and other listed pests  
Effective [residual] [long term] control  
Kills [controls] insects on ornamental plants, shrubs, vines for up to 7 days  
Provides rapid knockdown and kill  
Residually controls [kills] Fleas and Ticks indoors and around pet areas for weeks  
Kills on contact  
Provides effective residual insect control  
Water-based formula  
For use around Home Areas Only  
Controls [Kills] Mosquitoes, Flies, Gnats,[Flying] Moths & other listed flying insects  
Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard]  
Use on porches, patio areas, screens, window frames, doors & other areas  
Use indoors & outdoors to control mosquitoes & a wide variety of pests  
Use on shrubbery to control ornamental pests  
For both indoor and outdoor use.  
\*Do not spray in hot sun or temperatures over 90°F (32°C)

## ACTIVE INGREDIENTS:

** Permethrin .....	0.200%
Tetramethrin .....	0.200%
OTHER INGREDIENTS .....	99.600%
TOTAL .....	100.000%

\*\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>Take off contaminated clothing.</li><li>Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED:	<ul style="list-style-type: none"><li>Immediately call a poison control center or doctor.</li><li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>Do not give <b>any</b> liquid to the person.</li><li>Do not give anything by mouth to an unconscious person.</li></ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by  
  
7325 Aspen Lane North  
Minneapolis, MN 55428

EPA Reg. No. 1021-1667

EPA Est. No. 1021-MN-2

Net Weight: \_\_\_\_\_

Federal regulations prohibit  
CFC propellants in aerosols



**ACCEPTED**  
**11/21/2025**  
Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 1021-1667

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Do not contaminate water when disposing of equipment, washwater, or rinsate. Drift and runoff may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

### PHYSICAL OR CHEMICAL HAZARDS

**Contents under pressure.** Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[PRODUCT FACTS: Kills Insects: Mosquitoes, Flies, gnats, flying moths and other listed flying insects]

[EVERCIDE® House & Garden Spray 2664] [brand name] contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on listed flying and garden insects, and outdoor plant, and ornamental pests. [EVERCIDE House & Garden Spray 2664] [brand name] provides effective [residual] control against listed pests.

[EVERCIDE House & Garden Spray 2664] [brand name] [This product] effectively controls pests that infest food in the pantry as well as Flies and other listed pests.

[EVERCIDE House & Garden Spray 2664] [brand name] can be used to control [kill] Fleas and Ticks hidden in carpets, rugs, upholstery, draperies, floor cracks, and cabinets.

To protect your pet against and to minimize reintroduction of Fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray) in conjunction with this application and before allowing pet re-entry to treated area.

For use in:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage Areas, Condominiums, Credenzas, Decks, Dens, Doghouses, Draperies, Dressers, Floors, Furniture, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantries, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porches, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] the following insects [on contact]:

Almond Moths, American Dog Ticks, Angoumois Grain Moths, Bees, Biting Flies, Black Flies, Brown Dog Ticks, Chocolate Moths, Cigarette Beetles, Clothes Moths, Deer Flies, Deer Ticks, Face Flies, Fleas, Flies, Listed Flying Insects, Flying Moths, Fruit Flies, Gnats, Grain Mites, Gulf Coast Ticks, Hornets, Horse Flies, House Flies, Indian Meal Moths, Lone Star Ticks, Midges, Mosquitoes, Mud Daubers, Other Ixodid Species, Paper Nest Wasps, Sand Flies, Sciarid Flies, Listed Small Flying Insects, Small Flying Moths, Stable Flies, Ticks [that may carry and transmit Lyme disease], Vinegar Flies, Wasps, Webbing Clothes Moths.

For use on ornamental plants, shrubs, vines including:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracaena, English Ivy, Evergreens, Fatschedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills [controls] the following plant insects [on contact]:

Aphids, Armyworms, Asparagus Beetles, Boxelder Bugs, Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillars, Flea Beetles, Gypsy Moth [adult and larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leafminers, Leafhoppers, Leafrollers, Leaf tiers, Mealybugs, Mexican Bean Beetles, Mites, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Armyworms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruitworms, Tomato Pinworms, Two-spotted Mites, Whiteflies.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

[HOW TO USE:]

[1.] SHAKE WELL BEFORE [USING.] EACH USE. [2.] HOLD CONTAINER UPRIGHT.

[3.] APPLY IN SHORT BURSTS.

- For spot, crack and crevice application only. Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
- Treat surfaces to ensure thorough coverage but avoid runoff.

- To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not allow to enter any drain during or after application.



- Do not allow to enter indoor or outdoor drains.
- No permita la entrada a desagües internos o externos.
- Do not apply when the wind speed is greater than 15 mph.
- Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

#### ▪ **SPRAY DRIFT ADVISORIES**

- **Handheld Technology Applications:** Take precautions to minimize spray drift.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds and cover fish aquariums before spraying.

Do not apply when food is present. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Remove or cover exposed food and drinking water before application.

#### INDOOR USE:

Spray surface areas as a spot treatment and contact as many insects as possible.

Not for broadcast use on indoor residential surfaces.

FLIES, GNATS, MOSQUITOES, FRUIT FLIES, WASPS, HORNETS, BEES, SMALL FLYING MOTHS, and other flying insects: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5–10 seconds for average size room. Direct spray to all parts of the room, especially at windows and other light sources that attract these insects. When spraying, keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Sweep up and discard fallen insects.

FLEAS AND TICKS: Before use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply as a spot treatment to rugs, carpets, draperies and upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray is all that is necessary to kill Fleas. To kill Ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, as a spot treatment on walls and floors, and along baseboards, and window and door frames. Spray at the rate of one (1) linear foot per second with a slow sweeping motion. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding and sleeping quarters, and around baseboards and window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12–18 inches. Also, spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Do not allow adults, children, or pets to enter the treated area until sprays have dried.

For best results, treat pets with EPA registered flea and tick control products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo), in conjunction with this application before allowing pets to re-enter treated areas.

For particularly excessive infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

#### OUTDOOR USE:

All outdoor applications must be limited to spot or crack-and crevice-treatments only, except for the following permitted use: Applications to lawns, turf, and other vegetation.

Do not apply or irrigate to the point of runoff.

Do not make applications during the rain.

Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Listed Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, House Flies, Stable Flies, Vinegar Flies, Fruit Flies, and other listed flying insects: Hold container 18–24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area.

WASPS, HORNETS, BEES, YELLOWJACKETS, AND PAPER NEST WASPS: Hold container 18–24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product [EPA registered product such as] [brand name] designed for use on nests and hives.

#### GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] the following plant insects [on contact]:

Aphids, Armyworms, Asparagus Beetles, Boxelder Bugs, Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillars, Flea Beetles, Gypsy Moths [adult and larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leafminers, Leafhoppers, Leafrollers, Leaf tiers, Mealybugs, Mexican Bean Beetles, Mites, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Armyworms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruitworms, Tomato Pinworms, Two-spotted Mites, Whiteflies.

For use on ornamental plants, shrubs, vines, including:

African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemum, Coleus, Creeping Charlie, Daffodil, Dahlia, Delphinium, Deciduous Ornamental, Dogwood, Dracaena, English Ivy, Evergreen, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip, Viola, Wandering Jew, Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24–36 INCHES FROM PLANT. Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. [Mist the plants lightly] Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

#### PESTICIDE STORAGE

Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food.

#### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Do Not Puncture or Incinerate!

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options..

[Notice Buyer Assumes all risk of use, storage or handling of this product not in accordance with directions.]

[Our Guarantee [Brand name] No Quibble Guarantee®: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price]

[[Brand name] & Your Environment statement: Your home and yard are places for family and pets to enjoy. That's why [Brand name] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.]

[Graphic: [Brand Name] Quality Pledge]

[Satisfaction Guaranteed]

[If for any reason you are not completely satisfied with the performance or results of this [Brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]