PAL 10 1021-1674 PB 1/4

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:
x Registration
___ Reregistration

(under FIFRA, as amended)

EPA Reg. Number: 1021-1674

Date of Issuance: 30 MAY 1996

Term of Issuance: Conditional

Name of Pesticide Product: Evercide Total Release Aerosol 2614

Name and Address of Registrant (include ZIP Code):

McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4372

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 1021-1674".

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:
RPK
Richard P. Keigwin, Jr.

Date: 30 MAY 1996

EPA Form 8570-6

2/4

2614-596

MGK® McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® Total Release Aerosol 2614

Contains NYLAR® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. TELEPHONE (612) 544-0341

ONE UNIT TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE [27 x 27 x 8]

[ ] OR ( ) indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development
[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults
[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program
[Nylar®] [brand name] can be a biorational approach to insect control
[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]
Prevents fleas from developing into the biting adult stage
Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults
One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
Kills present (today's) fleas and prevents new [tomorrow's] fleas from growing up to bite
[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]
Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas
Prevents [stops] the emergence of adult fleas
Flea eggs deposited on treated areas will not develop into adult fleas
Larvae crawling onto treated areas will not develop into adult fleas
[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults

ACCEPTED
with COMMENTS
In EPA Letter Dated
30 MAY 1996
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1021-1674

Kills [inhibits] Cockroaches, Ticks, Ants, and other listed insects
Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease
Effective long term control

ACTIVE INGREDIENTS:	
Pyrethrins	0.050%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
* Piperonyl butoxide, Technical	0.100%
** N-Octyl bicycloheptene dicarboximide	0.167%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
INERT INGREDIENTS	99.483%
	100.000%

* Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
** MGK® 264, Insecticide Synergist
EVERCIDE, NYLAR, MGK®- Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

WARNING

STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:	Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white or gelatin solution. If these are not available drink large quantities of water. Avoid alcohol.
IF IN EYES:	Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING:	Remove contaminated clothing and wash before reuse. Wash with plenty of soap and warm water. Get medical attention.
IF INHALED:	Remove victim to fresh air. Apply artificial respiration if indicated.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months] preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Aerosol 2614] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower,] which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Esfenvalerate, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Aerosol 2614] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet dust, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Cockroaches [adults (nymphs)]
Smokey Brown Cockroach [adults (nymphs)]
Brown Banded Cockroach [adults (nymphs)]
Asian Cockroach [adults (nymphs)]
German Cockroach [adults (nymphs)]
American Cockroach [adults (nymphs)]
Australian Cockroach [adults (nymphs)]
Waterbugs [adults (nymphs)]
Palmetto Bugs [adults (nymphs)]

Sowbugs
Millipedes
Beetles
Ground Beetles
Elm Leaf Beetle
Boxelder Bug
Earwigs
Lice
Pillbugs
Clover Mites
Dermestids [Carpet Beetles (Trogoderma)]

Fleas [adults (larvae) (eggs) (preadult]
Ticks [that may carry and transmit Lyme Disease]
Brown Dog Ticks
Long Star Ticks
Deer Tick
Other Ixodid Species
American Dog Tick
Gulf Coast Tick
Foraging Ants [Fire Ants] [Pharaoh Ants]
Carpenter Ants [Eastern (Western)]
Centipedes

Granary Insects
Flat Grain Beetle
Cadelle
Flour Beetle
Cigarette Beetle
Drugstore Beetle
Lesser Grain Borer
Merchant Grain Beetle
Sawtoothed Grain Beetle
Grain Weevil
Warehouse Beetle
Red Flour Beetle
Rice Weevil

Midge
Flies
Gnats
Cluster Fly
Mosquito
Sciarid Fly
Firebrat
Silverfish
Booklice
Bedbug
Wood Borer (exposed stages)
Grain Mite

Flying Moths [small]
Almond Moth
Chocolate Moth
Tobacco Moth
Indian Meal Moth
Indian Mealworm
Angoumois Grain Moth
Hornets
Carpenter Bees
Wasps
Yellowjackets [Eastern (Western)]
Cheesemite

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Treehouses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

German Cockroach [adults (nymphs)]
American Cockroach [adults (nymphs)]
Australian Cockroach [adults (nymphs)]
Waterbugs [adults (nymphs)]
Palmetto Bugs [adults (nymphs)]

Elm Leaf Beetle
Boxelder Bug
Earwigs
Lice
Pillbugs
Clover Mites
Dermestids [Carpet Beetles (Trogoderma)]

Deer Tick
Other Ixodid Species
American Dog Tick
Gulf Coast Tick
Foraging Ants [Fire Ants] [Pharaoh Ants]
Carpenter Ants [Eastern (Western)]
Centipedes

Granary Insects
Flat Grain Beetle
Cadelle
Flour Beetle
Cigarette Beetle
Drugstore Beetle
Lesser Grain Borer
Merchant Grain Beetle
Sawtoothed Grain Beetle
Grain Weevil
Warehouse Beetle
Red Flour Beetle
Rice Weevil

Midge
Flies
Gnats
Cluster Fly
Mosquito
Sciarid Fly
Firebrat
Silverfish
Booklice
Bedbug
Wood Borer (exposed stages)
Grain Mite

Flying Moths [small]
Almond Moth
Chocolate Moth
Tobacco Moth
Indian Meal Moth
Indian Mealworm
Angoumois Grain Moth
Hornets
Carpenter Bees
Wasps
Yellowjackets [Eastern (Western)]
Cheesemite

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Treehouses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured. Do not use more than one unit per average size room. Do not use this unit in a cabinet or under a counter or table.

PREPARATION:
Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger.] (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs) open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-2