

1021-1674

5-17-2004

124

	United States		Registration	OPP Identifier Number
	Environmental Protection Agency		Amendment	
	Washington, DC 20460	X	Other	

**Application for Pesticide - Section I**

1. Company/Product Number <p style="text-align: center;">1021- 1674</p>	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® NYLAR® TRA 2614	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____  Product Name _____
<input type="checkbox"/> Check if this is a new address		

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  <b>MAY 17 2004</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Notification to update Disposal Instructions per PR Notice 2001-6.

**Section - III**

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No				<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
						<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container			4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled							

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Anne Marie C. Zielinski	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Anne Marie C. Zielinski	5. Date 4/26/2004	

[ ] OR ( ) indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults

Kills [inhibits] Cockroaches, Ticks, Ants, and other listed insects

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long term control

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.050%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate .....	0.100%
* Piperonyl butoxide, Technical .....	0.100%
** N-Octyl bicycloheptene dicarboximide .....	0.167%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine .....	0.100%

**OTHER INGREDIENTS** .....

99.483%  
100.000%

\* Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds

\*\* MGK® 264, Insecticide Synergist

EVERCIDE, NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN**

**FIRST AID**

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>▪ Immediately call a poison control center or doctor.</li> <li>▪ Do not give any liquid to the person.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
----------------------	--

<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
--------------------------------	---

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

**PRECAUTIONARY STATEMENTS**

**WARNING**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

**ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment wash waters.

**PHYSICAL OR CHEMICAL HAZARDS**



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months] preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Aerosol 2614] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator that will not

allow the flea to reproduce thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower,] which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Esfenvalerate, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Aerosol 2614] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet dust, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

- |  |  |  |
|--|--|--|
| Cockroaches [adults (nymphs)]            | Sowbugs                                  | Fleas [adults (larvae) (eggs) (preadult)]        |
| Smokey Brown Cockroach [adults (nymphs)] | Millipedes                               | Ticks [that may carry and transmit Lyme Disease] |
| Brown Banded Cockroach [adults (nymphs)] | Beetles                                  | Brown Dog Ticks                                  |
| Asian Cockroach [adults (nymphs)]        | Ground Beetles                           | Long Star Ticks                                  |
| German Cockroach [adults (nymphs)]       | Elm Leaf Beetle                          | Deer Tick  |
| American Cockroach [adults (nymphs)]     | Box elder Bug                            | Other Ixodid Species                             |
| Australian Cockroach [adults (nymphs)]   | Earwigs                                  | American Dog Tick                                |
| Waterbugs [adults (nymphs)]              | Lice                                     | Gulf Coast Tick                                  |
| Palmetto Bugs [adults (nymphs)]          | Pillbugs                                 | Foraging Ants [Fire Ants] [Pharaoh Ants]         |
|  | Clover Mites                             | Carpenter Ants [Eastern (Western)]               |
|  | Dermestids [Carpet Beetles (Trogoderma)] | Centipedes                                       |
| Granary Insects                          | Midge                                    | Flying Moths [small]                             |
| Flat Grain Beetle                        | Flies                                    | Almond Moth                                      |
| Cadelle                                  | Gnats                                    | Chocolate Moth                                   |
| Flour Beetle                             | Cluster Fly                              | Tobacco Moth                                     |
| Cigarette Beetle                         | Mosquito                                 | Indian Meal Moth                                 |
| Drugstore Beetle                         | Sciarid Fly                              | Indian Mealworm                                  |
| Lesser Grain Borer                       | Firebrat                                 | Angoumois Grain Moth                             |
| Merchant Grain Beetle                    | Silverfish                               | Hornets  |
| Saw-toothed Grain Beetle                 | Booklice                                 | Carpenter Bees                                   |
| Grain Weevil                             | Bedbug                                   | Wasps  |
| Warehouse Beetle                         | Wood Borer (exposed stages)              | Yellow jackets [Eastern (Western)]               |
| Red Flour Beetle                         | Grain Mite                               | Cheese mite                                      |

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger.] (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs) open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL	
<b>STORAGE:</b> Store in a cool, dry place. Keep container closed. Do Not Puncture or Incinerate!	
<b>DISPOSAL:</b>	
If Empty:	Place in trash or offer for recycling if available.
If Partly Filled:	Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Net Contents \_\_\_\_\_  
Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

4/4

**MGK<sup>®</sup>**

**McLAUGHLIN GORMLEY KING COMPANY**

8810 Tenth Avenue North • Minneapolis, MN 55427-4372 U.S.A  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

April 26, 2004

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (H7504C)  
U.S. Environmental Protection Agency  
Aerial Rios Building  
1200 Pennsylvania Avenue  
Washington, D.C. 20460-0001

Subject: Notification per PR Notice 2001-6  
EVERCIDE<sup>®</sup> NYLAR<sup>®</sup> TRA 2614  
EPA Reg. No. 1021-1674

Dear Sir/Madam:

Please find enclosed a Notification to update Disposal Instructions pursuant to PR Notice 2001-6. Enclosed are five (5) copies of our label revised to comply with the PR Notice.

Please contact this office at 763-544-0341 should you have any questions regarding this submission.

Sincerely,



Anne Marie C. Zielinski  
Registration Specialist

Enclosures