1021-1676	10/28	2003
2615-902		13
MG	McLAUGHLIN GORMLEY KING COMPANY	EVERCIDE® Total Release Aerosol 2615
8810 Tenth Avenu	e N. / Minneapolis, Minnesota 55427-4319 U.S.A	as amended, for the pesitoria
[] OR () indicates alternat	e or optional wording	registered under EPA Reg. No. 1021-1676
[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or development		
[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults [Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program [Nylar®] [brand name] can be a biorational approach to insect control [Nylar®] [brand name] keeps working in areas exposed to the sun		
Inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months] "Is [controls] existing cockroaches and effectively breaks the cockroach life cycle 		
Kills adult and preadult flea If adult fleas are introduced Prevents fleas from develo Prevents [stops] eggs, hat One treatment works for 2 Kills present [today's] fleas [Nylar®] [brand name] kee Controls [stops (kills) (prev	as for up to 210 days [30 weeks] [7 months] as, including flea eggs for 210 days [30 weeks] [7 months] d from untreated areas, their offspring will not become bitin ping into the biting adult stage ching fleas [preadult (larvai) fleas] [hatching eggs (larvae)] 10 days [30 weeks] [7 months] against eggs, hatching flea and prevents new [tomorrow's] fleas from growing up to t ps working on fleas for 210 days [30 weeks] [7 months] rents]] stages of fleas that don't resemble fleas	ng (reproductive) adults from becoming full grown (developing into) biting adults s (preadult (larval) fleas) [hatching eggs (larvae)]
Kills Ticks, Spiders, Ants and other listed insects Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme Disease		
NE UNIT TREATS UP TO 6,000 CUBIC FEET		
ACTIVE INGREDIENTS: Pyrethrins		
 Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds MGK® 264, Insecticide Synergist NYLAR® Contains petroleum distillate 		
EVERCIDE, MGK, NYLAR® - Registered trademarks of McLaughlin Gormley King Co.		
KEEP OUT OF REACH OF CHILDREN CAUTION		
FIRST AID		
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-2 Call a poison control center or doctor for treatment. 	0 minutes. advice.

NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonla hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Do not treat establishments where livestock feed is present.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] contains a combination of three active ingredients that stops [blocks (interrupts) (terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand name], an insect growth regulator, that will not allow the cockroach or flea to reproduce viable offspring thereby providing long term [residual] control. [ylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®] [orand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] inhibits the cockroaches natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae). It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar@] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, (brand name) flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

"Ils [controls] insects [on contact] [such as]:

Cockroaches [adults (nymphs)] Smokey Brown Cockroach [adults (nymphs)] Brown Banded Cockroach [adults (nymphs)] Asian Cockroach [adults (nymphs)] German Cockroach [adults (nymphs)] American Cockroach [adults (nymphs)] Australian Cockroach [adults (nymphs)] Oriental Cockroach [adults (nymphs)] Waterbugs [adults (nymphs)] Palmetto Bugs [adults (nymphs)] Crickets [adults (nymphs)]

Granary Insects Flat Grain Beetle Cadelles **Rice Weevils** Flour Beetles **Cigarette Beetles Drugstore Beetles** Lesser Grain Borer Merchant Grain Beetle Sawtoothed Grain Beetle Grain Weevils Warehouse Beetle Red Flour Beetle **Confused Flour Beetle** Grain Mites Cheesemites

Sowbugs Spiders Millipedes Scorpions Beetles Ground Beetles Elm Leaf Beetles Boxelder Bug Earwigs Lice Dust Mites Pillbugs Clover Mites Dermestids [Carpet Beetles (Trogoderma)]

Centipedes Midges Flies Gnats Cluster Fly Mosquitoes Sciarid Fly Firebrat Silverfish Booklice Bedbugs Wood Borers (exposed stages) Fleas [adults (larvae) (eggs) (preadult) Ticks [that carry and transmit Lyme Disease] Brown Dog Ticks Long Star Ticks Deer Tick Other Ixodid Species American Dog Tick Gulf Coast Tick

Foraging Ants [Fire Ants] [Pharaoh Ants] Carpenter Ants [Eastern (Western)]

Flying Moths Almond Moth Chocolate Moth Tobacco Moth Indian Meal Moth Indian Mealworm Angoumois Grain Moth Hornets Carpenter Bees Wasps Yellowjackets [Eastern (Western)] For use in [including, but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, Clothes Storage, Condominiums, Dens, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Play Rooms, Railroad Cars, Recreation Vehicles, Restaurants, Rooms, Schools, Ships, Solariums, Storage Areas, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of mist is not assured.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Not for use in USDA Meat and Poultry Plants.

PREPARATION:

O NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. *Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.)*. Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperles and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches (Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Fiour Beetles, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

*O START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push with on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using additional units as required but not to exceed one unit per room. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly. Thoroughly clean all food processing areas before using. After first use, treat twice more about 3 months apart.

STORAGE AND DISPOSAL

 STORAGE:
 Store in a cool, dry place. Keep container closed.

 Do Not Puncture or Incinerate!
 DISPOSAL:

 If Empty:
 Place in trash or offer for recycling if available.

 If Partly Filled:
 Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1676

EPA Est. No. 1021-MN-2