

1021-1676

7/17/2009

1
7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Steven K. Ditto
Mc Laughlin Gormley King Company
8810 10th Ave. N
Minneapolis, MN 55427

JUL 17 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated June 16, 2009 for:

EPA Registration 1021-1676

Evercide Total Release Aerosol 2615

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.


If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2
7

	United States Environmental Protection Agency Washington, DC 20460	Registration Amendment Other	OPP Identifier Number
		X	

Application for Pesticide - Section I

1. Company/Product Number 1021-1676	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Total Release Aerosol 2615	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLaughlin Gormley King Company 8810 10TH AVE N MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ NOTIFICATION Product Name _____ JUL 17 2009	

Section - II


<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification pursuant PR Notice 2007-4

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted Unit Packaging wgt. 18 oz		No. per container 3	If "Yes" Package wgt. _____ No. per container _____		
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 6 oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Steven K. Ditto	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Steven K. Ditto	5. Date 6/16/2009	



McLAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

June 16, 2009

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject: EVERCIDE® Total Release Aerosol 2615
EPA Reg. No. 1021-1676
Notification Per PR-Notice 2007-4

Dear Sir or Madam:

By Notification we are changing the storage and disposal language to comply with the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto
Registration Specialist

Enclosure





McLAUGHLIN
GORMLEY
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or development
 [Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults
 [Nylar®] [brand name] can be used as part of an integrated pest management (IPM) program
 [Nylar®] [brand name] can be a biorational approach to insect control
 [Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months]
 Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle
 Works with nature to interrupt [break] the life cycle of the cockroach
 Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]
 [Nylar®] [brand name] keeps working on cockroaches for 180 days [26 weeks] [6 months]
 Stops cockroaches from generating reproductive offspring
 Prevents [stops] [inhibits] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults]
 [Nylar®] [brand name] works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]
 Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]
 If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults
 Prevents fleas from developing into the biting adult stage
 Prevents [stops] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults
 One treatment works for 210 days [30 weeks] [7 months] against eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
 Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite
 [Nylar®] [brand name] keeps working on fleas for 210 days [30 weeks] [7 months]
 Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas

Kills Ticks, Spiders, Ants and other listed insects
 Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme disease]

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
* Piperonyl butoxide, Technical	0.100%
** N-Octyl bicycloheptene dicarboximide	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
*** 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.600%
OTHER INGREDIENTS	98.983%
	100.000%

- * Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
- ** MGK® 264, Insecticide Synergist
- *** NYLAR®

EVERCIDE®, MGK®, and NYLAR® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____
 Manufactured by:
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021-1676

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] contains a combination of three active ingredients that stops [blocks (interrupts) (terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand name], an insect growth regulator that does not allow the cockroach or flea to reproduce viable offspring, thereby providing long-term [residual] control. [Nylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®] [brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar®] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Almond Moths	Dermestids [Carpet Beetles (Trogoderma)]	Merchant Grain Beetles
American Cockroaches [adults (nymphs)]	Drugstore Beetles	Midges
American Dog Ticks	Dust Mites	Millipedes
Angoumois Grain Moths	Earwigs	Mosquitoes
Asian Cockroaches [adults (nymphs)]	Elm Leaf Beetles	Oriental Cockroaches [adults (nymphs)]
Australian Cockroaches [adults (nymphs)]	Firebrats	Other Ixodid Species
Bedbugs	Flat Grain Beetles	Palmetto Bugs [adults (nymphs)]
Beetles	Fleas [adults (larvae) (eggs) (preadult)]	Pillbugs
Booklice	Flies	Red Flour Beetles
Boxelder Bugs	Flour Beetles	Rice Weevils
Brown-banded Cockroaches [adults (nymphs)]	Flying Moths	Saw-toothed Grain Beetles
Brown Dog Ticks	Foraging Ants [Fire Ants] [Pharaoh Ants]	Sciarid Flies
Cadelles	German Cockroaches [adults (nymphs)]	Scorpions
Carpenter Ants [Eastern (Western)]	Gnats	Silverfish
Carpenter Bees	Grain Mites	Smokey Brown Cockroaches [adults (nymphs)]
Centipedes	Grain Weevils	Sowbugs
Cheese Mites	Granary Insects	Spiders
Chocolate Moths	Ground Beetles	Ticks [that carry and transmit Lyme disease]
Cigarette Beetles	Gulf Coast Ticks	Tobacco Moths
Clover Mites	Hornets	Warehouse Beetles
Cluster Flies	Indian Meal Moths	Wasps
Cockroaches [adults (nymphs)]	Indian Mealworms	
Confused Flour Beetles	Lesser Grain Borers	Waterbugs [adults (nymphs)]
Crickets [adults (nymphs)]	Lice	Wood Borers (exposed stages)
Deer Ticks	Lone Star Ticks	Yellow Jackets [Eastern (Western)]

For use in [including, but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, Clothes Storage, Condominiums, Dens, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Play Rooms, Railroad Cars, Recreation Vehicles, Restaurants, Rooms, Schools, Ships, Solariums, Storage Areas, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trucks, Utility Rooms, Verandas, Veterinary Clinics and Hospitals, Warehouses, Washrooms, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

Do not treat establishments where livestock feed is present.

Remove pets and birds and cover fish aquariums before spraying.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of mist is not assured.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Not for use in USDA Meat and Poultry Plants.

PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using additional units as required but not to exceed one unit per room. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly. Thoroughly clean all food processing areas before using. After first use, treat twice more about 3 months apart.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Keep container closed. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

JUL 17 2009