07/13/2004

MULTICIDE® Total Release Aerosol 27381

"Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols."

	ACCEPTED
For use in Homes, Apartments, Cabins, Campers, Boat Cabins, Storage Facilities.	JUL 1 3 2004
For use in Homes, Apartments, Cabins, Campers, Boat Cabins, Storage Facilities. One unit treats up to 6,000 cubic feet (30' X 25' X 8') of unobstructed space. Kills exposed Ants, Cockroaches, Flies, Fleas, Spiders, Crickets, Ticks, Yellow Jackets, Mosquitoes, a	
ACTIVE INGREDIENTS:	EPA Beg. No. 1021-1686
N-Octyl bicycloheptene dicarboximide	0.40%
(RS)-a-Cyano-3-phenoxybenzyl (1R)-cis,trans-chrysanthemate	
Prallethrin [(RS)-2-methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1R) -cis,trans-chr	ysanthemate] 0.03%
OTHER INGREDIENTS	
	100.00%
 MGK® 264, Insecticide Synergist 	

MULTICIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

Highly Flammable Ingredient

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF SWALLOWED:	Immediately call a poison control center or doctor.
	Do not induce vomiting unless told to do so by a poison control center or a doctor.
	Do not give any liquid to the person.
	 Do not give anything by mouth to an unconscious person.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible.
	 Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	Call a poison control center for treatment advice.
Have the product conta	ainer or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical
emergencies or pestici	de incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust, vapor, or spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used property. Follow the Directions for Use on this label very carefully.

DIRECTIONS FOR USE

Do not use in commercial food/feed handling establishments, restaurants, or other areas/sites where food/feed is commercially prepared or processed. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Use this product to control: Fleas, Ants, Cockroaches (Palmetto Bugs, Waterbugs), Crickets, Yellow Jackets, Ticks, Flies, Spiders, Mosquitoes, Confused Flour Beetles, Carpet Beetles, Small Flying Moths, Saw-toothed Grain Beetles, and Rice Weevils.

GENERAL INFORMATION: Cover exposed food, dishes, utensils, and food handling equipment. Open cabinets, drawers, and doors in area to be treated. Close windows and outside doors. Use one unit for 6,000 cubic feet of unobstructed space. IMPORTANT: Do not remain in the building during treatment and ventilate thoroughly for 30 minutes before reoccupying treated area. Do not use this product in a cabinet or under a counter or table. Remove all pets, birds, and cover fish aquariums before using this product.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. *Turn off ALL ignition sources such as pilot lights (shut off gas* valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

SHAKE WELL AND KEEP CONTAINER UPRIGHT

FOR TOTAL RELEASE OF PRODUCT: TO OPERATE VALVE: To lock valve in open position for automatic discharge, break off and remove tab on the side of the sprayer. Tilt sprayer away from face (container sprays straight up). Press down firmly on sprayer pad until it snaps into place. Place can on chair or table near the center of the area to be treated and leave the area at once. Keep out of the treated area for two hours and then ventilate as instructed above.

FOR FLEAS AND TICKS: Remove pet bedding before treatment. After treatment, replace pet bedding with new or freshly laundered bedding material. Pets should be treated with a pesticide product registered for use on animais at the same time that the house and yard are treated.

 STORAGE AND DISPOSAL

 STORAGE:
 Store in a cool, dry place. Keep container closed.

 DISPOSAL:
 Do Not Puncture or Incinerate!

 If Empty:
 Place in trash or offer for recycling if available.

 If Partly Filled:
 Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Net Weight 6 Ounces Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1686

ł

EPA Est. No. 1021-MN-2