

1021-1687

4/29/2003

1/2

2706-902

MKGK® **McLAUGHLIN GORMLEY KING COMPANY**

MULTICIDE® Mosquito Adulticiding Concentrate 2706

Contains An Oil Soluble Synergized Synthetic Pyrethroid For Control of Adult Mosquitoes (Including Organophosphate-Resistant Species), Midges, and Black Flies in Outdoor Residential and Recreational Areas:

8811 Fern Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

ACTIVE INGREDIENTS:


3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate	2.00%
• Piperonyl Butoxide, Technical	2.00%

OTHER INGREDIENTS

- Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and .40% related compounds
- Contains a petroleum distillate

Contains 0.15 lbs. Technical SUMITHRIN®/Gallon and 0.15 lbs. Technical Piperonyl Butoxide/Gallon

MULTICIDE® - Registered trademark of McLaughlin Gormley King Co.
 SUMITHRIN® - Registered trademark of Sumitomo Chemical Company, Ltd.



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through the skin. Do not induce vomiting because of aspiration pneumonia hazard. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food and feedstuffs.

ENVIRONMENTAL HAZARDS

Do not contaminate untreated water by cleaning of equipment. Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands. This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses.

For best results, apply when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, i.e. cool temperatures and wind speed not greater than 10 mph.

GROUND ULV APPLICATION

APPLICATION AND DILUTION DIRECTIONS: Consult the following table for examples of various dosage rates using a swath width of 300 feet for acreage calculations. This product should be used in cold aerosol generators capable of producing droplets with a MMD of 5 to 25 microns.

2/2

Dosage Rate lb A.I./acre	Flow Rates in fluid oz./minute at truck speeds of:			
	5MPH	10MPH	15MPH	20MPH
0.0036	9.3 oz	18.6 oz	27.9 oz	37.2 oz
0.0024	6.2 oz	12.4 oz	18.6 oz	24.8 oz
0.0012	3.1 oz	6.2 oz	9.3 oz	12.4 oz

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied undiluted with a non-thermal ULV portable "backpack" spray unit capable of delivering particles in the 5 to 25 micron range. Apply at a walking speed of 2 mph, making sure that the same amount of A.I. is applied per acre.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied with suitable thermal fogging equipment. Do not exceed the maximum rates listed above. May be applied at speeds of 5 to 20 mph.

AERIAL APPLICATION

Prohibition on aerial use: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Dosage Rate lbs. A.I./acre	Flow Rates in fluid oz./acre	
	MULTICIDE® Mosquito Adulticiding Concentrate 2706	
0.0036	3.0 oz.	
0.0024	2.0 oz.	
0.0012	1.0 oz.	

Aerial applications should be done by suitable aerial ULV equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve 1.0 to 3.0 fluid ounces of MULTICIDE® Mosquito Adulticiding Concentrate 2706 per acre. Both aerial and ground applications should be made when wind is less than 10 MPH. For application by Public Health Officials and personnel of Mosquito Abatement Districts and other mosquito control programs.

Note: MULTICIDE® Mosquito Adulticiding Concentrate 2706 can not be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Net Contents _____
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427
 Made in U.S.A.

EPA Reg. No. 1021-1687

EPA Est. No. 1021-MN-2