

1021-1687

05/25/2007

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Julie Schlekau
Registration Specialist
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

MAY 25 2007

Dear Ms. Schlekau,

Subject: Agency Initiated Action – PR Notice 2005-1 Product Labeling
Multicide Mosquito Adulticiding Concentrate 2706
EPA Reg. No. 1021-1687
Multicide Mosquito Adulticiding 2705
EPA Reg. No. 1021-1688
Applications dated April 30, 2007

The labeling referred to above, submitted in connection with registration under the Federal, Insecticide, Fungicide and Rodenticide Act, is acceptable provided you make the following changes before releasing product bearing the amended labeling for shipment.

1. Page 1. Environmental Hazards.
 - a. Change the first sentence to read: "This product is toxic to aquatic organisms, including fish and aquatic invertebrates."
 - b. Revise the bee warning section to read:

"BEE WARNING: This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to *or allow drift onto* blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

2. Page 2.
 - a. Change "Aerial application should be made at an altitude of 75 feet to 300 feet." to "Application shall be made at 75 feet to 300 feet for rotary aircraft and 100 to


300 feet for fixed-wing aircraft.”

- b. Add to the “Aerial Application” directions for use: “If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion.” to “If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion provided the application is made at an altitude no less than 75 feet for rotary aircraft and 100 feet for fixed-wing aircraft.”
- c. Storage and Disposal. Change “Storage” to “Pesticide Storage”.

Please note that the availability of EPA’s reregistration eligibility document (RED) for piperonyl butoxide was published in the FR on July 26, 2006 (Vol. 71, No. 143 pg. 42385). Additional data or labeling changes may be required for products containing piperonyl butoxide.

A stamped copy of each label is enclosed for your records. Please submit 2 copies of the final printed labels before releasing the product for shipment. If you any questions, please do not hesitate to contact Kevin Sweeney at (703) 305-5063. Thank you for your cooperation in this matter.

Sincerely,



Richard Gebken, PM 10
Registration Division 7505P
Insecticides Branch

Enclosure

MGK® McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

Contains an Oil Soluble Synergized Synthetic Pyrethroid for Control of Adult Mosquitoes (Including Organophosphate-Resistant Species) Midges, and Black Flies in Outdoor Residential and Recreational Areas. For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIENTS:

- 3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate..... 2.00%
 - * Piperonyl Butoxide, Technical..... 2.00%
 - ** OTHER INGREDIENTS 96.00%
- 100.00%
- * Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds
 - ** Contains a petroleum distillate

Contains 0.15 lbs. Technical SUMITHRIN®/Gallon and 0.15 lbs. Technical Piperonyl Butoxide/Gallon

MULTICIDE® - Registered trademark of McLaughlin Gormley King Gormley and Rodenticide Act, Sumithrin™ - Trademark of Sumitomo Company Ltd.

KEEP OUT OF REACH OF CHILDREN 1021-1687

CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1687

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish. Do not apply over permanent bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

3/4

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses.

For best results, apply when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperature should be greater than 50°F when conducting all types of applications.

Do not treat a site with more than 0.0036 pounds of Sumithrin® per acre in a twenty-four hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not contaminate food, feed or drinking water. Do not spray this product on or allow it to drift onto pastureland, rangeland, cropland, poultry ranges or potable water supplies. In treatment of corrals, feed lots, swine lots and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

Note: MULTICIDE® Mosquito Adulticiding Concentrate 2706 cannot be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

SPRAY DROPLET SIZE DETERMINATION

Ground Equipment: Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns ($8 \leq D_v 0.5 \leq 30 \text{ um}$) and that 90% of the spray is contained in droplets smaller than 50 microns ($D_v 0.9 < 50 \text{ um}$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Equipment: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ($D_v 0.5 < 60 \text{ um}$) and that 90% of the spray is contained in droplets smaller than 100 microns ($D_v 0.9 < 100 \text{ um}$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND ULV APPLICATION

Apply MULTICIDE® Mosquito Adulticiding Concentrate 2706 through a standard ULV cold aerosol or non-thermal aerosol (cold fog) generator. Consult the following table for examples of various dosage rates using a swath width of 300 feet for acreage calculations.

Dosage Rate (Lbs. Sumithrin®/acre)	Fl. oz. MULTICIDE® Mosquito Adulticiding	Flow Rates in fluid oz./minute at truck speeds of:			
		5 MPH	10 MPH	15 MPH	20 MPH
0.0036	3.0	9.3	18.6	27.9	37.2
0.0024	2.0	6.2	12.4	18.6	24.8
0.0012	1.0	3.1	6.2	9.3	12.4

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied undiluted with a non-thermal ULV portable "backpack" spray unit capable of delivering particles in the 5 to 25 micron range. Apply at a walking speed of 2 mph, making sure that the same amount of A.I. is applied per acre.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied with suitable thermal fogging equipment. Do not exceed the maximum rates listed above. May be applied at speeds of 5 to 20 mph.

AERIAL APPLICATION

Prohibition on aerial use: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied at rates of 1.0 to 3.0 fluid ounces MULTICIDE® Mosquito Adulticiding Concentrate 2706 per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Aerial application should be made at an altitude ranging from 75 to 300 feet. Do not apply when ground wind speeds exceed 10 MPH.

Dosage Rate Lbs. Sumithrin®/acre	Flow Rate in fluid oz./acre MULTICIDE® Mosquito Adulticiding Concentrate 2706
0.0036	3.0
0.0024	2.0
0.0012	1.0

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

4/4