

1021-1687

10/22/2010

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 22, 2010

Mr. Thomas A. Lennan,
Regulatory Affairs Specialist
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4319

**Subject: Amended Labeling; Modification of Use Directions Pertaining to Approved Use of Sumithrin on All Food/Feed Crops Following Wide-Area Mosquito Adulticide Application
MGK® MULTICIDE® Mosquito Adulticiding Concentrate 2706, EPA Reg. No. 1021-1687
Your Submission Dated July 20, 2010**

Dear Mr. Lennan:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A copy of your label stamped "Accepted" is enclosed for your records. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely Yours,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosure: Copy of label stamped "Accepted"

001021-01687 D438252



**McLAUGHLIN
GORMLEY
KING COMPANY**

MULTICIDE® Mosquito Adulticiding Concentrate 2706

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

Contains an Oil Soluble Synergized Synthetic Pyrethroid for Control of Adult Mosquitoes (Including Organophosphate-Resistant Species) Midges, and Black Flies in Outdoor Residential and Recreational Areas. For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIENTS:

3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate	2.00%
* Piperonyl Butoxide, Technical	2.00%
** OTHER INGREDIENTS	96.00%
	<u>100.00%</u>
* Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds	
** Contains a petroleum distillate	

Contains 0.14 lbs. Technical SUMITHRIN®/Gallon and 0.14 lbs. Technical Piperonyl Butoxide/Gallon

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company
Sumithrin™ - Trademark of Sumitomo Company Ltd.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call t 1-888-740-8712.

EPA Reg. No. 1021-1687

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over permanent bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

BEE WARNING: This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to or allow drift onto blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

ACCEPTED

October 22, 2010

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

**Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:**

EPA. Reg. No: 1021-1687

2/4

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses.

For best results, apply when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperature should be greater than 50°F when conducting all types of applications.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied over agricultural areas prior to harvest for the control of adult mosquitoes within or adjacent to these areas.

Do not treat a site with more than 0.0036 pounds of Sumithrin® per acre in a twenty-four hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Note: MULTICIDE® Mosquito Adulticiding Concentrate 2706 cannot be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

SPRAY DROPLET SIZE DETERMINATION

Ground Equipment: Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns ($8 \leq D_v 0.5 \leq 30 \text{ um}$) and that 90% of the spray is contained in droplets smaller than 50 microns ($D_v 0.9 < 50 \text{ um}$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Equipment: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ($D_v 0.5 < 60 \text{ um}$) and that 90% of the spray is contained in droplets smaller than 115 microns ($D_v 0.9 < 115 \text{ um}$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND ULV APPLICATION

Apply MULTICIDE® Mosquito Adulticiding Concentrate 2706 through a standard ULV cold aerosol or non-thermal aerosol (cold fog) generator. Consult the following table for examples of various dosage rates using a swath width of 300 feet for acreage calculations.

Dosage Rate (Lbs. Sumithrin®/acre)	Fl. oz. MULTICIDE® Mosquito Adulticiding Concentrate 2706 ULV per Acre	Flow Rates in fluid oz./minute at truck speeds of: 5 MPH	Flow Rates in fluid oz./minute at truck speeds of:		
			10 MPH	15 MPH	20 MPH
0.0036	3.245	9.8	19.7	29.5	39.3
0.0024	2.163	6.6	13.1	19.7	26.2
0.0012	1.081	3.3	6.6	9.8	13.1

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may also be applied undiluted with non-thermal, portable, motorized backpack equipment adjusted to deliver ULV particles of 50 to 100 microns VMD. Use 1.081 to 3.245 fl.oz. of the undiluted spray per acre (equal to 0.0012 to 0.0036 lb. ai./acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph).

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied through truck mounted thermal fogging equipment. Do not exceed the maximum rates listed above. May be applied at speeds of 5 to 20 mph. To reduce oil requirement and sludge buildup in equipment, use 100-second viscosity mineral "fog" oil. For use with hand carried foggers, use same rates of active ingredient per acre. Do not wet foliage since oil base formulations may be phytotoxic. Use a clean, well-maintained and properly calibrated fogger. Fog downwind.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied for urban ULV mosquito control. For control of resting or flying adult mosquitoes, biting flies and biting midges in areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or uninhabited buildings. MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied using mechanical foggers, hand-held or truck mounted ULV equipment, thermal foggers or other spray equipment suitable for this application. Apply MULTICIDE® Mosquito Adulticiding Concentrate 2706 at rates up to but not exceeding 0.0036 pounds sumithrin per acre per twenty-four hour period (not to exceed 1.0 pounds Sumithrin per acre in any site in any year).

AERIAL APPLICATION

FLORIDA: Do not apply by aircraft unless approved by the Florida Department of Agriculture and Consumer Services.

MULTICIDE® Mosquito Adulticiding Concentrate 2706 may be applied at rates of 1.081 to 3.245 fluid ounces MULTICIDE® Mosquito Adulticiding Concentrate 2706 per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Application shall be made at 75 to 300 feet for rotary aircraft and 100 to 300 feet for fixed-wing aircraft.

Dosage Rate Lbs. Sumithrin®/acre	Flow Rate in fluid oz./acre MULTICIDE® Mosquito Adulticiding Concentrate 2706
0.0036	3.245
0.0024	2.163
0.0012	1.081

2/8

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE:

Store in a cool, dry Place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with mineral oil and recap. Shake for 10 seconds. Pour rinsate into application equipment or a rinse tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Or for containers over 5 gallons:]

[Triple rinse as follows: Empty the remaining contents into the application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with mineral oil. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.] Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Refillable Containers:]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat his rinsing procedure two more times. Then offer for recycling, if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.