



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
1021-
1696

Date of Issuance:
JAN 27 1998

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance: Conditional

Name of Pesticide Product: Evercide
Carpet & Surface
Spray 2655

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
Mccaughlin Gormley King Co.
8810 Tenth Ave. North
Minneapolis, MN 55427-4372

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 1021-1696".

b. Change the Precautionary Statements to read as follows:

Harmful if swallowed or absorbed through skin. Avoid contact with the eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

c. Delete the statement, "Kills adult and preadult fleas, including flea eggs for 210 days(30 weeks)(7 Months)". This product will not kill adult fleas for 210 days. Alternately, you may make a separate statement regarding adult fleas.

2/1

- d. Change the Statement Of Practical Treatment for if swallowed and for skin to read as follows:

IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with a finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms persist.

3. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Joseph M. Tarano
for Marion J. Johnson, Jr.
Product Manager 10
Insecticide Branch
Registration Division (7505C)

Nylar® is an insect growth regulator similar to the naturally occurring insect hormones which interfere with their growth or development

Nylar® stops [prevents] the flea and certain listed cockroaches from developing into egg laying adults

Nylar® can be used as part of an integrated pest management [IPM] program

Nylar® keeps working in areas exposed to the sun

Ready to Use / No Measuring / No Mixing / No Mess / Easy To Use

Convenient Pump Spray Bottle / Convenient Trigger Spray Bottle

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]
If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents larval fleas from developing into the biting adult stage

Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] from becoming [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [(hatching eggs) (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

Nylar® activity keeps working on fleas for 210 days [30 weeks] [7 months]

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

Nylar® acts on the immature life stage of the flea, preventing it from developing into biting adults

Effective long term control

Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

Works with nature to interrupt [break] the life cycle of the cockroach. Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]

Nylar® stops cockroaches from generating reproductive offspring for 180 days [26 weeks] [6 months]

Prevents [stops] [inhibits] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults]

Nylar® works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]

Kills Ticks, Spiders, Ants, and other listed insects on contact

Also kills [controls] Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long term [residual] control

Ready-To-Use [RTU] Pump [Trigger] [Finger Pump]

Non-Aerosol

Water Based Formula

ACTIVE INGREDIENTS:

| | |
|---------------------------------------------------------------------------------------------------------|---------|
| * N-ocetyl bicycloheptene dicarboximide | 0.50% |
| ** Permethrin [3-phenoxybenzyl (1RS) cis,trans-3-(2,2-dichlorovinyl)-2,2-cyclopropanecarboxylate] | 0.20% |
| Prallethrin [(RS)-2-methyl-4-oxo-3-(2-propenyl)cyclopent-2-enyl-(1RS)-cis,trans-chrysanthemate] | 0.10% |
| *** 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine..... | 0.02% |
| INERT INGREDIENTS | 99.18% |
| | 100.00% |

- * MGK® 264 Insecticide Synergist
- ** Cis, trans isomers ratio: Max. 55% (+ or -)cis and Min. 45% (+ or -)trans
- *** NYLAR® Insect Growth Regulator

EVERCIDE®, MGK®, NYLAR® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control Center immediately. Promptly drink several glasses of water and induce vomiting by touching back of throat with finger.

IF ON SKIN:

Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water.

IF INHALED:

Remove person to fresh air. Apply artificial respiration, preferably mouth to mouth, if necessary.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin or clothing.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 27 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

1021-1696

REC'D EPA/PP/DPD1
JAN 31 1998
AIO 24

Kills [controls] insects [on contact (residually)]

Cockroaches [adults (nymphs)]
 Brown Banded Cockroach [adults (nymphs)]
 Asian Cockroach [adults (nymphs)]
 German Cockroach [adults (nymphs)]
 American Cockroach [adults (nymphs)]
 Australian Cockroach [adults (nymphs)]
 Oriental Cockroach [adults (nymphs)]
 Crickets [adults (nymphs)]
 Palmetto Bugs
 Waterbugs [adults (nymphs)]
 Caddises
 Rice Weevils
 Flat Grain Beetles
 Flour Beetles
 Cigarette Beetle
 Confused Flour Beetle
 Drugstore Beetle
 Lesser Grain Borer
 Grain Weevils

Warehouse Beetle
 Merchant Grain Beetle
 Sawtoothed Grain Beetle
 Red Flour Beetle
 Grain Mites
 Cheesemites
 Sowbugs
 Millipedes
 Spiders
 Scorpions
 Dust Mites
 Earwigs
 Lice
 Pillbugs
 Centipedes
 Clover Mites
 Carpet Beetles [Dermestids (Trogoderna)]
 Flies

Mosquitoes
 Firebrat
 Midges
 Gnats
 Silverfish
 Clothes Moths
 Booklice
 Fleas [adults (larvae) (preadult)]
 Ticks [that may carry and transmit Lyme Disease]
 Brown Dog Ticks
 Lone Star Ticks
 Deer Tick
 Other Ixodid species
 American Dog Tick
 Gulf Coast Tick
 Foraging Ants [Fire Ants] [Pharaoh Ants]
 Carpenter Ants [Eastern (Western)]
 Flying Moths

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Bookcases, Buses, Cabins, Cafeterias, Campers, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels, Household Contents, Indoor Eating Establishments, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pantry, Pet Bedding, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreation Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools, Solariums, Storage Areas, Sun Porch, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trains, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.

FLEA CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)] contains a combination of three active ingredients that stops [blocks] [interrupts] [terminates] the flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is Nylar®, an insect growth regulator, that will not allow the flea to reproduce viable offspring thereby providing long term [residual] control. Nylar® inhibits development of the immature stages of the flea for 210 days [30 weeks] [7 months] preventing them from reaching the biting adult stage. Nylar® is similar to insect growth hormones that occur naturally in insects causing interference with the flea's growth and development. The second active ingredient is ETOC™, a highly active non-residual insecticide which provides effective, quick-kill and rapid knockdown of insects upon direct contact. Permethrin, the third active ingredient, provides residual activity.

EVERCIDE® CARPET & SURFACE SPRAY 2655 has a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] before they grow up to bite. Nylar®, the insect growth regulator in this spray, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. **EVERCIDE® CARPET & SURFACE SPRAY 2655** can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks and crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [(such as) flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo], in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered outdoor [lawn] spray.

COCKROACH CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)]
EVERCIDE® CARPET & SURFACE SPRAY 2655 with Nylar® will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful [effective] formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to Nylar® will have crinkled [twisted] wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. **EVERCIDE® CARPET & SURFACE SPRAY 2655** inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. Hold container upright and spray as directed.

DIRECTIONS:

(TRIGGER SPRAY) To operate sprayer, turn tip to proper setting, (broad) (fine) spray for surfaces or pinstream for cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. **DO NOT CONTAMINATE FOOD AREAS.**

FLEA AND TICK CONTROL:

FOR SURFACE AND CARPET SPRAY: Prior to application, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Apply uniformly at the rate of 1 quart [32 fluid ounces] per 1,000 square feet [1 fluid ounce per 31 square feet] to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary. To kill ticks and other labeled insects, apply directly to pests. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FOR USE IN VEHICLES: If flea infested animals are transported in vehicles, use as directed above to control infestation.

Use **EVERCIDE® CARPET AND SURFACE SPRAY 2655** with an EPA registered room fogger labeled for fleas for particularly heavy flea infestation. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] spray.

FOR USE IN PET AREA: Treat pet bedding and other pet resting places as these are primary hiding areas for fleas and ticks. No need to remove pet bedding after treatment. To reduce infestation, spray around sleeping area, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses and kennels. Do not allow pets to use treated areas until completely dry. Repeat as necessary.

For best results, to protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products; flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. Repeat as directed on these product labels.

5/5

FOR COCKROACH CONTROL:

Cockroaches [adults (nymphs)], [Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach] Waterbugs, Palmetto Bugs.

CRACK AND CREVICE SPRAY: (Use a pinstream spray) Special attention should be paid to areas such as behind baseboards, connection areas around drains, pipes, behind and beneath sinks, stoves, plumbing and other visible cracks and crevices. Spray these areas thoroughly being certain that spray penetrates well. Retreat 30 days after first application.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 gallon [128 fluid ounces] per 1,000 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible. Retreat 30 days after first application.

FOR CONTROL OF Crickets, Firebrat, Silverfish, Dust Mites, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pillbugs, Earwigs, Clover Mites, Lice and Millipedes: Contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible. Repeat as necessary.

EXPOSED STAGES OF Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites and Cheesemites. Find and dispose of infested packaged goods. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried. Repeat as necessary.

ANTS, Foraging Fire Ants, Pharaoh Ants, Carpenter Ants [Eastern (Western)]: Treat doors, around window frames, ant trails and other areas of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES [Dermestids (Trogoderna)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected. Repeat as necessary. Backing of carpets and rugs should be allowed to dry before re-laying on floor.

CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas where these pests are suspected, directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried. Repeat as necessary.

STORAGE AND DISPOSAL

STORAGE: Store product with spray nozzle closed. Store in a cool, dry storage area, preferably one that can be locked. Store container upright and in the original container. Avoid contamination of food and animal feed.

PESTICIDE DISPOSAL: Partially filled container can be disposed of by securely wrapping the original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse three times and offer to recycling program if available in your area or discard in trash.

Net Contents _____ Fl. Oz.
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427