1021-1696

12/31/2003

2655-1103



EVERCIDE® Carpet & Surface Spray 2655

Contains Nylar® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

13

4

[] OR () indicates alternate or optional wording

Nylar® is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes wi Nylar® stops [prevents] the flea and certain listed cockroaches from developing into egg laying adults Nylar® can be used as part of an integrated pest management [IPM] program Nylar® keeps working in areas exposed to the sun	ith their growth or development
Ready to Use / No Measuring / No Mixing / No Mess / Easy To Use Convenient Pump Spray Bottle / Convenient Trigger Spray Bottle	
"Ils preaduit fleas, including flea eggs for 210 days [30 weeks] [7 months] adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults Prevents [atval fleas from developing into the biting adult stage Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] from becoming [developing into] biting adults One treatment works for 210 days [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [(hatching eggs) (larvae)] Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite Nylar® activity keeps working on fleas for 210 days [30 weeks] [7 months] Prevents [stops] the emergence of adult fleas Flea eggs deposited on treated areas will not develop into adult fleas Larvae crawling onto treated areas will not develop into adult fleas Larvae crawling onto interated areas will not develop into adult fleas Varea crawling onto interated areas will not develop into adult fleas Larvae crawling onto interrupt [estage of the flea, preventing it from developing into biting adults Effective long term control Kills [controls] existing cockroaches and effectively breaks the cockroach. Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations] Nylar® atops cockroaches from generating reproductive offspring for 180 days [26 weeks] [6 months] Prevents [stops] [inhibits] nymp	
ACTIVE INGREDIENTS: * N-ocytl bicycloheptene dicarboximide ** Permethrin Prallethrin [(RS)-2-methyl-4-oxo-3-(2-propenyi)cyclopent-2-enyl-(1RS)-cis,trans-chrysantherr *** 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine OTHER INGREDIENTS	
	100.00%
* MGK® 264 Insecticide Synergist	
** Cis, trans isomers ratio: Max. 65% (+ or -)cis and Min. 35% (+ or -)trans	
*** NYLAR® Insect Growth Regulator EVERCIDE®, MGK®, NYLAR® - Registered trademarks of McLaughlin Gormley King Co.	ACCEPTED
KEEP OUT OF REACH OF CHILDREN	
CAUTION	DEC 3 I 2003
FIRST AID	Under the Federal Insecticide,
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.	Fungicide, and Hodonticide Act, as amended, for the pesticide
Have a person sip a glass of water if able to swallow.	registered under
 Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person. 	BPA Rog. No. 1021-1696
IF INHALED: Move person to fresh air.	
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.	
Call a poison control center or doctor for further treatment advice.	
IF ON SKIN OR • Take off contaminated clothing. CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.	
Call a poison control center or doctor for treatment advice.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with the eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Kills [controls] insects [on contact (residually)] Cockroaches [aduits (nymphs)] Brown Banded Cockroach [adults (nymphs)] Asian Cockroach [adults (nymphs)] German Cockroach [adults (nymphs)] American Cockroach [adults (nymphs)] Australian Cockroach [adults (nymphs)] Oriental Cockroach [adults (nymphs)] Crickets [adults (nymphs)] Palmetto Bugs Waterbugs [adults (nymphs)] Cadelles **Rice Weevils** Flat Grain Beetles Flour Beetles igarette Beetle onfused Flour Beetle **Drugstore Beetle** Lesser Grain Borer Grain Weevils

Warehouse Beetle Merchant Grain Beetle Sawtoothed Grain Beetle Red Flour Beetle Grain Mites Cheesemites Sowbugs Millipedes Spiders Scorpions Earwigs Pillbugs

Centipedes Clover Mites Carpet Beetles [Dermestids (Trogoderna)] Firebrat Midges Gnats Silverfish Clothes Moths Booklice Fleas [adults (larvae) (preadult)] Ticks [that may carry and transmit Lyme Disease] Brown Dog Ticks Lone Star Ticks Deer Tick Other Ixodid species American Dog Tick Gulf Coast Tick Foraging Ants [Fire Ants] [Pharaoh Ants]

Flying Moths

For use in (including, but not limited to) [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Bookcases, Buses, Cabins, Cafeterias*, Campers, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants*, Funeral Parlors, Fumiture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels*, Household Contents, Indoor Eating Establishments*, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels*, Nursing Homes, Office Buildings, Other Public Buildings, Pantry, Pet Bedding, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreation Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools*, Solariums, Storage Areas, Sun Porch, Sun Rooms, Supermarkets*, Taverns*, Theaters, Trailers, Trains, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.

*Non-food/non-feed areas only

FLEA CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)] contains a combination of three active ingredients that stops [blocks] [interrupts] [terminates] the flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is Nylar®, an insect growth regulator, that will not allow the flea to reproduce viable offspring thereby providing long term [residual] control. Nylar® inhibits development of the imature stages of the flea for 210 days [30 weeks] [7 months] preventing them from reaching the biting adult stage. Nylar® is similar to insect growth information of the state occur naturally in insects causing interference with the flea's growth and development. The second active ingredient is ETOC¹⁰, a highly active non-residual insecticide which provides effective, quick-kill and rapid knockdown of insects upon direct contact. Permethrin, the third active ingredient, provides residual activity.

EVERCIDE® CARPET & SURFACE SPRAY 2655 has a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] before they grow up to bite. Nylar®, the insect growth regulator in this spray, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] before they grow up to bite. Nylar®, the insect growth regulator in this spray, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. EVERCIDE® CARPET & SURFACE SPRAY 2655 can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks and crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, ([such as] flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo), in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered outdoor [lawn] spray.

COCKROACH CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)]

EVERCIDE® CARPET & SURFACE SPRAY 2655 with Nylar® will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful [effective] formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to Nylar® will have crinkled [twisted] wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. EVERCIDE® CARPET & SURFACE SPRAY 2655 inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

DIRECTIONS FOR USE

8

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food/feed areas of food/feed handling establishments where the product can be used include areas such as (but not limited to) garbage rooms, tavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm.

Do not apply in classrooms when in use.

Do not apply when occupants are present in the immediate area in institutions such as libraries, sports facilities, etc.

SHAKE WELL BEFORE USE. Hold container upright and spray as directed.

DIRECTIONS:

RIGGER SPRAY) To operate sprayer, turn tip to proper setting, (broad) (fine) spray for surfaces or pinstream for cracks and crevices, and pump vigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. DO NOT CONTAMINATE FOOD AREAS.

FLEA AND TICK CONTROL:

FOR SURFACE AND CARPET SPRAY: Prior to application, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Apply uniformly at the rate of 1 quart [32 fluid ounces] per 1,000 square feet [1 fluid ounce per 31 square feet] to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary. To kill ticks and other labeled insects, apply directly to pests. Do not allow children or pets to contact treated surfaces until completely dry. Do not spray on pets or humans.

FOR USE IN VEHICLES: If flea infested animals are transported in vehicles, use as directed above to control infestation.

Use EVERCIDE® CARPET AND SURFACE SPRAY 2655 with an EPA registered room fogger labeled for fleas for particularly heavy flea infestation. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] spray.

⁻OR USE IN PET AREA: Treat pet bedding and other pet resting places as these are primary hiding areas for fleas and ticks. No need to remove pet adding after treatment. To reduce infestation, spray around sleeping area, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses and kennels. Do not allow pets to use treated areas until completely dry.

For best results, to protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products; flea or flea and tick collar, pet powder, pet spray, pet dip, pet sharnpoo, flea shampoo or flea and tick pet sharnpoo, in conjunction with this application and prior to re-entry. Repeat as directed on these product labels.

FOR COCKROACH CONTROL:

Cockroaches [adults (nymphs)], [Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach] Waterbugs, Palmetto Bugs.

CRACK AND CREVICE SPRAY: (Use a pinstream spray) Special attention should be paid to areas such as behind baseboards, connection areas around drains, pipes, behind and beneath sinks, stoves, plumbing and other visible cracks and crevices. Spray these areas thoroughly being certain that spray penetrates well. Retreat 30 days after first application.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 gallon [128 fluid ounces] per 1,000 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible. Retreat 30 days after first application.

FOR CONTROL OF Crickets, Firebrat, Silverfish, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pillbugs, Earwigs, Clover Mites and Millipedes: Contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible. EXPOSED STAGES OF Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites and Cheesemites. Find and dispose of infested packaged goods. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

ANTS, Foraging Fire Ants, Pharaoh Ants]: Treat doors, around window frames, ant trails and other areas of entry. Spray on ants where possible.

CARPET BEETLES [Dermestids (Trogodema)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected. Backing of carpets and rugs should be allowed to dry before re-laying on floor. Keep children and pets off treated surfaces until completely dry.

CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberaliy to empty chests, closets, bureaus and other storage areas where these pests are suspected, directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: If Empty: If Partly Filled:

Do not reuse this container. Place in trash or offer for recycling if available. Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

> Net Contents _____ Fl. Oz. Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Est. No. 1021-MN-2

4

EPA Reg. No. 1021-1696