

1021-1696

7/17/2009

17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Mr. Steven K. Ditto  
Registration Specialist  
McLaughlin Gormley King Company  
8810 10<sup>th</sup> Avenue N  
Minneapolis, MN 55427

JUL 17 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated June 16, 2009 for:

**EPA Registration 1021-1696      Evercide ® Carpet & Surface Spray 2655**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2  
7

 <p>United States Environmental Protection Agency Washington, DC 20460</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td style="height: 15px;"> </td></tr> <tr><td style="text-align: center;">X</td></tr> </table>		X	Registration Amendment Other	OPP Identifier Number
X					

**Application for Pesticide - Section I**

1. Company/Product Number 1021-1696	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Carpet & Surface Spray 2655	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLaughlin Gormley King Company 8810 10TH AVE N MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____

**NOTIFICATION**

JUL 17 2009

**Section - II**


<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Notification pursuant PR Notice 2007-4

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 4-24 oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Steven K. Ditto	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Steven K. Ditto	5. Date 6/16/2009	



McLAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

June 16, 2009

Document Processing Desk (NOTIF)  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs (H7504P)  
Room S-4900, One Potomac Yard  
2777 South Crystal Dr.  
Arlington, VA 22202-4501

Via Courier

Subject: EVERCIDE® Carpet & Surface Spray 2655  
EPA Reg. No. 1021-1696  
Notification Per PR-Notice 2007-4

Dear Sir or Madam:

By Notification we are changing the storage and disposal language to comply with the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto  
Registration Specialist

Enclosure



JUL 17 2009

4  
7

2655\_1021-1696-44030609



McLAUGHLIN  
GORMLEY  
KING COMPANY

EVERCIDE® Carpet & Surface Spray 2655

Contains NYLAR® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[ ] OR ( ) indicates alternate or optional wording

- [Nylar® is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes with their growth or development]
- [Nylar® stops [prevents] the flea and certain listed cockroaches from developing into egg laying adults]
- [Nylar® can be used as part of an integrated pest management [IPM] program]
- [Nylar® keeps working in areas exposed to the sun]
- [Ready to Use / No Measuring / No Mixing / No Mess / Easy To Use]
- [Convenient Pump Spray Bottle / Convenient Trigger Spray Bottle]
- [Kills preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]]
- [If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults]
- [Prevents larval fleas from developing into the biting adult stage]
- [Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] from becoming [developing into] biting adults]
- [One treatment works for 210 days [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [(hatching eggs) (larvae)]
- [Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite]
- [Nylar® activity keeps working on fleas for 210 days [30 weeks] [7 months]]
- [Prevents [stops] the emergence of adult fleas]
- [Flea eggs deposited on treated areas will not develop into adult fleas]
- [Larvae crawling onto treated areas will not develop into adult fleas]
- [Nylar® acts on the immature life stage of the flea, preventing it from developing into biting adults]
- [Effective long-term control]
- [Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle]
- [Works with nature to interrupt [break] the life cycle of the cockroach. Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]
- [Nylar® stops cockroaches from generating reproductive offspring for 180 days [26 weeks] [6 months]]
- [Prevents [stops] [inhibits] cockroach nymphs from becoming adults [breeding adults] [reproductive adults] [egg laying adults]]
- [Nylar® works for 180 days [26 weeks] [6 months] against hatching cockroaches [cockroach nymphs (preadult)] [hatching eggs (nymphs)]
- [Kills Ticks, Spiders, Ants, and other listed insects on contact]
- [Also kills [controls] Deer Ticks and other Ixodid species that may carry and transmit Lyme disease]
- [Effective, long-term [residual] control]
- [Ready-To-Use [RTU] Pump [Trigger] [Finger Pump] [Non-Aerosol]
- [Water Based Formula]

ACTIVE INGREDIENTS:

* N-octyl bicycloheptene dicarboximide.....	0.50%
** Permethrin .....	0.20%
Prallethrin [(RS)-2-methyl-4-oxo-3-(2-propenyl)cyclopent-2-enyl-(1RS)-cis,trans-chrysanthemate] .....	0.10%
*** 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine .....	0.02%

OTHER INGREDIENTS.....	99.18%
	100.00%

- \* MGK® 264 Insecticide Synergist
- \*\* Cis, trans isomers ratio: Max. 65% (+ or -)cis and Min. 35% (+ or -)trans
- \*\*\* NYLAR® Insect Growth Regulator

EVERCIDE®, MGK®, NYLAR® - Registered trademarks of McLaughlin Gormley King Company

Net Contents \_\_\_\_\_ Fl. Oz.

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1696


EPA Est. No. 1021-MN-2

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> <li>▪ Call a poison control center or doctor immediately for treatment advice.</li> <li>▪ Have a person sip a glass of water if able to swallow.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
IF INHALED:	<ul style="list-style-type: none"> <li>▪ Move person to fresh air.</li> <li>▪ If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>▪ Call a poison control center or doctor for further treatment advice.</li> </ul>



IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with the eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Kills [controls] the following insects [on contact (residually)]:

Cockroaches [adults (nymphs)]	Grain Weevils	
Brown Banded Cockroach [adults (nymphs)]	Warehouse Beetles	Firebrats
Asian Cockroach [adults (nymphs)]	Merchant Grain Beetles	Midges
German Cockroach [adults (nymphs)]	Saw-toothed Grain Beetles	Gnats
American Cockroach [adults (nymphs)]	Red Flour Beetles	Silverfish
Australian Cockroach [adults (nymphs)]	Grain Mites	Clothes Moths
Oriental Cockroach [adults (nymphs)]	Cheese Mites	Booklice
Crickets [adults (nymphs)]	Sowbugs	Fleas [adults (larvae) (preadult)]
Palmetto Bugs	Millipedes	Ticks [that may carry and transmit Lyme disease]
Waterbugs [adults (nymphs)]	Spiders	Brown Dog Ticks
Cadellés	Scorpions	Lone Star Ticks
Rice Weevils		Deer Ticks
Flat Grain Beetles	Earwigs	Other Ixodid species
Flour Beetles		American Dog Ticks
Cigarette Beetles	Pillbugs	Gulf Coast Ticks
Confused Flour Beetles	Centipedes	Foraging Ants [Fire Ants] [Pharaoh Ants]
Drugstore Beetles	Clover Mites	
Lesser Grain Borers	Carpet Beetles [Dermestids (Trogoderna)]	Flying Moths

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Bookcases, Buses, Cabins, Cafeterias\*, Campers, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants\*, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels\*, Household Contents, Indoor Eating Establishments\*, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels\*, Nursing Homes, Office Buildings, Other Public Buildings, Pantry, Pet Bedding, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreation Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools\*, Solariums, Storage Areas, Sun Porch, Sun Rooms, Supermarkets\*, Taverns\*, Theaters, Trailers, Trains, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.


\*Non-food/non-feed areas only

FLEA CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)] contains a combination of three active ingredients that stops [blocks] [interrupts] [terminates] the flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is Nylar®, an insect growth regulator, that will not allow the flea to reproduce viable offspring thereby providing long-term [residual] control. Nylar® inhibits development of the immature stages of the flea for 210 days [30 weeks] [7 months] preventing them from reaching the biting adult stage. Nylar® is similar to insect growth hormones that occur naturally in insects causing interference with the flea's growth and development. The second active ingredient is ETOC™, a highly active non-residual insecticide that provides effective, quick-kill and rapid knockdown of insects upon direct contact. Permethrin, the third active ingredient, provides residual activity.

EVERCIDE® CARPET & SURFACE SPRAY 2655 has a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] before they grow up to bite. Nylar®, the insect growth regulator in this spray, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. EVERCIDE® CARPET & SURFACE SPRAY 2655 can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks and crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, ((such as) flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo), in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered outdoor [lawn] spray.

COCKROACH CONTROL WITH [(NYLAR®) (EVERCIDE® CARPET & SURFACE SPRAY 2655)] EVERCIDE® CARPET & SURFACE SPRAY 2655 with Nylar® will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful [effective] formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to Nylar® will have crinkled [twisted] wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. EVERCIDE® CARPET & SURFACE SPRAY 2655 inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] cockroach nymphs from becoming adults [breeding adults] [reproductive adults] [egg laying adults].



**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ ALL DIRECTIONS COMPLETELY BEFORE USE**

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food/feed areas of food/feed handling establishments where the product can be used include areas such as (but not limited to) garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply in classrooms when in use. Do not apply when occupants are present in the immediate area in institutions such as libraries, sports facilities, etc.

**SHAKE WELL BEFORE USE.** Hold container upright and spray as directed.

**DIRECTIONS:**

(TRIGGER SPRAY) To operate sprayer, turn tip to proper setting, (broad) (fine) spray for surfaces or pinstream for cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. **DO NOT CONTAMINATE FOOD AREAS.**

**FLEA AND TICK CONTROL:**

**FOR SURFACE AND CARPET SPRAY:** Prior to application, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Apply uniformly at the rate of 1 quart [32 fluid ounces] per 1,000 square feet [1 fluid ounce per 31 square feet] to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary. To kill ticks and other labeled insects, apply directly to pests. Do not allow children or pets to contact treated surfaces until completely dry. Do not spray on pets or humans.

**FOR USE IN VEHICLES:** If flea infested animals are transported in vehicles, use as directed above to control infestation.

Use EVERCIDE® CARPET AND SURFACE SPRAY 2655 with an EPA registered room fogger labeled for fleas for particularly heavy flea infestation. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] spray.

**FOR USE IN PET AREA:** Treat pet bedding and other pet resting places as these are primary hiding areas for fleas and ticks. No need to remove pet bedding after treatment. To reduce infestation, spray around sleeping area, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses and kennels. Do not allow pets to use treated areas until completely dry.

For best results, to protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products; flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. Repeat as directed on these product labels.

**FOR COCKROACH CONTROL:**

Cockroaches [adults (nymphs)], [Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach] Waterbugs, Palmetto Bugs.

**CRACK AND CREVICE SPRAY:** (Use a pinstream spray) Special attention should be paid to areas such as behind baseboards, connection areas around drains, pipes, behind and beneath sinks, stoves, plumbing and other visible cracks and crevices. Spray these areas thoroughly being certain that spray penetrates well. Retreat 30 days after first application.

**CONTACT APPLICATION:** (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 gallon [128 fluid ounces] per 1,000 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible. Retreat 30 days after first application.

**FOR CONTROL OF Crickets, Firebrat, Silverfish, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pillbugs, Earwigs, Clover Mites and Millipedes:** Contact as many insects as possible with this spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible.

**EXPOSED STAGES OF Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites and Cheese Mites.** Find and dispose of infested packaged goods. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

**ANTS, Foraging Fire Ants, and Pharaoh Ants]:** Treat doors, around window frames, ant trails and other areas of entry. Spray on ants where possible.

**CARPET BEETLES [Dermestids (Trogoderna)]:** Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, and areas under furniture, floors, walls, window sills, baseboards and

wherever these insects are seen or suspected. Backing of carpets and rugs should be allowed to dry before re-laying on floor. Keep children and pets off treated surfaces until completely dry.

CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas where these pests are suspected, directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE: Pesticide Storage**

Store in a cool, dry place. Keep container closed. Always store pesticides in the original container. Store away from food and pet food.

**DISPOSAL: Pesticide Disposal and Container Handling**

Nonrefillable container. Do not reuse or refill this container.

If empty: Do not reuse this container.

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

