1-1702

9/27/2010



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Steve Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

SEP 2, 7 2010

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 22, 2010 for the following product(s):

Evercide<sup>®</sup> Carpet & Surface Reg. No. 1021-1702 Spray 2657

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch Registration Division (7504P)

Please read instructions before comp	pleting form				Approved.	OMB No. 2070-00	60. Approval expires 0531.96	
	d States					OPP Identifier Number		
\$EPA	Protection Agency							
	on, DC 20460		Х	Other				
		Application 1	for Pesticide	e - Section	1			
1. Company/Product Number 1021-1702			2. EPA Product Manager Richard Gebken			3. Proposed Classification		
4. Company/Product (Name		PM#			✓ None			
EVERCIDE ® Carpet	··· <b></b>	10						
5. Name and Address of Ap		6. Expedited Review. In accordance with FIFRA						
McLaughlin Gormley k 8810 10TH AVE N	ling Company		product is similar or identical in composition and labeling to:					
MINNEAPOLIS, MN 5		EPA Reg. No.						
		Product Name						
Check if this								
Section - II								
Amendment - Explain below.			Final printe			ed labels in response to		
			Agency let					
Resubmission in response to Agency letter dated					"Me Too" Application.			
Notification -	Other - Explain below.			in below.				
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Pyrethroid Non-Agricultural Outdoor Products Notification per EPA letter dated June 4, 2009.								
			Section - Ill					
1. Material This Product Wil	I Be Packaged In:					-		
Child-Resistant Packaging	Unit Packaging	Water Soluble Packaging			2. Type of Container			
Yes*			Yes					
I No	No If "Yes"	Nia man	lf "Yes"	No	No. non	Plastic		
*Certification must	Unit Packaging wgt.	No. per container	Package wgt.		No. per container			
be submitted	Unit Fackaging wgt.		Fackage wgi.				(Specify)	
3. Location of Net Contents information		4. Size(s) Retail Container 5. Lo			5. Location of	Location of Label Directions		
□ Label □ Container		4 - 24 OZ.				On Label		
						On Labeling accompanying product		
6. Manner in Which Label is	Lithograph			Other				
Paper glued								
		Stenciled	Section - IV					
1 Contact Point (Complete	items directly below for iden			acted if non	econi to proc	ase this annli	cation)	
Name	terns uncoury below for ident	Title		uoteu, ii HeCe	σσσαιγ, το μιος	T	lo. (Include Area Code)	
Steven K. Ditto		Regulatory Affairs Specialist			(763) 544-0341			
		Certification	·····			L	6. Date Application	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.							Received	
I acknowledge that any knowingly false or misleading stateme			ment may be punishable by fine or imprisonment or			000000		
both under applicable law.						(Štamped)		
2. Signature	3. Title			000000				
Lais		Regulatory Affairs Specialist						
4. Typed Name	5. Date							
Steven K. Ditto	3/22/2010					υ ι ιυτικ		
			······································					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

March 22, 2010

Document Processing Desk (NOTIF - PYRETHROID) Office of Pesticide Programs (7504P) U.S. ENVIRONMENTAL PROTECTION AGENCY Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 <u>Via Courier</u>

Subject: EVERCIDE® Carpet & Surface Spray 2657 EPA Reg. No. 1021-1702 Pyrethroid Non-Agricultural Outdoor Products Notification Per EPA Letter Dated June, 4 2009

Dear Sir or Madam:

By Notification we are changing the Environmental Hazards and Directions for Use sections to comply with the June 4, 2009 letter from the Environmental Protection Agency.

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,


McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto Regulatory Affairs Specialist

Enclosure



### **Quality Products Since 1902**




- Cis, trans isomers ratio: Max. 65% (+ or -)cis and Min. 35%
- (+ or ) trans
- \*\*\* NYLAR® Insect Growth Regulator

EVERCIDE®, MGK®, NYLAR® - Registered trademarks of McLaughlin Gormley King Company

# KEEP OUT OF REACH OF CHILDREN

## CAUTION



<sup>ఁ ఁ ఁ c</sup>Rage 1 of 4 2657\_1029-4702\_09090310

11

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. ENVIRONMENTAL HAZARDS To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow drift when bees are actively visiting treatment area. Kills [controls] insects [on contact] [such as]: Fleas [adults (larvae) (eggs) (preadult)] Cockroaches [adults] (nymphs)] Pillbugs Smokey Brown Cockroaches [adults] (nymphs)] Centipedes Ticks [that may carry and transmit Lyme disease] Brown-banded Cockroaches [adults] (nymphs)] Clover Mites Brown Dog Ticks Asian Cockroaches [adults] (nymphs)] Carpenter Bees Lone Star Ticks German Cockroaches [adults] (nymphs)] Deer Ticks Carpet Beetles [Dermestids (Trogoderma)] American Cockroaches [adults] (nymphs)] Other Ixodid Species Spiders Australian Cockroaches [adults] (nymphs)] Scorpions American Dog Ticks Oriental Cockroaches [adults] (nymphs)] Gulf Coast Ticks Dust Mites Crickets [adults] (nymphs)] Foraging Ants [Fire Ants] [Pharoah Ants] Palmetto Bugs Flies Waterbugs [adults] (nymphs)] Midges Carpenter Ants [Eastern (Western)] Horn Flies Sciarid Flies Flying Moths Sowbugs Millipedes Firebrats **Beetles** Silverfish Ground Beetles **Clothes Moths** Elm Leaf Beetles Book Lice Box Elder Bugs Gnats **Cluster Flies** Earwigs Lice Mosquitoes STORED PRODUCT PESTS: Lesser Grain Borers Cadelles Angoumois Grain Moths **Rice Weevils** Flat Grain Beetles Merchant Grain Beetles Indian Mealworms Grain Weevils Saw-toothed Grain Beetles Flour Beetles Almond Moths **Red Flour Beetles Cigarette Beetles** Warehouse Beetles Chocolate Moths Grain Mites Confused Flour Beetles **Drugstore Beetles** Tobacco Moths Indian Meal Moths For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Boats, Bookcases, Buses, Cabins, Cafeterias, Campers, Campsites, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Decks, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels, Household Contents, Indoor Eating Establishments, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Outdoor Eating Establishments, Pantries, Patios, Pet Bedding, Pet Grooming Shops, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreational Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools, Ships, Solariums, Sports Stadiums, Storage Areas, Sun Porches, Sun Rooms, Supermarkets, Taverns, Trailers, Trains, Transportation Vehicles, Trucks, Utility Rooms, Verandas, Veterinary Clinics and Hospitals, Warehouses, Washrooms, and Zoos.

EVERCIDE® Carpet & Surface Spray 2657 contains a combination of three active ingredients that stop [interrupt] the flea life cycle in three ways and control [kill] other listed insects. The first insecticide is NYLAR®, an insect growth regulator that will not allow the flea to reproduce viable offspring, thereby providing long-term [residual] control. NYLAR® inhibits development of the immature stages of the flea for 210 days [30 weeks] [7 months], preventing them from reaching the biting adult stage. NYLAR® is similar to insect growth hormones that occur naturally in insects, causing interference with the flea's growth and development. The second active ingredient is botanical Pyrethrum[, an extract of a Chrysanthemum flower], which provides effective knock down and quick-kill of listed insects. Permethrin, the third active ingredient, provides residual activity.

EVERCIDE® Carpet & Surface Spray 2657 contains a combination of ingredients that kills adult fleas and hatching fleas [preadult (larval) fleas] [sggs (hatching eggs) (larvae)] before they grow up to bite. NYLAR®, the insect growth regulator in this spray, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage of the start of the s

EVERCIDE® Carpet & Surface Spray 2657 can be used to control [kill (interrupt)] fleas hidden in carpets, rugs, draperies, eighols(ery, pet bedding, floors, cracks and crevices, and cabinets. Occasionally adult fleas may be present [observed] in treated areas when reintroduced from infested animals. To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products ([such as] [brand flame] flea, or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and flame or flea and flame] flea or flea and tick collar, [brand name] pet or to re-entry.

्<sup>८८६८</sup>Rage 2 of 4 2657\_102९-41902<u>\_09090310</u>

EVERCIDE® Carpet & Surface Spray 2657 will inhibit [stop] the cockroach's natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This [effective] formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to NYLAR® will have crinkled [twisted] wings, showing it has affected the population, and these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. EVERCIDE® Carpet & Surface Spray 2657 inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults].

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. Hold container upright and spray as directed.

#### DIRECTIONS:

(TRIGGER SPRAY) To operate sprayer, turn tip to proper setting, [(broad) (fine)] spray [for] surfaces or pin stream spray [for] cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. Do not use in edible product areas of food/feed processing plants, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

For use in non-food/feed areas of food/feed handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Cover or remove exposed food.

Do not apply to aircraft cabins.

DO NOT CONTAMINATE FOOD AREAS.

#### FLEA AND TICK CONTROL:

FOR SURFACE AND CARPET SPRAY: Prior to application, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Apply spray uniformly at the rate of 1 quart [32 fluid ounces] per 1000 square feet [1 fluid ounce per 31 square feet] to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to pests. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FOR USE IN VEHICLES: If flea-infested animals are transported in vehicles, use as directed above to control infestation.

FOR USE IN PET AREA: Treat pet bedding and other pet resting places, as these are primary hiding areas for fleas and ticks; no need to remove pet bedding after treatment. To reduce infestation, spray around sleeping areas, baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses and kennels. Do not allow pets to use treated areas until completely dry.

For best results, to protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry.

#### FOR COCKROACH CONTROL:

Cockroaches [adults (nymphs)] [Smoky Brown Cockroaches, Brown-banded Cockroaches, Asian Cockroaches, German Cockroaches, American Cockroaches, Australian Cockroaches, Oriental Cockroaches], Waterbugs, and Palmetto Bugs:

CRACK AND CREVICE SPRAY: (Use a pinstream spray). Special attention should be paid to areas such as behind baseboards, connection areas around drains and pipes, behind and beneath sinks, stoves, and plumbing, and other visible cracks and crevices. Spray these areas thoroughly, keing contain that spray penetrates well. Retreat 30 days after first application.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 gallon [ $\frac{5}{28}$  fluid ounces] per 1000 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray in addition to thoroughly spraying all parts of the room suspected of harboring these pests. Pay special attention to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans and cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes and plumbing, behind block as storage, and other utility installation areas, contacting as many insects with spray whenever possible. Retreat 30 days after first application.

Use EVERCIDE® Carpet & Surface Spray 2657 with an indoor cockroach fogger for particularly heavy roach infestations.

ຼິິິ ເຊຍ 3 of 4 2657\_10ደየ-ዋን02\_<u>09090310</u> special attention to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans and cabinets, along the outside of baseboards, door sills, frames, and floors, around and on drains, pipes, and plumbing, behind bookcases, storage, and other utility installation areas, contacting insects with spray whenever possible.

EXPOSED STAGES of Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, and Indian Mealworms: Find and dispose of infested packaged goods. Remove all other items from pantry, shelves, and drawers and clean thoroughly. Spray into cracks, crevices, shelves, drawers, cabinets, and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after spray has dried.

ANTS, Foraging Fire Ants, Pharaoh Ants, and Carpenter Ants [Eastern (Western)]: Treat ant trails, doors, window frames, and other areas of entry. Spray on ants where possible.

CARPET BEETLES [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, windowsills, baseboards, and wherever these insects are seen or suspected.

CLOTHES MOTHS: Remove any infested articles from storage, brush immediately, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus, and other storage areas where these pests are suspected, directing the spray into cracks, joints, and crevices. Return clean articles after spray has dried.

OUTDOOR APPLICATION:

Do not water treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only.

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Caution should be taken to avoid spraying when wind conditions might create a mist that can blow back to applicator. Do not apply this product in or around bodies of water. Do not spray directly on plants. Spray surface areas and contact as many insects as possible. Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

ANTS, Foraging Fire Ants, Pharaoh Ants, and Carpenter Ants [Eastern (Western)]: Spray ant trails, anthills, ant mounds, and areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bugs, Earwigs, Pillbugs, Clover Mites, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces and hiding places thoroughly, such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds, and other areas where these pests tend to congregate.

FLIES, Mosquitoes, Gnats, Flying Moths, Midges, and other flying insects: Use only outdoors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas such as porches, patios, garages, garbage can areas, under eaves, and other areas where these insects may congregate. Flying insects coming to rest on treated surfaces will be killed.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

