1021-1704

3/12/2013



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 12, 2013

Mr. Jeffrey Nelson Regulatory Affairs Specialist McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4319

### Subject: Amended Labeling; Reinsertion of Inadvertently Removed "IF SWALLOWED:" Subsection MGK<sup>®</sup> PYROCIDE<sup>®</sup> Liquid Pet Spray 7418, EPA Reg. No. 1021-1704 Your Submission Dated December 11, 2012

Dear Mr. Nelson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following label revision provision(s):

### General Comment(s):

1. Delete all text throughout the label marked with "strikethrough."

Precautionary Statements, First Aid Statements subsection comment(s), pages 1 and 4 of 6:

This product does not contain petroleum distillates. As such, within the reinserted "IF SWALLOWED:" subsection, you must delete the 3<sup>rd</sup> bulleted point and insert the following text as a new 2<sup>nd</sup> bulleted point to read "Have person sip a glass of water if able to swallow."

Storage & Disposal section comment(s), pages 3 and 6 of 6:

3. Revise the existing "Pesticide Storage:" subsection to read "Pesticide Storage: Store this product in a cool, dry (preferably locked) area that is inaccessible to children and animals."

4. Revise the subsection heading "Pesticide Disposal and Container Handling:" to read "Container Disposal:"

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 of via e-mail at *Rodia.Carmen@epa.gov*.

Sincerely yours,

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

Enclosure: Label stamped "Accepted with Comments," dated March 12, 2013 001021-017 4 D4/3843

# PYROCIDE® Liquid Pet Spray 7418

### Contains MYLAR® [IGR] Insect Growth Regulator

[COMMERCIAL SECTION OF LABEL]

### [] OR () indicates alternate or optional wording

developing into the biting adult stage] [Nylar® is an insect growth regulator similar to the naturally occurring insect [Nylar® activity keeps working for 100 days [14 weeks] [3 months] growth hormones which interferes [stops] their growth and development] [Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas] [Nvlar® stops [prevents] the fleas from developing into egg laving adults] [Prevents [stcps] the emergence of adult fleas] [Nylar® can be used as part of an integrated pest management [IPM] [Flea eggs deposited on the dog [cat] [puppy] [kitten] [pet] will not develop program into adult fleas] [Nylar® can be a biorational approach to insect control] [Larvae crawling on the dog [cat] [puppy] [kitten] [pet] will not develop into [Nvlar® keeps working in areas exposed to the sun] adult fleas] [Inhibits reinfestation of fleas for up to 100 days [14 weeks] [3 months] [Nylar® acts on the immature life stage of the flea, preventing it from [Kills adult fleas] developing into biting adults] [Kills preadult [larvae] leas, including flea eggs for 100 days [14 weeks] [3 [Aids in the control of flea bite dermatitis by killing [controlling] fleas] months] [Kills [controls] and Repels: Fleas, Ticks, Lice] [If adult fleas are introduced, their offspring will not become biting [Also kills [controls] Deer Ticks and other tick [Ixodid] species that may carn [reproductive] adults] and transmit Lyme [Prevents larval fleas from developing into the biting adult stage] Disease] [Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching [Effective long term control] eggs) (larvae)] from becoming full grown [developing into] biting adults] [Ready-To-Use [RTU] Spray] [One treatment works for 100 days [14 weeks] [3 months] against hatching ACCEPTED [Non-Aerosol] fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] With COMMENTS In EPA Letter Dated: March 12, 2013 Under the Federal Insecticide, Fungicide ACTIVE INGREDIENTS: Pyrethrins ..... 0.180% 2-[1-Methyl-2-(4-phenoxyphenoxy)ethoxy] pyridine ..... 0.125% N-Octyl bicycloheptene dicarboximide 0.957% and Rodenticide Act, As amended, for the OTHER INGFEDIENTS 98.738% pesticide Registered under EPA Reg. No: 100.000% MGK® 264, Insecticide Synergist 1021-1704

PYROCIDE®, NYLAF\@, and MGK@ - Registered trademarks of McLaughlin Gormley King Company

### KEEP OUT OF REACH OF CHILDREN

FIRST AID

	FIRST AID
IF SWALLOWED:	<ul> <li>Immediately call a poison control center or doctor.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	De not give any liquid to the person
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OF CLOTHING:	Take off contaminated clothing.
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes.</li> </ul>
	<ul> <li>Call a poison control center for treatment advice.</li> </ul>
Have the product container or label emergencies or pesticide incidents	with you when calling a poison control center or doctor or going for treatment. For information regarding medical call 1-888-740-8712.

Manufactured by



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1704

EPA Est. No. 1021-MN-2

Ounces

[Kills present (today's] fleas and prevents new [tomorrow's] fleas from

Net Weight: \_\_\_\_\_

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if svallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (FPE)

7418\_1021-1704\_1212

Mixers loaders applicators, and other handlers must wear: long-sleeve shirt and long pants, shoes plus socks, chemical-resistant gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exit, use detergent or hot water. Keep and wash PPE Separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the tcilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or finsate.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

### Kills [controls] insects [on contact] [such as]:

Fleas [adults (larvae) (eggs) (preadult)]	Ticks [that may carry and transmit Lyme Disease]
Brown Dog Ticks	Lone Star Ticks
Deer Ticks	Other Ixodid species
American Dog Ticks	Gulf Coast Ticks
Lice	

For use in areas [such as]:

Animal Runs, Animal Holding Areas, Animal Quarters, Apartments, Attics, Basements, Bedrooms, Boarding Kennels, Boats, Campers, Cat Beds, Closets, Condominiums, Decks, Dens, Dog Beds, Dog Houses, Dormitories, Floors, Garages, Gazebos, Homes, Kennels, Kitchens, Lanais, Living Rooms, Patios, Pet Bedding, Pet Carriers, Pet Grooming Shops, Pet Sleeping Areas, Pet Stores, Play Rooms, Porches, Rooms, Scratching Posts, Utility Floories, Verandas, and Veterinary Clinics/Hospitals

[PYROCIDE® Liquid Pet Spray] [brand name] for [pets] [dogs] [cats] contains a combination of ingredients that stops [blocks] (interrupts) (terminates)] the flea life cycle and controls other listed insects. The first active ingredient is Nylar®, an insect growth regulator which inhibits development of the immature stages of the flea for 100 days [14 weeks] [3 months], preventing them from reaching the adult stage. Nylar® is similar to insect growth hormones that occur naturally in insects. The second active ingredient is the botanical, Pyrethrum [an extract of a Chrysanthemum flower], which provides effective knock-down and quick-kill of insects upon direct contact. The third active ingredient enhances the killing activity of pyrethrum.

The combination of ingredients in [PYROCIDE® Liquid Pet Spray] [brand name] for [pets] [dogs] [cata] kills adult fleas and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs (larvae)] for 100 days [14 weeks] [3 months] before they grow up to bite. Nylar® [the insect growth regulator] continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 100 days [14 weeks] [3 months] before they grow up to bite. Nylar® [the insect growth regulator] continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 100 days [14 weeks] [3 months] by preventing their development into the adult biting stage. [PYROCIDE® Liquid Pet Spray] [brand name] can also be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks, and cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

As part of a complete flea control program, treat pets and indoor and outdoor areas where animals frequent using EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-To-Use] [RTU] flea and tick [indoor] [premise] spray.

This product may be applied as a direct, contact spray to control fleas, ticks, and other listed insect posts on premises.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### READ ENTIRE LABEL BEFORE EACH USE.

### USE RESTRICTIONS:

- USE ONLY ON DOGS AND CATS. CONSULT A VETERINARIAN BEFORE USING THIS PRODUCT ON DEBILITATED, AGED, PREGNANT OR NURSING ANIMALS
- DO NOT THEAT DOGS UNDER 6 MONTHS OF AGE WITH THIS PRODUCT.
- DO NOT TREAT CATS UNDER 7 MONTHS OF AGE WITH THIS PRODUCT.
- Do not use in aircraft cabins.
  Do not wet articles to point of runoff or drip
- Do not use treated articles until spry has dried.
- Do not apply directly to sewers or drains, or to any area like gutter where drainage to storm sewers water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR DOGS AND CATS [PETS]: Cover animal's eyes with a hand. Do not spray directly on mouth, nose, or eyes. Spray head, ears, and chest until damp. With finger tips, rub into face and around mouth, nose, and eyes. Then spray from neck to tail, finishing legs last. For best penetration of spray to skin and on heavy-coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. [When used on miniature and toy breeds of dogs or on cats, towel-dry the animal after 1/2 hour if not totally dry.] Repeat treatment every 3 months. Avoid contact with genitalia.

FOR PUPPIES OVER 6 MONTHS AND KITTENS OVER 7 MONTHS: Wrap the animal in a towel that has been sprayed lightly with this product. Leave eyes, nose, and mouth exposed. Put some spray on the finger and gently rub around eyes, nose, and mouth area. Keep animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. For best results, all dogs and cats should be treated with a similar flea control product [such as] [branc name] to prevent reiniestation. Do not spray directly on puppies and kittens. Repeat treatment every 3 months. Avoid contact with genitalia.

Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PREMISE TREATMENTS:

For surface application apply no more than 0.01 lbs. MGK 264/1,000 sq. ft. or 20 oz. of this product / 1,000 sq. ft. For crack and crevice treatments apply no more than 0.05 lbs. MGK 264 / 1000 sq. ft or 100 oz of this product / 1,000 sq. ft.

FOR USE IN PET [DOG] [CAT] AREAS AND OTHER AREAS WHERE PETS [DOGS] [CATS] FRECUENT: Treat pet [dog] [cat] bedding and other pet [dog] [cat] resting areas as these are primary hiding areas for fleas and ticks. To reduce infestation, spray around sleeping areas and baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses [animal holding areas]. For best results, treat pet bedding, animal quarters, and other resting areas [other listed pet areas]. No need to remove pet bedding after treatment. Do not allow pets to use treated areas until completely dry.

TO CONTROL OTHER LISTED PESTS: Apply as a direct spray to control accessible stages of listed insects. Spray to thoroughly wet exposed insects. Direct spray into hiding places, cracks, and crevices, and along baseboards and around door and window frames.

# STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal. Pesticide Storage Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. Pesticide Disposal and Container Handling Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## **PYROCIDE® Liquid Pet Spray 7418**

Contains NYLAR® [IGR] Insect Growth Regulator

[RESIDENTIAL SECTION OF LABEL]

### [] OR () indicates alternate or optional wording

[Nylar® is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development] [Nylar® stops [provents] the fleas from developing into egg laying adults] [Nylar® can be used as part of an integrated pest management [IPM] program]

[Nylar® can be a biorational approach to insect control]

[Nylar® keeps working in areas exposed to the sun]

[Inhibits reinfestation of fleas for up to 100 days [14 weeks] [3 months] [Kills adult fleas]

[Kills preadult [larvae]leas, including flea eggs for 100 days [14 weeks] [3 months]

[If adult fleas are introduced, their offspring will not become biting [reproductive] adults]

[Prevents larval fleas from developing into the biting adult stage] [Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] from becoming full grown [developing into] biting adults] [One treatment works for 100 days [14 weeks] [3 months] against hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]

### ACTIVE INGREDIENT'S:

Pyrethrins	
-	100.000%

MGK® 264, Insecticide Synergist

PYROCIDE®, NYLAR®, and MGK® - Registered trademarks of McLaughlin Gormley King Company

### KEEP OUT OF REACH OF CHILDREN CAUTION

<ul> <li>Immediately call a poison control center or doctor.</li> </ul>
Do not induce vomiting unless told to do so by a poison control center or doctor.
Do not give any liquid to the percen
<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
Take off contaminated clothing.
<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
Call a poison control center or doctor for treatment acvice.
<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
<ul> <li>Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes.</li> </ul>
<ul> <li>Call a poison control center for treatment advice.</li> </ul>

emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by



8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1704

EPA Est. No. 1021-MN-2

Net Weight: \_

\_\_\_Ounces

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

7418\_1021-1704\_1212

[Flea eggs deposited on the dog [cat] [puppy] [kitten] [pet] will not develop into adult fleas] [Larvae crawling on the dog [cat] [puppy] [kitten] [pet] will not develop into adult fleas] [Nylar® acts on the immature life stage of the flea, preventing it from developing into biting adults] [Aids in the control of flea bite dermatitis by killing [controlling] fleas] [Kills [controls] and Repels: Fleas, Ticks, Lice] [Also kills [controls] Deer Ticks and other tick [Ixodid] species that may carry and transmit Lyme Disease] [Effective long term control] [Ready-To-Ust] [RTU] Spray] [Non-Aerosol]

[Kills present [today's] fleas and prevents new [tomorrow's] fleas from

[Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas]

[Nvlar® activit / keeps working for 100 days [14 weeks] [3 months]

developing into the biting adult stage]

[Prevents [stops] the emergence of adult fleas]

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or finsate.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

 Kills [controls] insects [on contact] [such as]:

 Fleas [adults (lervae) (eggs) (preadult)]
 Ticks [that may carry and transmit Lyme Disease]

 Brown Dog Ticks
 Lone Star Ticks

 Deer Ticks
 Other Ixodid species

 American Dog Ticks
 Gulf Coast Ticks

For use in areas isuch as]:

Animal Rues, Animal Quarters, Apartments, Attics, Basements, Bedrooms, Boats, Campers, Cat Beds, Closets, Condominiums, Decks, Dens, Dog Beds, Dog Houses, Dormitories, Floors, Garages, Gazebos, Homes, Kennels, Kitchens, Lanais, Living Rooms, Patios, Pet Bedding, Pet Carriers, Pet Sleeping Areas, Play Rooms, Porches, Rooms, Scratching Posts, Utility Rooms, Verandas,

[PYROCIDE® Liquid Pet Spray] [brand name] for [pets] [dogs] [cats] contains a combination of ingredients that stops [blocks] (interrupts) (terminates)] the flea life cycle and controls other listed insects. The first active ingredient is Nylar®, an insect growth regulator which inhibits development of the immature stages of the flea for 100 days [14 weeks] [3 months], preventing them from reaching the adult stage. Nylar® is similar to insect growth hormones that occur naturally in insects. The second active ingredient is the botanical, Pyrethrum [an extract of a Chrysanthemum flower], which provides effective knock-down and quick-kill of insects upon direct contact. The third active ingredient enhances the killing activity of pyrethrum.

The combination of ingredients in [PYROCIDE® Liquid Pet Spray] [brand name] for [pets] [dogs] [cats] kills adult fleas and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs (larvae)] for 100 days [14 weeks] [3 months] before they grow up to bite. Nylar® [the insect growth regulator] continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 100 days [14 weeks] [3 months] before they grow up to bite. Nylar® [the insect growth regulator] continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 100 days [14 weeks] [3 months] by preventing their development into the adult biting stage. [PYROCIDE® Liquid Pet Spray] [brand name] can also be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks, and cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

As part of a complete flea control program, treat pets and indoor and outdoor areas where animals frequent using EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-To-Use] [RTU] flea and tick [indoor] [premise] spray.

This product may be applied as a direct, contact spray to control fleas, ticks, and other listed insect pasts on premises.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### READ ENTIRE LABEL BEFORE EACH USE.

### USE RESTRICTIONS:

- USE ONLY ON DOGS AND CATS. CONSULT A VETERINARIAN BEFORE USING THIS PRODUCT ON DEBILITATED, AGED, PREGNANT OR
   NURSING //NIMALS
- DO NOT THEAT DOGS UNDER 6 MONTHS OF AGE WITH THIS PRODUCT.
- DO NOT THEAT CATS UNDER 7 MONTHS OF AGE WITH THIS PRODUCT.
- Do not use in aircraft cabins.
- Do not wet articles to point of runoff or drip
- Do not use treated articles until spry has dried.
- Do not apply directly to sewers or drains, or to any area like gutter where drainage to storm sewers water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR DOGS AND CATS [PETS]: Cover animal's eyes with a hand. Do not spray directly on mouth, nose, or eyes. Spray head, ears, and chest until damp. With finger tips, rub into face and around mouth, nose, and eyes. Then spray from neck to tail, finishing legs last. For best penetration of spray to skin and on heavy-coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. [When used on miniature and toy breeds of dogs or on cats, towel-dry the animal after 1/2 hour if not totally dry.] Repeat treatment every 3 months. Avoid contac with genitalia.

FOR PUPPIES CVEF. 6 MONTHS AND KITTENS OVER 7 MONTHS: Wrap the animal in a towel that has been sprayed lightly with this product. Leave eyes, nose, and mouth exposed. Put some spray on the finger and gently rub around eyes, nose, and mouth area. Keep animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. For best results, all dogs and cats should be treated with a similar flea control product [such as] [branc name] to prevent reinfestation. Do not spray directly on puppies and kittens. Repeat treatment every 3 months. Avoid contact with genitalia.

Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

### PREMISE TREATMEINTS:

For surface application apply no more than 0.01 lbs. MGK 264/1,000 sq. ft. or 20 oz. of this product / 1,000 sq. ft. For crack and crevice treatments apply no more than 0.05 lbs. MGK 264 / 1000 sq. ft or 100 oz of this product / 1,000 sq. ft.

FOR USE IN PET [DOG] [CAT] AREAS AND OTHER AREAS WHERE PETS [DOGS] [CATS] FREQUENT: Treat pet [dog] [cat] bedding and other pet [dog] [cat] resting areas as these are primary hiding areas for fleas and ticks. To reduce infestation, spray around sleeping areas and baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses [animal holding areas]. For best results, treat pet bedding, animal quarters, and other resting areas [other listed pet areas]. No need to remove pet bedding after treatment. Do not allow pets to use treated areas until completely dry.

TO CONTROL CITHER LISTED PESTS: Apply as a direct spray to control accessible stages of lister linsects. Spray to thoroughly wet exposed insects. Direct spray into hiding places, cracks, and crevices, and along baseboards and around door and window frames.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available. If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.