


1021-1710

7/28/2004

1/2

27471-604

MULTICIDE® Flying Insect Killer 27471



Kills Flying Insects Fast  
Water Based Formulation / Formula  
Gives Fast Knockdown and Kill of Flying Insects  
Fast Knockdown  
No Oily Film / Residue  
Kill Flies, Mosquitoes, Gnats, and Other Listed Pests

For Use in and Around Homes, Apartments, Residences, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings, Schools, Warehouses, Office Buildings, Theatres, Garages, Motels and Hotels

**ACTIVE INGREDIENTS:**

Prallethrin (RS)-2-methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1R) -cis,trans-chrysanthemate]....	0.20%
Piperonyl Butoxide, Technical.....	0.60%
* N-Octyl bicycloheptene dicarboximide .....	1.00%
<b>OTHER INGREDIENTS .....</b>	<b>98.20%</b>
	<b>100.00%</b>

\* MGK® 264, Insecticide Synergist  
MULTICIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**FIRST AID**

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>▪ Immediately call a poison control center or doctor.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>▪ Do not give any liquid to the person.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

**PRECAUTIONARY STATEMENTS**

**CAUTION**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to any body of water.

PHYSICAL OR CHEMICAL HAZARDS

**Contents under pressure.** Do not use or store near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130° F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas include areas where prepared foods are served such as dining rooms but exclude areas where foods may be prepared or held.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning, or bottling).

GENERAL: Point valve away from face and push button, holding container upright. When using indoors, do not remain in treated area. Ventilate the area for 15 minutes following treatment. Allow treated surfaces to thoroughly dry before use.

FLIES, MOSQUITOES, GNATS, AND SMALL FLYING MOTHS: To control these pests indoors close doors and windows. Direct spray to all parts of the room, especially the upper corners, filling the room with mist. Leave room and keep closed for 15 minutes. Open and ventilate area before reoccupying.

FOR USE AS AN INSPECTION TOOL TO FLUSH INSECTS FROM HARBORAGE SITES: Inject into cracks and crevices or void spaces where insects may be harboring. Release approximately 1-second spray per spot.

FOR VOLUMETRIC TREATMENT OF ANTS, BOOKLICE, CLOVER MITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SCORPIONS, SOWBUGS, AND SPIDERS: Shut off air conditioners, fans and ventilation systems and close windows and doors before spraying. Open cabinets in area to be treated. Spray at the rate of 20 seconds per 1,000 cubic feet. Direct spray towards areas suspected of harboring the greatest infestation. Dispense in all locations, contacting as many insects as possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Sweep up dead insects and discard.

TREATMENT OF STORED PRODUCT PESTS SUCH AS CARPET BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAW-TOOTHED GRAIN BEETLES: Contact as many insects as possible. Inject into cracks and crevices, processing and handling equipment, around cartons and containers, and in other areas where insects tend to congregate. General volumetric treatment: Spray 20 seconds per 1,000 cubic feet. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

ANGUOMOIS GRAIN MOTHS, CHOCOLATE MOTHS, INDIAN MEAL MOTHS, AND MEDITERRANEAN FLOUR MOTHS: Close all doors and windows. Direct spray into all parts of room, especially around stored product containers, pallets, and darkened areas. Spray 10 seconds per each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Sweep up and discard fallen insects. Repeat treatment weekly or as necessary. Infested products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS: General volumetric treatment: Hold aerosol 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

VOLUMETRIC TREATMENT OF INACCESSIBLE VOIDS: (Attics, false ceilings, and wall and equipment voids): For exposed stages of Ants, Beetles, Centipedes, Cockroaches, Crickets, Millipedes, Silverfish, Sowbugs, and Spiders. Calculate void volume and treat at the rate of 20 seconds per 1,000 cubic feet.

STORAGE AND DISPOSAL	
<b>STORAGE:</b>	Store in a cool, dry place. Keep container closed.
<b>DISPOSAL:</b>	Do Not Puncture or Incinerate!
If empty:	Place in trash or offer for recycling if available.
If partly filled:	Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

NET WT. \_\_\_\_\_

Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1710

EPA Est. No. 1021-MN-2

