

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE: x Registration Reregistration

EPA Reg. Number:

Date of Issuance:

MAY | | 1998

1021-1715

Term of Issuance: Conditional

Name of Pesticide Product:

EVERCIDE® House & Garden Spray 21321

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Julie B. Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No. 1021-1715".

Signature of Approving Official;

MAY 1 1 1998

Edwards for George

EPA Form 8570-6

Bedwards A/1021/1715. reg 1/20/98

- b. On page 3, change "For use in homes, greenhouses and outdoors..." to "For use in homes, home greenhouses and outdoors..."
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 13

Insecticide Branch

Registration Division (7505C)

Dethe Edwards

Enclosure

Wills Icollif distribution for the contract of the contract of

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days

ACCEPTED with COMMENTS in EPA Letter Dated

MAY 1 1 1998

Provides rapid knock-down and kill

isidually controls [kills] cockroaches, spiders, crickets and other crawling insects

esidually controls [kills] fleas and ticks indoors and around pet areas

Water-based formula

Ready-To-Use Liquid

No Mixing

No Measuring

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

**ACTIVE INGREDIENTS:** 

Permethrin [\*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2dimethylcyclopropanecarboxylate) ...... 0.200% 0.017% Related reaction products.....

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl)

cyclopropanecarboxylate]..... INERT INGREDIENTS.....

0.200% 99.583% 100.000%

Cis-trans isomers ratio: Min. 35% (+ or -) cls and Max. 65% (+ or -) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

# KEEP OUT OF REACH OF CHILDREN

# CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: IF SWALLOWED: IF IN EYES: IF INHALED:

Wash with plenty of soap and water. Get medical attention if irritation persists. Call a physician or Polson Control Center immediately. Flush with plenty of water. Get medical attention if irritation persists. Remove victim to fresh air. Apply artificial respiration if indicated.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by disposing of wastes,

#### PHYSICAL OR CHEMICAL HAZARDS

Do not store or use near heat or open flame.

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE® House & Garden Spray 21321 provides effective residual control.

EVERCIDE® House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

EVERCIDED House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, uphoistery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip, pet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

For use in areas (such as):

Apartments, Ant Hills, Atriums, Attios, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Beats, Beses, Cabinets, Cabinets, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanals, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Residential Greenhouse, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms,

415

Ticks [that may carry and transmit Lyme disease]

American Dog Tick Brown Dog Tick Gulf Coast Ticks

Other Ixodid Species

Lone Star Tick

Deer Ticks

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches
Smokey Brown Cockroach
Brown Banded Cockroach
Asian Cockroach
German Cockroach
American Cockroach
Australian Cockroach
Oriental Cockroach
Crickets
Waterbugs
Palmetto Bugs

Granary Insects
Cadelle Rice Weevil
Flat Grain Beetle
Flour Beetle
Cigarette Beetle
Confused Flour Beetle
Drugstore Beetle
Lesser Grain Borer
Merchant Grain Beetle
Sawtoothed Grain Beetle
Grain Weevil

Sowbugs
Millipedes
Dust Mites
Ground Beetles
Elm Leaf Beetle
Boxelder Bug
Earwigs
Clover Mites
Pillbugs
Silverfish
Firebrats

Warehouse Beetle
Red Flour Beetle
Grain Mite
Cheese Mite
Flying Moths
Clothes Moth
Webbing Clothes Moth
Small Flying Moths
Indian Mealworm
Almond Moth
Chocolate Moth

Spiders
Scorpions
Centipedes
Ants
Bedbugs
Lice
Biting Lice
Carpet Beetles
Dermestld Beetles
Trogoderma
Black Carpet Beetle

Black Carpet Beetle
Tobacco Moth
Indian Meal Moth
Angoumois Grain Moth
Booklice
Wood Borers
Weevils
Small Flying Insects
Sand Fly
Sciarid Fly
Black Fly

Deer Fly
Face Fly
Flies
Fruit Flies
Gnats
Horse Fly
House Fly
Midge
Mosquitoes
Stable Fly
Vinegar Fly

Fleas

or use in homes, greenhouses and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]
African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougalnvillea, Caladium, Calceolaria, Calenduia, Calfa, Camellia,
Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Greeping Charile, Daffodii, Dahlias, Delphiniums, Deciduous
Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium,
Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia,
Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon,
Spathlphylium, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Biling Fly

Kills [controls] plant insects [on contact] [such as]:

Aphid
Armyworm
Asparagus Beetle
Boxelder Bug
Cabbage Looper
Cankerworm
Caterpillars
Chewing Insects
Colorado Potato Beetle
Cucumber Beetle
Cutworm

Diamondback Moth
Eastern Tent Caterpillar
Flea Beetle
Gypsy Moth [adult & larvae]
Inchworms
Japanese Beetle
Lace Bug
Leaf Miners
Leaf Beetles
Leafhoppers
Leafrollers

Leatiers
Mealy Bugs
Mexican Bean Beetles
Mites
Oleander Caterpillar
Psyllids
Red Spider Mites
Rose Chafer
Soft Brown Scale
Southern Army Worm
Spider Mites

Spotted Mites
Stink Bugs
Tarnished Plant Bug
Tomato Pin Worm
Two Spotted Mites
Tent Caterpillars
Thrips
Whitefly
Tomato Fruit Worm
Corn Ear Worm

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE, HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpoting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

DO NOT CONTAMINATE FOOD AREAS.

## INDOOR USE:

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pots frequently rost in these areas. Avoid excessive welting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill floas. To kill ticks and other labeled insects, apply directly to the pests. Spray theroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans. Repeat as necessary.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry. Repeat as necessary.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry. Repeat as necessary.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. TO KILL ANTS, treat around doors, window frames and other areas of entry. Spray on ants whenever possible. Repeat as necessary.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected. Repeat as necessary

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use. Repeat as necessary.

EXPOSED STAGES of Granary Insects, Flour Beetles, Cadellos, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried. Repeat as necessary.

For particularly heavy infestations of listed posts, use [MGK® Indoor Fogger] [brand name] following application of this prod

#### **OUTDOOR USE:**

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS: Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these posts. Spray with a slow sweeping motion. To reduce annoyance from these posts, treat surfaces of open perches, patio area, screens, window frames, doors and other areas where these posts may light or congregate in a first surfaces. similar manner. Allow spray to dry before occupying the treated area. Repeat as necessary.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible. Repeat as necessary.

SPIDERS: Spray directly on spiders and webs. Repeat as necessary.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Rillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, apigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

**¿myworm** Asparagus Beetle **Boxolder Bug** Cabbage Looper Cankerworm Caterpillars Chewing Insects Colorado Potato Beetle Cucumber Beetle Cutworm

Diamondback Moth Eastern Tent Caterpillar Gypsy Moth [adult & larvae] Inchworms Japanese Beetle Lace Bug Leaf Miners Leaf Beetles Leafhoppers Leafrollers

Leaftlers Mealy Bugs Mexican Bean Beetles Mites Oleander Caterpillar Psyllids **Red Spider Mites** Rose Chafer Soft Brown Scale Southern Army Worm

Spotted Mitas Stink Bugs Tarnished Plant Bug Tomato Pin Worm Two Spotted Mites Tent Caterpillars Thrips Whitefly Tomato Fruit Worm

Corn Ear Worm

Spider Mites For use in homes, greenhouses and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]
African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calia, Camellia,
Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlle, Daffodil, Dahlias, Delphiniums, Deciduous
Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium,
Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia,
Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon,
Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

雅.

"HEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant, are or unusual varieties of plants should be sprayed on a few leaves to assure plant safety before spraying the entire plant. Care should a taken when spraying tender new growth or fuzzy leafed plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90° F.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store upright in a secure, preferably locked storage area. Keep from freezing,

PESTICIDE DISPOSAL: Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly and put in trash.

**Net Contents** Manufactured by:
Mo LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 Made in USA

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-2