page 176

APR - 2 2001

Ms. Julie B. Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

Dear Ms. Schlekau:

ł

,)

1021-1715

Subject: Amendment - delete for residential use only EVERCIDE House & Garden Spray 21321 EPA Registration No. 1021-1715 Your submission dated February 28, 2001

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

4/a/2001

- Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Revise your proposed statement to read "Do not use in commercial food/feed handling establishments, restaurants, or other places where food/feed is commercial prepared, processed, served or stored." This statement plus the remaining statements in the paragraph should be moved under the directions for use.

b. Under Outdoor Use add, "Not for Use on plants being grown for sale or other commercial seed production, or for research purposes.".

The statement of practical treatment should be revised in accordance with PR Notice 2000-3.

The statement "For Residential Use Only" would not qualify as an advisory statement under PR Notice 98-10. This statement s written is considered a mandatory statement. Refer to PR Notice 2000-5 regarding advisory vs mandatory statements. 3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

)

21321-301

.



EVERCIDE® House & Garden Spray 21321

7

3

6

8810 Tenth Avenue N / Minnea	polis, Minnesota 55427-437	2 U.S.A	TELEPHONE (763) 544-0341		
[] OR () indicates alternate or option Kills [controls] ornamental garden pe Effective [residual] [long term] contro Kills [controls] insects on ornamenta Provides rapid knock-down and kill Residually controls [kills] cockroach	nal wording ests for up to 7 days ol I plants, shrubs, vines and ho	puseplants for up to 7 days	ACCEPTED while COMMENTS is EPA Losser Dated APR - 2 2001 Under the Foderal Interaction Funginide, and Rodenticide Act as amended for the pesticide registered under EPA Fug. No.		
	Residually controls [kills] fleas and ticks indoors and around pet areas				
dimethylcyclopropanec Related reaction produc Tetramethrin [(1-Cycloh cyclopropanecarboxyla OTHER INGREDIENTS Cis-trans isomers ratio:	arboxylate) cts nexene-1,2-dicarboximido) m te]		0.017% I) 0.200%		
IF ON SKIN: IF SWALLOWED: IF IN EYES: IF INHALED: For information regarding medi	STATEMENT OF F Wash with plenty of soap and Call a physician or Poison Co Flush with plenty of water. O Remove victim to fresh air.	UTION PRACTICAL TREATMENT d water. Get medical attention if irritation ontrol Center immediately. Set medical attention if irritation persist Apply artificial respiration if indicated. a incidents, call the International Poisor	ts.		
L	00504450				
handling. Avoid contamination Do not use in commercial food	CA sin. Avoid contact with skin, e of food and feedstuffs. processing, preparation, foo	NS AND DOMESTIC ANIMALS UTION eyes or clothing. Wash thoroughly with d storage or serving areas. In the home	e, all faad processing		
or removed.	ENVIRON	r thoroughly washed before use. Expos IENTAL HAZARDS Iter. Do not contaminate water by dispo	ن روز را در		
Do not store or use near heat o		CHEMICAL HAZARDS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE® House & Garden Spray 21321 provides effective residual control.

EVERCIDE® House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches, * ants, flies and other listed pests.

EVERCIDE® House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip, pet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

For use in areas [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Dust Mites	Centipedes	American Dog Tick
Asian Cockroach	Ground Beetles	Ants	Brown Dog Tick
German Cockroach	Elm Leaf Beetle	Bedbugs	Gulf Coast Ticks
American Cockroach	Boxelder Bug	Lice	Lone Star Tick
Australian Cockroach	Earwigs	Biting Lice	Deer Ticks
Oriental Cockroach	Clover Mites	Carpet Beetles	Other Ixodid Species
Drickets	Pillbugs	Dermestid Beetles	
Waterbugs	Silverfish	Trogoderma	
Palmetto Bugs	Firebrats	Black Carpet Beetle	
Granary Insects	Warehouse Beetle	Tobacco Moth	Deer Fly
Cadelle Rice Weevil	Red Flour Beetle	Indian Meal Moth	Face Fly
Flat Grain Beetle	Grain Mite	Angoumois Grain Moth	Flies
Flour Beetle	Cheese Mite	Booklice	Fruit Flies
Cigarette Beetle	Flying Moths	Wood Borers	Gnats
Confused Flour Beetle	Clothes Moth	Weevils	Horse Fly
Drugstore Beetle	Webbing Clothes Moth	Small Flying Insects	House Fly
Lesser Grain Borer	Small Flying Moths	Sand Fly	Midge
Merchant Grain Beetle	Indian Mealworm	Sciarid Fly	Mosquitoes
Sawtcothed Grain Beetle	Almond Moth	Black Fly	Stable Fly
Grain Weevil	Chocolate Moth	Biting Fly	Vinegar Fly

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]
African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellía, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphid	Diamondback Moth	Leaftiers	Spotted Mites
Armyworm	Eastern Tent Caterpillar	Mealy Bugs	Stink Bugs
Asparagus Beetle	Flea Beetle	Mexican Bean Beetles	Tarnished Plant Bug
Boxelder Bug	Gypsy Moth [adult & larvae]	Mites	Tomato Pin Worm
Cabbage Looper	Inchworms	Oleander Caterpillar	Two Spotted Mites
Cankerworm	Japanese Beetle	Psyllids	Tent Caterpillars
Caterpillars	Lace Bug	Red Spider Mites	Thrips
Chewing Insects	Leaf Miners	Rose Chafer	Whitefly ' ' '
Colorado Potato Beetle	Leaf Beetles	Soft Brown Scale	' ' ' Tomato Fruit Worm
Cucumber Beetle	Leafhoppers	Southern Army Worm	Corn Ear Vorm
Cutworm	Leafrollers	Spider Mites	و با ودولاد
DIRECTIONS FOR USE			د د و ودو دد ه د 99 مود دو

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

DO NOT CONTAMINATE FOOD AREAS.

INDOOR USE:

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans. Repeat as necessary.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry. Repeat as necessary.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry. Repeat as necessary.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. TO KILL ANTS, treat around doors, window frames and other areas of entry. Spray on ants whenever possible. Repeat as necessary.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected. Repeat as necessary

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use. Repeat as necessary.

EXPOSED STAGES of Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Please clean paper on the shelves and return packages after the spray has dried. Repeat as necessary.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS: Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Itorse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area. Repeat as necessary.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible. Repeat as necessary.

SPIDERS: Spray directly on spiders and webs. Repeat as necessary.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate. Repeat as necessary.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

Aphid Armyworm Asparagus Beetle Boxelder Bug Cabbage Looper Cankerworm Caterpillars Chewing Insects Colorado Potato Beetle Cucumber Beetle Cutworm Diamondback Moth Eastern Tent Caterpillar Flea Beetle Gypsy Moth [adult & larvae] Inchworms Japanese Beetle Lace Bug Leaf Miners Leaf Beetles Leafhoppers Leafrollers Leaftiers Mealy Bugs Mexican Bean Beetles Mites Oleander Caterpillar Psyllids Red Spider Mites Rose Chafer Soft Brown Scale Southern Army Worm Spider Mites Spotted Mites Stink Bygass Tarnished Blant Bug Tomato Pin Worm Two Spatic Mites Tent Caterpillars Thrips Whitefly Tomato Fruit Worm Corn Ear Worm 7

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:] African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant. Rare or unusual varieties of plants should be sprayed on a few leaves to assure plant safety before spraying the entire plant. Care should be taken when spraying tender new growth or fuzzy leafed plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90° F.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store upright in a secure, preferably locked storage area. Keep from freezing.

<u>PESTICIDE DISPOSAL</u>: Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly and put in trash.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 Made in USA

EPA Reg. No. 1021-1715

EPA Est. No. 1021-MN-2