



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1715	2. EPA Product Manager Marion Johnson	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® House & Garden Spray 21321	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

NOTIFICATION
APR 22 2003

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
By notification, we are adding a marketing phrase to the front panel of our label.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed to Product
 Lithograph Other
 Paper glued
 Stenciled

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Thomas A. Lennan	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
--------------------------	----------------------------------	---

Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

2. Signature 	3. Title Registration Specialist
4. Typed Name Thomas A. Lennan	5. Date 4/9/2003

316



EVERCIDE® House & Garden Spray 21321

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

[] OR () indicates alternate or optional wording

Kills [controls] ornamental garden pests for up to 7 days

Effective [residual] [long term] control

Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days

Provides rapid knock-down and kill

Residually controls [kills] cockroaches, spiders, crickets and other crawling insects

Residually controls [kills] fleas and ticks indoors and around pet areas

Water-based formula Ready-To-Use Liquid No Mixing No Measuring

[Indoor/Outdoor Use]

NOTIFICATION
APR 22 2003

ACTIVE INGREDIENTS:

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] 0.200%

Related reaction products 0.017%

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl) cyclopropanecarboxylate] 0.200%

OTHER INGREDIENTS 99.583%

100.000%

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by disposing of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not store or use near heat or open flame.

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knock-down and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE® House & Garden Spray 21321 provides effective residual control.

EVERCIDE® House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches ants, flies and other listed pests.

2/6

EVERCIDE® House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip, pet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

Do not use in commercial food/feed handling establishments, restaurants, or other places where food/feed is commercially prepared, processed, served or stored. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

For use in areas [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Dust Mites	Centipedes	American Dog Tick
Asian Cockroach	Ground Beetles	Ants	Brown Dog Tick
German Cockroach	Elm Leaf Beetle	Bedbugs	Gulf Coast Ticks
American Cockroach	Boxelder Bug	Lice	Lone Star Tick
Australian Cockroach	Earwigs	Biting Lice	Deer Ticks
Oriental Cockroach	Clover Mites	Carpet Beetles	Other Ixodid Species
Crickets	Pillbugs	Dermestid Beetles	
Waterbugs	Silverfish	Trogoderma	
Palmetto Bugs	Firebrats	Black Carpet Beetle	
Granary Insects	Warehouse Beetle	Tobacco Moth	Deer Fly
Cadelle Rice Weevil	Red Flour Beetle	Indian Meal Moth	Face Fly
Flat Grain Beetle	Grain Mite	Angoumois Grain Moth	Flies
Flour Beetle	Cheese Mite	Booklice	Fruit Flies
Cigarette Beetle	Flying Moths	Wood Borers	Gnats
Confused Flour Beetle	Clothes Moth	Weevils	Horse Fly
Drugstore Beetle	Webbing Clothes Moth	Small Flying Insects	House Fly
Lesser Grain Borer	Small Flying Moths	Sand Fly	Midge
Merchant Grain Beetle	Indian Mealworm	Sciarid Fly	Mosquitoes
Sawtoothed Grain Beetle	Almond Moth	Black Fly	Stable Fly
Grain Weevil	Chocolate Moth	Biting Fly	Vinegar Fly

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as]:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphid	Diamondback Moth	Leaf-tiers	Spotted Mites
Amyworm	Eastern Tent Caterpillar	Mealy Bugs	Stink Bugs
Asparagus Beetle	Flea Beetle	Mexican Bean Beetles	Tarnished Plant Bug
Boxelder Bug	Gypsy Moth [adult & larvae]	Mites	Tomato Pin Worm
Cabbage Looper	Inchworms	Oleander Caterpillar	Two Spotted Mites
Cankerworm	Japanese Beetle	Psyllids	Tent Caterpillars
Caterpillars	Lace Bug	Red Spider Mites	Thrips
Chewing Insects	Leaf Miners	Rose Chafer	Whitefly
Colorado Potato Beetle	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cucumber Beetle	Leafhoppers	Southern Army Worm	Corn Ear Worm
Cutworm	Leafrollers	Spider Mites	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

DO NOT CONTAMINATE FOOD AREAS.

4/6

INDOOR USE:

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected.

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

EXPOSED STAGES OF Granary Insects, Flour Beetles, Caddises, Rice Weevils, Flat Grain Beetles, Cigarette Beetle, Confused Flour Beetles, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Weevils, Cheesemites and Indian Mealworm. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS: Midge, Small Flying Insects, Sand Fly, Black Fly, Biting Fly, Deer Fly, Face Fly, Horse Fly, House Fly, Stable Fly, Vinegar Fly, Fruit Flies and other flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetle, Boxelder Bug, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact] [such as]:

Aphid	Diamondback Moth	Leaf-tiers	Spotted Mites
Armyworm	Eastern Tent Caterpillar	Mealy Bugs	Stink Bugs
Asparagus Beetle	Flea Beetle	Mexican Bean Beetles	Tarnished Plant Bug
Boxelder Bug	Gypsy Moth [adult & larvae]	Mites	Tomato Pinworm
Cabbage Looper	Inchworms	Oleander Caterpillar	Two Spotted Mites
Cankerworm	Japanese Beetle	Psyllids	Tent Caterpillars
Caterpillars	Lace Bug	Red Spider Mites	Thrips
Chewing Insects	Leaf Miners	Rose Chafer	Whitefly
Colorado Potato Beetle	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worm
Cucumber Beetle	Leafhoppers	Southern Army Worm	Corn Ear Worm
Cutworm	Leafrollers	Spider Mites	

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

5/6

WHEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant. Rare or unusual varieties of plants should be sprayed on a few leaves to assure plant safety before spraying the entire plant. Care should be taken when spraying tender new growth or fuzzy leaved plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90° F.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

Made in USA

EPA Reg. No. 1021-1715

EPA Est. No. 1021-MN-2

6/6
MGK[®]

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

April 9, 2003

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (7504C)
Crystal Mall # 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Via Courier

Subject: EVERCIDE® House & Garden spray 21321
EPA Reg. No. 1021-1715
Notification

Dear Sir or Madam:

By notification, we are adding optional marketing language to our label.


Enclosed are 2 copies of the label with 1 copy with changes highlighted.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY



Thomas A. Lennan
Registration Specialist

Enclosure

Quality Products Since 1902