1021-1715



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Steven K. Ditto McLaughlin Gormley King Company 8810 10th Avenue North Minneapolis, MN 55427

APR 3 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated February 11, 2009 for:

EPA Registration 1021-1715 Evercide® House and Garden Spray 21321

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

in

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

easé read instructions before completing form United States			[Registrati		060. Approval expires 05-31-98	
		Protection Ag	gencv		Amendme		
VLIA		ton, DC 20460		Х	Other		
		Application	for Pesticid	e - Section	1 1		
. Company/Product I 021-1715	Number		2. EPA Produ Richard G	-		3. Proposed	Classification
4. Company/Product (Name)			Richard Gebken		· · · .	None	Destricted
EVERCIDE® House and Garden Spray 21321			РМ# 13		· · · · · · · · · · · · · · · · · · ·		
	of Applicant (Include Zip Code)						tion 3(c)(3)(b)(i), my
-	ley King Company		product is sin	nilar or identic	al in composit	tion and labelin	•
				L.	•,	NO	TIFICATION
INNEAPOLIS, N	/IN 33427		EPA Reg. N	(eg. No.			
			Product Na	~ ~		AI	PR 0 3 2009
Check i	f this is a new address		FIOUUCINA				
			Section - II				· · · · ·
	nent - Explain below.				Final printed	l labels in resp	onse to
					Agency lette	-	
Resubn	ission in response to Agency let	ter dated			"Me Too" Ap		
	tion - Explain below. ditional page(s) if necessary. (Fe		-		Other - Expl	ain below.	
		·				i	
			Section - III				
. Material This Produ	ct Will Be Packaged In:					· · · ·	· · · · · · · · · · · · · · · · · · ·
hild-Resistant Packa	ging Unit Packaging		Water Solubl	e Packaging		2. Type of (Container
Yes*	Yes			Yes		Metal	
V No	✓ No		✓	No		Plasti	
	If "Yes"	No. per	lf "Yes"		No. per		
Certification must	Unit Packaging wgt.	container	Package wgt		container		
e submitted				<u></u>	.	Other	
Location of Net Cor		4. Size(s) Reta 4-24 oz.	all Container			of Label Direct	lions
✓ Label		4-24 02.					accompanying product
Manner in Which La	abel is Affixed to Product	Lithograph	· ·		Other	On Easting	accompanying product
	↓ 	Paper glued					
		Stenciled					
· · · · · · · · · · · · · · · · · · ·			Section - IV				
Contact Point (Com	plete items directly below for ide	ntification of indi	vidual to be co	ntacted, if nec	essary, to pro	cess this appl	lication.)
ame		Title					No. (Include Area Code)
Steven K. Ditto Registra		Registratior	on Specialist			(763) 544-034ຄຄາຍ 	
		Certification					6. Date Application
I certify that the stat	ements I have made on this form	n and all attachm	nents thereto a	e true, accura	ate and compl	ete.o	Reçeived
	any knowingly false or misleading						0000
both under applicat			•			5 5 5 7 2 3 7	(Stamped)
Signature		3. Title				υναιο	
R		Registration	n Specialist			້ດວັບບ	0 C C C C C C C C C C C C C C C C C C C
com		<u> </u>		<u>.</u>		•	
Typed Name		5. Date 2/11/2009					0 60
Steven K. Ditto							0 0 0

.

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

.

.



ł

McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

February 11, 2009

Via Courier

....

o

. C 0 0 . C 0 0

90000

Document Processing Desk (NOTIF) U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs (H7504P) Room S-4900, One Potomac Yard 2777 South Crystal Dr. Arlington, VA 22202-4501

Subject: EVERCIDE® House and Garden Spray 21321 EPA Reg. No. 1021-1715 Notification Per PR-Notice 2007-4

Dear Sir or Madam:

By Notification we are changing the storage and disposal language to comply with the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto Registration Specialist

Enclosure

Quality Products Since 1902

GORMLEY KING COMPANY

McLAUGHLIN

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate	e or optional wording			
[Kills (controls) ornamental	garden pests for up to 7 days]		
[Effective (residual) (long te	erm) control]		·	
[Kills [controls] insects on c	ornamental plants, shrubs, vine	es and houseplant	s for up to 7 days]	
[Provides rapid knock-dowr	n and kill]		·	
[Residually controls (kills) c	ockroaches, spiders, crickets	and other crawling	insects]	
[Residually controls (kills) f	leas and ticks indoors and aro	und pet areas]		
[Water-based formula	[Ready-To-Use Liquid]	[No Mixing]	[No Measuring]	
[Indoor/Outdoor Use]				
ACTIVE INGREDIENTS:				
Permethrin [*(3-Pheno	oxyphenyl) methyl (+ or -) cis-t	rans-3-(2,2-		
dichloroethenyl) 2,2-d	imethylcyclopropanecarboxyla	te)		
Related reaction produ	ucts			
Tetramethrin [(1-Cyclo	ohexene-1,2-dicarboximido) m	ethyl 2,2-dimethyl	-3-(2-	NOTIFICATION
methýlpropenyl)			0.200%	
cyclopropanecarboxyl	ate]		••••	AFR U ZINS
OTHER INGREDIENTS	-			
•			100.000%	
* Cie-trane isomere rativ	Min 35% (+ or) die and M	av 65% (+ or) tr	ane	

 Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID	
IF SWALLOWED:	 Immediately call a poison control center or doctor. 	
	 Do not induce vomiting unless told to do so by a poison control center or doct 	or.
	 Do not give any liquid to the person. 	
	 Do not give anything by mouth to an unconscious person. 	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. 	
	 Rinse skin immediately with plenty of water for 15-20 minutes. 	
	Call a poison control center or doctor for treatment advice.	
Have the product container or lab or pesticide incidents, call 1-888-	el with you when calling a poison control center or doctor or going for treatment. For information 740-8712.	n regarding medical emergencies
	Net Contents	
	Manufactured by:	
	Mc LAUGHLIN GORMLEY KING COMPANY	
	8810 Tenth Avenue North	
	Minneapolis, MN 55427	
· · ·	EPA Reg. No. 1021-1715 EPA Est. No. 1021-MN-2	-
	HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
	CAUTION	
	Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash	
	thoroughly with soap and water after handling and before eating, drinking, chewing gum,	L E E E
	or using tobacco. Remove and wash contaminated clothing before reuse.	
	ENVIRONMENTAL HAZARDS	ι. (τ. ε.ε.
	This product is toxic to fish. Do not apply directly to water. Do not contaminate water	i e e e
	when disposing of equipment wash waters or rinsate.	U

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knockdown and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE® House & Garden Spray 21321 provides effective residual control.

EVERCIDE® House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches, onts, flies and other listed pests.

EVERCIDE® House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip; jet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

Do not use in commercial food/feed handling establishments, restaurants, or other places where food/feed is commercially prepared, processed, served or stored In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

For use in areas [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums,

Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers; Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] flying and crawling insects [on contact] [such as]:

Cockroaches	Sowbugs	Spiders	Ticks [that may carry and transmit Lyme disease]
Smokey Brown Cockroach	Millipedes	Scorpions	Fleas
Brown Banded Cockroach	Dust Mites	Centipedes	American Dog Ticks
Asian Cockroach	Ground Beetles	Ants	Brown Dog Ticks
German Cockroach	Elm Leaf Beetles	Bedbugs	Gulf Coast Ticks
American Cockroach	Boxelder Bugs	Lice	Lone Star Ticks
Australian Cockroach	Earwigs	Biting Lice	Deer Ticks
Oriental Cockroach	Clover Mites	Carpet Beetles	Other Ixodid Species
Crickets	Pillbugs	Dermestid Beetles	
Waterbugs	Silverfish	Trogoderma	
Palmetto Bugs	Firebrats	Black Carpet Beetles	
Granary Insects	Warehouse Beetles	Tobacco Moths	Deer Flies
Cadelles Rice Weevils	Red Flour Beetles	Indian Meal Moths	Face Flies
Flat Grain Beetles	Grain Mite s	Angoumois Grain Moths	Flies
Flour Beetles	Cheese Mites	Booklice	Fruit Flies
Cigarette Beetles	Flying Moths	Wood Borers	Gnats
Confused Flour Beetles	Clothes Moths	Weevils	Horse Flies
Drugstore Beetles	Webbing Clothes Moths	Small Flying Insects	House Flies
Lesser Grain Borers	Small Flying Moths	Sand Flies	Midges
Merchant Grain Beetles	Indian Mealworms	Sciarid Flies	Mosquitoes
Saw-toothed Grain Beetles	Almond Moths	Black Flies	Stable Flies
Grain Weevils	Chocolate Moths	Biting Flies	Vinegar Flies

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact] [such as]:

Aphids	Diamondback Moths	Leaftiers	Spotted Mites
Armyworms	Eastern Tent Caterpillars	Mealy Bugs	Stink Bugs
Asparagus Beetles	Flea Beetles	Mexican Bean Beetles	Tarnished Plant Bugs
Boxelder Bugs	Gypsy Moth [adult & larvae]	Mites	Tomato Pin Worms
Cabbage Loopers	Inchworms	Oleander Caterpillar	Two Spotted Mites
Cankerworms	Japanese Beetles	Psyllids	Tent Caterpillars
Caterpillars	Lace Bugs	Red Spider Mites	Thrips
Chewing Insects	Leaf Miners	Rose Chafer	Whiteflies
Colorado Potato Beetles	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worms
Cucumber Beetles	Leafhoppers	Southern Army Worms	Corn Ear Worms
Cutworms	Leafrollers	Spider Mites	

cici

....

....

LG

ιι

tete

. cice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

DO NOT CONTAMINATE FOOD AREAS. Avoid contamination of food and feedstuffs.

INDOOR USE:

FLEAS AND TICKS: Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FLEAS AND TICKS IN PET BEDDING AND PET AREAS: Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry.

COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. TO KILL ANTS, treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

CARPET BEETLES: [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, and areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected.

BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

EXPOSED STAGES of Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, Weevils, Cheese Mites, and Indian Mealworms. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

OUTDOOR USE:

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, House Flies, Stable Flies, Vinegar Flies, Fruit Flies, and other flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetles, Boxelder Bugs, Earwigs, Clover Mites, Pillbugs, 'Céhtipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate.

Page 3 of 4 21321-9040209

.

بر، ز، ز،

.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Aphids	Diamondback Moths	Leaftiers	Spotted Mites
Armyworms	Eastern Tent Caterpillar	Mealy Bugs	Stink Bugs
Asparagus Beetles	Flea Beetles	Mexican Bean Beetles	Tarnished Plant Bugs
Boxelder Bugs	Gypsy Moths [adult & larvae]	Mites	Tomato Pin Worms
Cabbage Loopers	Inchworms	Oleander Caterpillars	Two Spotted Mites
Cankerworms	Japanese Beetles	Psyllids	Tent Caterpillars
Caterpillars	Lace Bugs	Red Spider Mites	Thrips
Chewing Insects	Leaf Miners	Rose Chafer	Whiteflies
Colorado Potato Beetles	Leaf Beetles	Soft Brown Scale	Tomato Fruit Worms
Cucumber Beetles	Leafhoppers	Southern Army Worms	Corn Ear Worms
Cutworms	Leafrollers	Spider Mites	

Kills [controls] plant insects [on contact] [such as]:

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including, [but not limited to:] [such as:]

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lilv, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant. Rare or unusual varieties of plants should be spraved on a few leaves to assure plant safety before spraving the entire plant. Care should be taken when spraving tender new growth or fuzzy leafed plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90°F.

STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage and disposal. STORAGE: Store in a cool, dry place. Keep container closed. Pesticide Storage Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. DISPOSAL: Pesticide Disposal and Container Handling Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency-or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

6000 ...0 υŭ 0

00**00**

60

6600

Ċ ້ວເມວັ

ō

000000

66660

00 00000