

1021-1715

08/08/2013

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Mr. Jeffrey Nelson  
McLaughlin Gormley King Company  
8810 Tenth Avenue North  
Minneapolis, MN 55427

AUG - 8 2013

Dear Mr. Nelson:

Subject: Application for Pesticide Notification (PRN 98-10)  
Add Warranty Statement  
EVERCIDE House & Garden Spray 21321  
EPA Reg. No. 1021-1715  
Your submission dated April 25, 2013

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 25, 2013 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at [pilitt.dana@epa.gov](mailto:pilitt.dana@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505P)

10021-1715 D 478369



United States  
 Environmental Protection Agency  
 Washington, DC 20460

Registration  
 Amendment   
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 1021-1715	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® House & Garden Spray 21321	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____  Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR-Notice 98-10.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
*Certification must be submitted					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 2 oz to 1 gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Jeffrey Nelson		Title Regulatory Affairs Specialist		Telephone No. (Include Area Code) (763) 593.3440	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Affairs Specialist			
4. Typed Name Jeffrey Nelson		5. Date 4/25/2013			



3/7

April 25, 2013

Document Processing Desk (NOTIF)  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs (H7504C)  
Room S-4900, One Potomac Yard  
2777 South Crystal Dr.  
Arlington, VA 22202-4501

Via Courier

Subject: EVERCIDE® House & Garden Spray 21321  
EPA Reg. No. 1021-1715  
Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding the Warranty Statement:

- [NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance with use directions.]

Enclosed, please find the following documents to support this application:

- Application for Notification (EPA Form 8570-1)
- One color, highlighted copy of the label
- One monochrome copy of the label

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other change have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please contact this office if you have any questions or need anything further regarding this matter.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Jeffrey Nelson  
Regulatory Affairs Specialist  
[jeff.nelson@mgk.com](mailto:jeff.nelson@mgk.com)  
800-645-6466 – Telephone  
763-544-6437 - FAX

Enclosures  
c: Anthony Griffin, MGK

```

cccc
cccc
cccc
cccc
      c
cccccc
c  c  c
c  c  c
cccc
cccc
cccc
cccc
      c
cccc
cccc
cccc

```

4/7

# EVERCIDE® House & Garden Spray 21321

[ ] OR ( ) indicates alternate or optional wording

[Kills (controls) ornamental garden pests for up to 7 days]

[Effective (residual) (long term) control]

[Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days]

[Provides rapid knock-down and kill]

[Residually controls (kills) cockroaches, spiders, crickets and other listed crawling insects]

[Residually controls (kills) fleas and ticks indoors and around pet areas]

[Water-based formula  
[Ready-To-Use Liquid]  
[No Mixing]  
[No Measuring]

[Indoor/Outdoor Use]

[Kills Stink Bugs, Brown Marmorated Stink Bugs (BMSB), Asian Lady Beetles and Box Elder Bugs]

**NOTIFICATION**  
**AUG - 8 2013**

**ACTIVE INGREDIENTS:**

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] .....	0.200%
Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl) cyclopropanecarboxylate] .....	0.200%
OTHER INGREDIENTS .....	99.600%
	100.000%

\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED:	<ul style="list-style-type: none"> <li>▪ Immediately call a poison control center or doctor.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>▪ Do not give any liquid to the person.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by




8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1715

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_\_



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knockdown and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE® House & Garden Spray 21321 provides effective residual control.

EVERCIDE® House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

EVERCIDE® House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip, pet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

Do not use in commercial food/feed handling establishments, restaurants, or other places where food/feed is commercially prepared, processed, served or stored. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

For use in areas:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Loafing Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

Kills [controls] flying and crawling insects [on contact]:

Almond Moths, American Cockroach, Angoumois Grain Moths, Ants, Asian Cockroach, Asian Lady Beetles, Australian Cockroach, Bed Bugs, Biting Flies, Biting Lice, Black Carpet Beetles, Black Flies, Booklice, Box Elder Bugs, Brown Banded Cockroach, Brown Marmorated Stink Bugs (BMSB), Cadelles, Carpet Beetles, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Deer Flies, Dermestid Beetles, Drugstore Beetles, Dust Mites, Earwigs, Elm Leaf Beetles, Face Flies, Firebrats, Flat Grain Beetles, Flies, Flour Beetles, Flying Moths, Fruit Flies, German Cockroach, Gnats, Grain Mites, Grain Weevils, Granary Insects, Ground Beetles, Horse Flies, House Flies, Indian Meal Moths, Indian Mealworms, Lesser Grain Borers, Lice, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Oriental Cockroach, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Weevils, Sand Flies, Saw-toothed Grain Beetles, Sciarid Flies, Scorpions, Silverfish, Small Flying Insects, Small Flying Moths, Smokey Brown Cockroach, Sowbugs, Spiders, Stable Flies, Stink Bugs, Ticks [that may carry and transmit Lyme disease] (Fleas, American Dog Ticks, Brown Dog Ticks, Deer Ticks, Gulf Coast Ticks, Lone Star Ticks, Other Ixodid Species), Tobacco Moths, Trogloderma, Vinegar Flies, Warehouse Beetles, Waterbugs, Webbing Clothes Moths, Weevils, Wood Borers.

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

Kills [controls] plant insects [on contact]:

Aphids, Armyworms, Asian Lady Beetles, Asparagus Beetles, Box Elder Bugs, Brown Marmorated Stink Bugs (BMSB), Cabbage Looper, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillars, Flea Beetles, Gypsy Moth [adult & larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leaf Miners, Leafhoppers, Leafrollers, Leaf-tiers, Mealy Bugs, Mexican Bean Beetles, Mites, Oleander Caterpillar, Psyllids, Red Spider Mites, Rose Chafer, Soft Brown Scale, Southern Army Worms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruit Worms, Tomato Pin Worms, Two Spotted Mites, Whiteflies.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

**USE RESTRICTIONS:**

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- Remove pets, birds, and cover fish aquariums before spraying.
- Not for broadcast use on indoor residential surfaces.
- Do not apply when food is present.

**DO NOT CONTAMINATE FOOD AREAS.** Avoid contamination of food and feedstuffs.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

**INDOOR USE:**

**FLEAS AND TICKS:** Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not spray on pets or humans.

**FLEAS AND TICKS IN PET BEDDING AND PET AREAS:** Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry.

**COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS and other listed crawling insects:** Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

**CARPET BEETLES: [Dermestids (Trogoderma):]** Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, and areas under furniture, floors, walls, window sills, baseboards and wherever these insects are seen or suspected.

**BED BUGS:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

**EXPOSED STAGES of Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, Weevils, Cheese Mites, and Indian Mealworms.** Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

**OUTDOOR USE:**

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted use: Applications to lawns, turf, and other vegetation.


Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purpose.

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

Not for use in outdoor residential misting systems.



FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, House Flies, Stable Flies, Vinegar Flies, Fruit Flies, and other listed flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetles, Box Elder Bugs, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact]:

- Aphids, Armyworms, Asian Lady Beetles, Asparagus Beetles, Box Elder Bugs, Brown Marmorated Stink Bugs (BMSB), Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillar, Flea Beetles, Gypsy Moths [adult & larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leaf Miners, Leafhoppers, Leafrollers, Leaf-tiers, Mealy Bugs, Mexican Bean Beetles, Mites, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafer, Soft Brown Scale, Southern Army Worms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruit Worms, Tomato Pin Worms, Two Spotted Mites, Whiteflies.

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including:

- African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant. Rare or unusual varieties of plants should be sprayed on a few leaves to assure plant safety before spraying the entire plant. Care should be taken when spraying tender new growth or fuzzy leafed plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90°F.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

#### Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

#### Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance with use directions.]

