



**OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION**

WASHINGTON, D.C. 20460

November 21, 2025

Thomas Lennan  
Senior Regulatory Affairs Specialist  
McLaughlin Gormley King Company D/B/A MGK  
7325 Aspen Lane North  
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Tetramethrin and  
Permethrin  
Product Name: EVERCIDE HOUSE & GARDEN SPRAY 21321  
EPA Registration Number: 1021-1715  
Case Number: 483446 and 478578  
Application Dates: November 13, 2020

Dear Thomas Lennan:

In accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), the Agency has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Tetramethrin and Permethrin Decisions and has concluded that your submission is acceptable. The amended label, submitted in connection with registration under FIFRA, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at 202-566-2273, or via email at [smith.carolyn@epa.gov](mailto:smith.carolyn@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive, flowing style.

Jaclyn Pyne, Team Leader  
Risk Management and Implementation Branch 3  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

ENCLOSURE: Stamped label

# EVERCIDE® House & Garden Spray 21321

[ ] OR ( ) indicates alternate or optional wording

[Kills (controls) ornamental garden pests for up to 7 days]

[Effective (residual) (long term) control]

[Kills [controls] insects on ornamental plants, shrubs, vines and houseplants for up to 7 days]

[Provides rapid knock-down and kill]

[Residually controls (kills) cockroaches, spiders, crickets and other listed crawling insects]

[Residually controls (kills) fleas and ticks indoors and around pet areas]

[Water-based formula

[Ready-To-Use Liquid]

[No Mixing]

[No Measuring]

For both indoor and outdoor use. [Kills Stink Bugs, Brown Marmorated Stink Bugs (BMSB), Asian Lady Beetles and Boxelder Bugs]

## ACTIVE INGREDIENTS:

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate) .....	0.200%
Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -3-(2-methylpropenyl) cyclopropanecarboxylate].....	0.200%
OTHER INGREDIENTS .....	99.600%
	100.000%

\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>Take off contaminated clothing.</li><li>Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED:	<ul style="list-style-type: none"><li>Immediately call a poison control center or doctor.</li><li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>Do not give <b>any</b> liquid to the person.</li><li>Do not give anything by mouth to an unconscious person.</li></ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by




7325 Aspen Lane North  
Minneapolis, MN 55428

EPA Reg. No. 1021-1715

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_\_



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

EVERCIDE® House & Garden Spray 21321 contains a combination of ingredients that provides rapid knockdown and kill of the listed insects. This highly effective water-base formula can be used on flying and crawling insects, indoor and outdoor houseplants and ornamental pests. EVERCIDE House & Garden Spray 21321 provides effective residual control.

EVERCIDE House & Garden Spray 21321 [this product] effectively controls pests that infest food in the pantry along with cockroaches, ants, flies and other listed pests.

EVERCIDE House & Garden Spray 21321 can be used to control [kill] fleas and ticks hidden in carpets, rugs, upholstery, draperies, floor cracks and cabinets.

To protect your pet against and to minimize reintroduction of fleas from outdoors, use EPA registered flea and tick products, (i.e. pet dip, pet shampoo, flea or flea and tick pet shampoo, flea or flea and tick collar, pet powder, pet spray) in conjunction with this application and prior to re-entry.

Do not use in commercial food/feed handling establishments, restaurants, or other places where food/feed is commercially prepared, processed, served or stored. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

#### For use in areas:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buses, Cabinets, Cabins, Camp Sites, Campers, Carpets, Chests, Closed Porches, Closets, Clothes Storage, Condominiums, Credenza, Decks, Dens, Dog Houses, Draperies, Dressers, Floors, Furniture, Houseplants, Garages, Garbage Cans, Gardens, Gazebos, Homes, Household Contents, Kitchens, Lanais, Living Rooms, Lofting Sheds, Mattresses, Mobile Homes, Ornamental Plants, Pantry, Patios, Pet Bedding, Pet Sleeping Areas, Pet Carriers, Plants, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rugs, Solariums, Storage Areas, Sun Porch, Sun Rooms, Tents, Trailers, Tree Houses, Utility Rooms, Verandas, and Washrooms.

#### Kills [controls] flying and crawling insects [on contact]:

Almond Moths, American Cockroach, Angoumois Grain Moths, Ants, Asian Cockroach, Asian Lady Beetles, Australian Cockroach, Bed Bugs, Biting Flies, Biting Lice, Black Carpet Beetles, Black Flies, Booklice, Boxelder Bugs, Brown Banded Cockroach, Brown Marmorated Stink Bugs (BMSB), Cadellles, Carpet Beetles, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Deer Flies, Dermestid Beetles, Drugstore Beetles, Dust Mites, Earwigs, Elm Leaf Beetles, Face Flies, Firebrats, Flat Grain Beetles, Flies, Flour Beetles, Flying Moths, Fruit Flies, German Cockroach, Gnats, Grain Mites, Grain Weevils, Granary Insects, Ground Beetles, Horse Flies, House Flies, Indian Meal Moths, Indian Mealworms, Lesser Grain Borers, Lice, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Oriental Cockroach, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Weevils, Sand Flies, Sawtoothed Grain Beetles, Sciarid Flies, Scorpions, Silverfish, Small Flying Insects, Small Flying Moths, Smokey Brown Cockroach, Sowbugs, Spiders, Stable Flies, Stink Bugs, Ticks [that may carry and transmit Lyme disease] (Fleas, American Dog Ticks, Brown Dog Ticks, Deer Ticks, Gulf Coast Ticks, Lone Star Ticks, Other Ixodid Species), Tobacco Moths, Trogoderma, Vinegar Flies, Warehouse Beetles, Waterbugs, Webbing Clothes Moths, Weevils, Wood Borers.

#### For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracaena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

#### Kills [controls] plant insects [on contact]:

Aphids, Armyworms, Asian Lady Beetles, Asparagus Beetles, Boxelder Bugs, Brown Marmorated Stink Bugs (BMSB), Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillars, Flea Beetles, Gypsy Moth [adult & larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leafminers, Leafhoppers, Leafrollers, Leaf tiers, Mealybugs, Mexican Bean Beetles, Mites, Oleander Caterpillar, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Armyworms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruitworms, Tomato Pinworms, Two Spotted Mites, Whiteflies.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. TURN SPRAY NOZZLE TO "ON" POSITION. APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product. For plants, spray a few leaves and wait 24 hours before spraying entire plant.

#### USE RESTRICTIONS:

For spot, crack and crevice application only. Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.



Do not allow to enter indoor or outdoor drains.

No permita la entrada a desagües internos o externos.

Follow proper disposal procedures on this label.

Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not allow the product to enter any drain during or after application.

Do not allow adults, children, or pets to enter the treated area until sprays have dried.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds, and cover fish aquariums before spraying.

Not for broadcast use on indoor residential surfaces.

Do not apply when food is present.

**DO NOT CONTAMINATE FOOD AREAS.** Avoid contamination of food and feedstuffs.

Do not apply when the wind speed is greater than 15 mph.

For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

#### INDOOR USE:

**FLEAS AND TICKS:** Prior to use, vacuum all infested areas thoroughly and dispose of vacuum bag in outside trash. Apply uniformly to rugs, carpets, draperies and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessive wetting of upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to the pests. Spray thoroughly into hiding places such as cracks and crevices, on walls and floors, along baseboards, window and door frames. Spray at the rate of one linear foot per second with a slow sweeping motion. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not spray on pets or humans.

**FLEAS AND TICKS IN PET BEDDING AND PET AREAS:** Remove and destroy or wash pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. Do not allow pets to use treated areas until completely dry.

For best results, pets should be treated with EPA registered flea and tick control product, (i.e. flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea or flea and tick shampoo), in conjunction with this application prior to re-entry.

**COCKROACHES, ANTS, CRICKETS, CENTIPEDES, FIREBRATS, SPIDERS** and other listed crawling insects: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, hitting insects with spray whenever possible. **TO KILL ANTS,** treat around doors, window frames and other areas of entry. Spray on ants whenever possible.

**CARPET BEETLES:** [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, and areas under furniture, floors, walls, windowsills, baseboards and wherever these insects are seen or suspected.

**BED BUGS:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, floors, walls, furniture and other infested areas. Allow treated articles to thoroughly dry before use.

**EXPOSED STAGES** of Granary Insects, Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Sawtoothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, Weevils, Cheese Mites, and Indian Mealworms. Find and dispose of infested packaged goods and exposed insects. Remove all other items from pantry, shelves and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers and cabinets and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after the spray has dried.

For particularly heavy infestations of listed pests, use [MGK® Indoor Fogger] [brand name] following application of this product.

#### OUTDOOR USE:

#### SPRAY DRIFT ADVISORIES

**Handheld Technology Applications:** Take precautions to minimize spray drift.

All outdoor applications must be limited to spot or crack and crevice treatments only, except for the following permitted use: Applications to lawns, turf, and other vegetation.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Spray the surface areas and contact as many insects as possible. Do not apply this product in or around bodies of water.

Do not apply or irrigate to the point of runoff. Do not make applications during rain.

Not for use in outdoor residential misting systems.

FLIES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, House Flies, Stable Flies, Vinegar Flies, Fruit Flies, and other listed flying insects: Hold container 12-18 inches from shrubs, bushes, grassy areas and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio area, screens, window frames, doors and other areas where these pests may light or congregate in a similar manner. Allow spray to dry before occupying the treated area.

ANTS: Spray ant trails, ant hills, ant mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, MILLIPEDES, BEETLES, EARWIGS, Ground Beetles, Elm Leaf Beetles, Boxelder Bugs, Earwigs, Clover Mites, Pillbugs, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces thoroughly and into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate.

#### GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Kills [controls] plant insects [on contact]:

Aphids, Armyworms, Asian Lady Beetles, Asparagus Beetles, Boxelder Bugs, Brown Marmorated Stink Bugs (BMSB), Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Corn Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillar, Flea Beetles, Gypsy Moths [adult & larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leafminers, Leafhoppers, Leafrollers, Leaf tiers, Mealybugs, Mexican Bean Beetles, Mites, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Armyworms, Spider Mites, Spotted Mites, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tomato Fruitworms, Tomato Pinworms, Two Spotted Mites, Whiteflies.

For use in homes and outdoors on ornamental plants, shrubs, vines and houseplants including:

African Violet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Carnation, Chinese Evergreen, Cineraria, Chrysanthemums, Coleus, Creeping Charlie, Daffodil, Dahlias, Delphiniums, Deciduous Ornamentals, Dogwood, Dracaena, English Ivy, Evergreens, Fatshedera, Fatsia, Fern, Ficus, Fuchsia, Gardenia, Geranium, Gladiolus, Gypsophila, Hibiscus, Holly, Hydrangea, Iris, Ivy, Jasmine, Juniper, Lily, Marigold, Palm, Peony, Pelargonium, Petunia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia, Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, Zinnia.

WHEN SPRAYING, HOLD CONTAINER 12" FROM PLANT. Water plant thoroughly before spraying. Do not spray a drought stressed plant. Rare or unusual varieties of plants should be sprayed on a few leaves to assure plant safety before spraying the entire plant. Care should be taken when spraying tender new growth or fuzzy leafed plants. Avoid excessive wetting of foliage with spray by spraying with a slow, sweeping motion, covering upper and lower leaf surfaces. For best results, spray in the early morning when air is still. Do not spray plants in direct hot sun or in temperatures over 90°F.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

#### PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

#### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance with use directions.]