

2642-699

MGK McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® PRESSURIZED PET SPRAY 2642

Contains NYLAR® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

[] OR () indicates alternate or optional wording

Nylar® is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

- Nylar® stops [prevents] the fleas from developing into egg laying adults
- Nylar® can be used as part of an integrated pest management [IPM] program
- Nylar® can be a biorational approach to insect control
- Nylar® keeps working in areas exposed to the sun

Inhibits reinfestation of fleas for up to 100 days [14 weeks] [3 months]

Kills adult fleas

Kills preadult fleas, including flea eggs for 100 days [14 weeks] [3 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents larval fleas from developing into the biting adult stage

Prevents [stops] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 100 days [14 weeks] [3 months] against hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from developing into the biting adult stage

Nylar® activity keeps working for 100 days [14 weeks] [3 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on the dog [puppy] [cat] [kitten] [pet] will not develop into adult fleas

Nylar® acts on the immature life stage of the flea, preventing it from developing into biting a adult

Kills [controls] and Repels: Fleas, Ticks, Lice, Flies, Mosquitoes and Gnats

Also kills [controls] Deer Ticks and other tick [Ixodid] species that may carry and transmit Lyme Disease

Kills, on contact, Ticks, Spiders, Ants and other listed insects

Effective long term control

ACCEPTED

AUG 10 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1725

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine.....	0.125%
Pyrethrins.....	0.056%
Permethrin.....	0.050%

OTHER INGREDIENTS	99.769%
	<hr/> 100.000%

EVERCIDE, NYLAR® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms persist.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Wash thoroughly with soap and water after handling. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

EVERCIDE® PRESSURIZED PET SPRAY 2642

Kills [controls] insects [on contact] [such as]:

- | | |
|--|------------|
| Fleas [adults (larvae) (eggs) (preadult)] | Millipedes |
| Ticks [that may carry and transmit Lyme Disease] | Pillbugs |
| Brown Dog Ticks | Centipedes |
| Lone Star Ticks | Spiders |
| Deer Tick | Scorpions |
| Other Ixodid Species | Ants |
| American Dog Tick | Flies |
| Gulf Coast Tick | Mosquitoes |
| Lice | Crickets |
| Sowbugs | |

For use in: Animal Runs, Animal Holding Areas, Animal Quarters, Apartments, Attics, Automobiles, Basements, Bedrooms, Boarding Kennels, Campers, Cat Beds, Closets, Condominiums, Decks, Dens, Dog Beds, Dog Houses, Dormitories, Floors, Garages, Gazebos, Homes, Hotels, Kennels, Kitchens, Lanais, Living Rooms, Motels, Patios, Pet Bedding, Pet Carriers, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Play Rooms, Porches, Recreational Vehicles, Rooms, Scratching Posts, Utility Rooms, Verandas and Veterinarian Clinics/Hospitals.

EVERCIDE® PRESSURIZED PET SPRAY 2642 for dogs [puppies] [cats] [kittens] [pets] contains a combination of ingredients that stops [blocks (interrupts) (terminates)] the flea life cycle and controls [kills] other listed insects. The first active ingredient is NYLAR®, an insect growth regulator which inhibits the development of the immature stages of the flea for 100 days [14 weeks] [3 months] preventing them from reaching the adult stage. NYLAR® is similar to insect growth hormones that occur naturally in insects. The second active ingredient is the botanical, Pyrethrum [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing these insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active ingredient provides residual activity.

The combination of ingredients in EVERCIDE® PRESSURIZED PET SPRAY 2642 for dogs [puppies] [cats] [kittens] [pets] kills adult fleas and the hatching fleas [preadult (larval) fleas] [eggs (hatching eggs (larvae) for 100 days [14 weeks] [3 months] before they grow up to bite. NYLAR®, the insect growth regulator, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)] for 100 days [14 weeks] [3 months] by preventing their development into the adult biting stage.

EVERCIDE® PRESSURIZED PET SPRAY 2642 can also be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks and cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

As part of a complete flea control program use EPA registered outdoor [lawn] [home and garden] spray, [pressurized] [Ready-to Use] [RTU] flea and tick [indoor] [premise] spray.

This product may be applied as a direct, contact spray to control fleas, ticks, and other listed insect pests on premises.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND/OR CATS.

DO NOT TREAT DOGS UNDER 6 MONTHS OF AGE WITH THIS PRODUCT.

DO NOT TREAT CATS UNDER 7 MONTHS OF AGE WITH THIS PRODUCT.

SHAKE WELL BEFORE USE

LICE, FLEAS AND TICKS:

FOR DOGS AND CATS [PETS]: Cover animal's eyes with hands. With a firm stroke, to get a proper spray mist, spray hand, ears and chest until damp. With finger tips, rub into face, around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to skin, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. [When used on miniature and toy breeds of dogs or on cats, towel dry the animal after 1/2 hour if not totally dry.] Repeat treatment as needed. Avoid contact with genitalia. Do not reapply for 3 months.

Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FOR PUPPIES OVER 6 MONTHS OF AGE AND KITTENS OVER 7 MONTHS OF AGE: Wrap the animal in a towel which has been sprayed lightly with this product. Leave eyes, nose and mouth exposed. Put some spray on fingers and gently rub around eyes, nose and mouth area. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. For best results, all older dogs and cats should be treated with a similar flea control product [such as] to prevent infestation of puppies and kittens. Do not spray directly on puppies and kittens. Repeat as needed. Avoid contact with genitalia.

FOR USE IN PET [DOG] [PUPPY] [CAT] [KITTEN] AREAS AND OTHER AREAS WHERE PETS [DOGS] [PUPPIES] [CATS] [KITTENS] FREQUENT: Treat pet [dog] [puppy] [cat] [kitten] bedding and other pet [dog] [puppy] [cat] [kitten] resting areas as these are primary hiding areas for fleas and ticks. To reduce infestation, spray around sleeping area, around baseboards, window and door frames, wall cracks, local areas of floors and other resting places until the surface is slightly moist. Also spray the entire inside surface of dog houses [animal holding areas]. For best results, treat pet bedding, animal quarters and other resting areas [other listed pet areas] before returning pet to treated areas. No need to remove pet bedding after treatment. Do not allow pets to use treated areas until completely dry. Repeat as needed.

TO CONTROL OTHER LISTED PESTS: Apply as a direct spray to control accessible stages of listed insects. Spray to thoroughly wet exposed insects. Direct spray into hiding places, cracks and crevices, along baseboards and around door and window frames. Repeat as needed.

STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame.

PESTICIDE DISPOSAL: Unused product may be disposed of by wrapping container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Recycle this empty container where aerosol can recycling is available. If recycling is not available, replace overcap and dispose in trash. Do not puncture or incinerate.

Net Weight _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

Made in USA

EPA Reg. No. 1021-1725

EPA Est. No. 1021-MN-2

