

1021-1738

6/28/2004

1/2

2781-504

EVERCIDE® SYNERGIZED PERMETHRIN POUR-ON 2781

**ACCEPTED**

JUN 28 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1738

Kills Lice and Flies on Cattle  
 For Use on Beef Cattle, Lactating and Non-lactating Dairy Cattle, and their Premises  
 Synergized Formula for Effective Control  
 For Use as a Pour-On, Mist Spray or Back Rubber

ACTIVE INGREDIENTS

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] ..... 5.00%

\*\* Piperonyl Butoxide Technical ..... 5.00%

\*\*\* OTHER INGREDIENTS ..... 90.00%

100.00%

- \* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
- \*\* Equivalent to Min. 4.0% butylcarbityl(6-propylpiperonyl) ether and 1.0% related compounds
- \*\*\* Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
IF INHALED:	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

PRECAUTIONARY STATEMENTS

**CAUTION**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water, to areas where surface waters are present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

EXCEPT FOR BACK RUBBER/READY TO USE  
 No dilution necessary

IMPORTANT NOTE: Concentrated formulation - Use only with an accurate measuring container or applicator.

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef Cattle, and Calves	Lice, Horn Flies, Face Flies, Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes, and Black Flies. Controls Horn Flies up to 6 weeks after application.	DOSAGE: Apply 2 mL per 100 lbs. body wt. of animal, up to a maximum of 20 mL for any one animal when applied as pour-on or spray. POUR ON: Pour correct dose along back and down face. READY TO USE SPRAY: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs, and ears. BACK RUBBER USE: Mix 64 mL (2.1 oz.) per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Premises - in and around Beef, Dairy, Swine and Poultry Premises, Animal Hospital Pens and Kennels, and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, and Little House Flies ( <i>Fannia spp</i> ). Aids in control of cockroaches, ants, spiders, and crickets.	For use as a Ready-To-Use Spot Spray or Premise Spray: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. 600 mL will treat approximately 7,200 square feet.

For cattle, repeat treatment as needed but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: This product is not effective in controlling cattle grubs. This is an oil-based, ready-to-use product that may leave an oily appearance on the hair coat of some animals. This product should be used in an integrated pest management system, which may involve repeat treatments and the use of other pest control practices.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep container sealed when not in use. Do not store near food or feed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

Made in USA

EPA Reg. No. 1021-1738

EPA Est. No. 1021-MN-2