

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

OCT 23 2000

Ms. Julie B. Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue N. Minneapolis, MN 55427-4372

SUBJECT:

Resubmission of Switched Labeling

Evercide Synergized Permethrin Pour-On 2781

EPA File Symbol 1021-1738

Evercide Synergized Permethrin Pour-On 2783

EPA File Symbol 1021-1739

Your Submission Dated September 19, 2000

As you indicated in your September 19, 2000 submission, when the labels for the above noted products were drafted (for the initial submission, the names of the products were switched on the labels. This error was furthered on January 17, 2000 when you sent in an amendment to correct the active concentration and use directions on the labels, not realizing that the labels themselves needed to be switched "back". You have stipulated in your letter (9/19/00) that no product under either label has been sold however, as you are now interesting in providing these products to customers, you would like to have the original error corrected.

In response, we have corrected the labeling for these two products. You will note that the products and their respective names/EPA Reg. No's are given above. The correct labeling has been placed in the appropriate files.

Stamped copies of the labels are enclosed for your files. If you have any questions regarding this letter, please contact Linda Werrell Gerber, of my staff, at 703-308-8033.

Sincerely, Wevel Shille for -

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division

Enclosure

Mel AUGHI IN EVERCIDE® SYNERGIZED PERMETHRIN POUR-ON 2783

Kills Flies & Lice Insecticide For Cattle, Sheep and Their Premises Synergized Formula For Effective Control

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (763) 544-0341

POUR ON - SPRAY - MIST - BACK RUBBER - PREMISE

ACTIVE INGREDIENTS:

Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2dimethylcyclopropanecarboxylate)

Piperonyl Butoxide Technical

1.00% 1.00%

OTHER INGREDIENTS

98.00% 100.00%

Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

Equivalent to Min. 8% butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

IF SWALLOWED:

IF IN EYES: IF ON SKIN: Call a physician immediately. Do not induce vomiting unless under medical attention.

Immediately flush eyes with plenty of water. Get medical attention if discomfort persists.

Wash skin with soap and water. Get medical attention.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE - No dilution necessary.

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef	Lice, Horn Flies, Face Flies, Aids in control of	DOSAGE: Apply 1/2 fl. oz. (15cc) per 100 lbs.
Lactating and Non-Lactating Dairy Cattle Beef Cattle and Calves	Horse Flies, Stable Flies, House Flies,	body wt. of animal up to a maximum of 5 fl. oz.
	Mosquitoes and Black Flies	for any one animal
		POUR ON: Pour correct dose along back and
the call many and too of product		down face.
A STATE OF THE PROPERTY OF THE		READY TO USE SPRAY: Use undiluted in a
្រុំ ប្រធានាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប្បាធិប		mist sprayer to apply correct dose. Apply
1000 000		directly to neck, face, back, legs and ears.
- <u>ભાં</u> હલે છ		RUBBER BACK USE: Mix one pint per gallon
to the first termination		#2 diesel or mineral oil. Keep rubbing device
Share 1521-1739		charged. Results improved by daily forced use.
	Sheep Keds, Lice	Pour along back. Apply 1/4 fl. oz. (7.5cc) per 50
Issued on OCT 2 3 2000		lbs. body wt. of animal, up to a maximum of 3 fl.
130000 011		oz. for any one animal. For optimum control, all
		animals in the flock should be treated after

Apply To:	Target Insects	Application Instructions
Premises - in and around Hose, Beef, Dairy, Swine, Sheep and Poultry premises. Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (Fannia spp). Aid in control of cockroaches, ants, spiders, crickets.	For use as a ready-to-use spot spray or premise spray, use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

For cattle and sheep, repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: EVERCIDE® Synergized Permethrin Pour-On 2783 is not effective in controlling cattle grubs.

EVERCIDE® Synergized Permethrin Pour-On 2783 is an oil-based, ready-to-use product, that may leave an oily appearance on the hair coat of some animals.

EVERCIDE® Synergized Permethrin Pour-On 2783 should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
Made in USA

EPA Reg. No. 1021-1739

EPA Est. No. 1021-MN-2