

1021-1739

03/06/2002

1/6

2783-0202

**MGK** <sup>®</sup> **McLAUGHLIN EVERCIDE® SYNERGIZED PERMETHRIN POUR-ON 2783**  
**GORMLEY KING COMPANY**

**ACCEPTED**  
 MAR 6 2002  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1739

Kills Flies & Lice  
 Insecticide For Cattle, Sheep and Their Premises  
 Synergized Formula For Effective Control

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (763) 544-0341

[ ] indicates alternate or optional wording.

POUR ON - SPRAY - MIST - BACK RUBBER - PREMISE

**ACTIVE INGREDIENTS:**

Permethrin [* (3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] .....	1.00%
** Piperonyl Butoxide Technical .....	1.00%
*** OTHER INGREDIENTS .....	98.00%
	100.00%

- \* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
  - \*\* Equivalent to Min. 0.8% butylcarbityl(6-propylpiperonyl) ether and 0.2% related compounds
  - \*\*\* Contains petroleum distillate
- EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

**FIRST AID**

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
IF INHALED:	<ul style="list-style-type: none"> <li>▪ Move person to fresh air.</li> <li>▪ If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>▪ Call a poison control center or doctor for further treatment.</li> </ul>
NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard. Contains petroleum distillate. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on the label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE - No dilution necessary.

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef Cattle and Calves	Lice, Horn Flies, Face Flies, Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes and Black Flies	<b>DOSAGE:</b> Apply 1/2 fl. oz. (15cc) per 100 lbs. body wt. of animal up to a maximum of 5 fl. oz. for any one animal <b>POUR ON:</b> Pour correct dose along back and down face. <b>READY TO USE SPRAY:</b> Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. <b>BACK RUBBER USE:</b> Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. Results improved by daily forced use.

Apply To:	Target Insects	Application Instructions
Sheep	Sheep Keds, Lice	Pour along back. Apply 1/4 fl. oz. (7.5cc) per 50 lbs. body wt. of animal, up to a maximum of 3 fl. oz. for any one animal. For optimum control, all animals in the flock should be treated after shearing.
Premises in and around Horse, Beef, Dairy, Swine, Sheep and Poultry premises. Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies ( <i>Fannia spp.</i> ). Aid in control of cockroaches, ants, spiders, crickets.	For use as a ready-to-use spot spray or premise spray, use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

**[APPLICATION INSTRUCTIONS:**

Apply 1/2 fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. for any one animal to kill Lice Horn Flies and Face Flies. Aids in the insecticidal control of Horse Flies, Stable Flies, Mosquitoes and Black Flies on lactating and non-lactating dairy cattle, beef cattle, calves and sheep. For sheep, apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. for any one animal. Pour-On: Pour along back line and down face. For Keds or sheep, pour along back line over neck, shoulders and rump. Ready-To-Use Spray: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. For Pour-On and Ready-To-Use Spray applications, repeat treatment as needed but do not exceed 5 fl. oz. for any one animal on cattle or 3 fl. oz. for any one animal on sheep during any 14 day interval. For optimum insecticidal effectiveness against lice, a second treatment at 14 day intervals is recommended. Back Rubber Use: Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. For Back Rubber applications, results are improved by dairy forced use.]

For cattle and sheep, repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: EVERCIDE® Synergized Permethrin Pour-On 2783 [this product] is not effective in controlling cattle grubs. EVERCIDE® Synergized Permethrin Pour-On 2783 [this product] is an oil-based, ready-to-use product, that may leave an oily appearance on the hair coat of some animals. EVERCIDE® Synergized Permethrin Pour-On 2783 [this product] should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep container sealed when not in use. Do not store near food or feed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents \_\_\_\_\_  
 Manufactured by:  
**Mc LAUGHLIN GORMLEY KING COMPANY**  
 8810 Tenth Avenue North  
 Minneapolis, MN 55427  
 Made in USA

EPA Reg. No. 1021-1739

EPA Est. No. 1021-MN-2