Please réad instructions before	U-1740	6-14	1-200.	2	Form Approved	OMB No. 2070-00	160. Approval expires 05-31-98	
TOGSE TEACH HISTOCHUMES DEIVIE	United States Environmental Protection Ag Washington, DC 20460				Registration		OPP Identifier Number	
≎ EPA			gency	nency		ent		
VLIA			, <u> </u>		Other			
		Application	for Pestici	de - Section	1			
Company/Product Nu	mber		2. EPA Proc	luct Manager		3. Proposed	Classification	
1021-1740			George LaRocca			_		
4. Company/Product (Name)			PM#			☑ None	Restricted	
EVERCIDE® Permethrin Multi-Purpose Spray 277			13					
	Applicant (Include Zip Cod		6. Expedite	d Review. In a	ccordance wi	th FIFRA Sect	tion 3(c)(3)(b)(i), my	
	RMLEY KING COMPA	NY	product is si	milar or identic	al in composit	ion and labelir	ng to:	
810 TENTH AVEN				N I				
INNEAPOLIS, MI	155427		EPA Reg.	No.				
			Product Na					
Chack if the	his is a new address		Productive	IIIIG				
U Olleck II II	115 13 A 11617 AUG/1633		Section - I	Ī				
Amendme	Final printed lab			labels in resp	onse to			
	The Explain Dolott.			-			•	
Resubmission in response to Agency letter dated			"Me Too"			letter dated NOTIFICATION "Application.		
	(-	•	•	N I 4 2002	
✓ Notificatio	n - Explain below.				Other - Expla	ain below.	11 1 T LOVE	
			Section - II	1				
Material This Product	Will Be Parkaged In:		Gecnon - II					
Material This Product Will Be Packaged In: ild-Resistant Packaging Unit Packaging			Water Solub	le Packaging		2. Type of Container		
☐ Yes ☐ Yes			Water Soluble Packaging Yes			Metal		
☐ No	Ŭ No	1 😕) 🗏 No		Plastic		
	If "Yes"	No. per	If "Yes"		No. per	Glass		
ertification must	Unit Packaging wgt.	container	Package wg	t.	container	Paper		
submitted			<u>l</u> ,				(Specify)	
			ail Container		5. Location o	f Label Directi	ions	
Label		j			On Label			
Manner in Which Lohe	el is Affixed to Product	Lithograph			Other	On Labeling	accompanying product	
Maintol al Prinoi Lube		Paper glued						
		Stenciled						
			Section - I\	/				
Contact Point (Comple	ete items directly below for	identification of Indiv	vidual to be co	ontacted, if nece	essary, to proc	ess this appli	cation.)	
lame Title						Telephone No. (Include Area Code)		
nomas A. Lennan	Registration	Registration Specialist			(763) 544-	·034 ı		
		Certification				,	6. Date Application	
	nents I have made on this fo					te.	Received	
-	y knowingly false or mislead	ding statement may	be punishable	by fine or imp	risonment or			
both under applicable	law.					y •	(Stamped)	
. Signature			3. Title Registration Specialist				, h	
then 1	7 1	negistration	opecialist					
Typed Name	alunan	5. Date					┥ ` ・ 、	
Typou Haille		5. Date 5/01/0000					1	

8810 Tenth Avenue North • Minneapolis, Minnesota 55427-4319 U.S.A.

May 31, 2002

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (7504C)
Crystal Mall # 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Via Courier

Subject:

EVERCIDE® Permethrin Multi-Purpose Spray 27781

EPA Reg. No. 1021-1740

Notification

Dear Sir or Madam:

NOTIFICATION

JUN 1 4 2002

By notification, we are displaying text from the body of our label as an alternate additional location in the header of our label to give the text more prominence for marketing purposes.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Thomas A. Lennan

Registration Specialist

Enclosure

MCLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® PERMETHRIN Multi-Purpose Spray 27781

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

[] OR () indicates alternate or optional wording

For Domestic Use Both Indoors and Outdoors

For Control of Fleas, Brown Dog Ticks, and Lice on Premises and on Dogs

For Control of Ticks Which may Cause Lyme Disease on Premises

For Control of Livestock Pests

Controls Fleas and Ticks on Dogs for 35 Days

Aids in Control of Ticks on Dogs for an Additional 2 Weeks

Provides 60-Day [Two Months] Control of Cockroaches

Provides 60-Day [Two Months] Control of Fleas

Provides 60-Day [Two Months] Control of Stored Product Pests

[Protects Your Animals]

[Indoor/Outdoor + On-Animal Use]

[Kills & Repels Flies (6 types), Mosquitoes & Gnats]

[35-Day Control of Fleas & Ticks on Dogs]

[60-Day Control of Cockroaches, Spiders & Ants]

ACTIVE INGREDIENT:

Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-

dimethylcyclopropanecarboxylate)
OTHER INGREDIENTS

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

NOTIFICATION
JUN 1 4 2002

0.50%

99.50% 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF INHALED:

Remove affected person to fresh air. If person is not breathing, call 911 of an amoulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center of doctor for

estment advice

treatment advice.

IF ON SKIN:

Rinse skin immediately with plenty of soap and water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information's regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water by disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEORE EACH USE.

FOR PET USE, USE ONLY ON DOGS.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING

INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

SURFACE SPRAYING

For 60-day (two months) control of COCKROACHES, WATERBUGS, PALMETTO BUGS, SCORPIONS, MILLIPEDES, CENTIPEDES, SOWBUGS, PILLBUGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, DRUGSTORE BEETLES, MEAL WORMS, GRAIN MITES AND CADELLES: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry.

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

TO CONTROL BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Allow to dry thoroughly before remaking bed. Treat baseboards, moldings and floors. Repeat treatment as needed.

TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS, INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (ADULTS AND LARVAE): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be place in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

ON LIVESTOCK

TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES AND GNATS: Apply a light mist sufficient to wet the surface of the hair. For Face Flies, spray face and head but do not spray into eyes.

TO CONTROL STABLE FLIES, HORSE FLIES AND DEER FLIES: Apply at a rate of 2 ounces per adult animal sufficient to wet, the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

TO CONTROL BLOOD SUCKING LICE: Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

ON DOGS



Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TO CONTROL FLEAS, TICKS AND LICE: Start spraying at the tail moving the dispenser rapidly and making sure that the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat monthly as necessary for control.

NOTE: Not recommended for use on puppies less than 12 weeks old. DO NOT USE ON CATS OR KITTENS.

OUTDOOR APPLICATION

TO CONTROL TICKS INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (PERIMETER TREATMENT): Use EVERCIDE® PERMETHRIN Multi-Purpose Spray 27781 as a residual treatment to control TICKS including the DEER TICK (Ixodes dammini), LONE STAR TICK (Amblyomma americanum), BROWN DOG TICK (Rhipicephalus sanguineus), AMERICAN DOG TICK (Demacentor variabilis), and WESTERN BLACK LEGGED TICK (Ixodes pacificus): For each areas listed below, apply until surface is wet (approximately 1 gal/750-1,000 ft.)

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around and the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

FOR CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill JAPANESE BEETLES hit by spray as well as WHITEFLIES, APHIDS, EXPOSED THRIPS, SPIDERS, RED MITES and LEAFMINERS. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, camations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula grape vines, Kentia palms, laurels, marigolds, mododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against WHITEFLIES, APHIDS, SPIDER AND RED MITES, EXPOSED THRIPS, LACE BUGS, JAPANESE BEETLES, PAVEMENT ANTS, CLOVER MITES AND ARMYWORMS.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Not for use on plants being grown for sale or other commercial uses or for commercial seed production or for research purposes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>CONTAINER DISPOSAL</u>: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Net Contents

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
Made in USA

EPA Reg. No. 1021-1740

EPA Est. No. 1021-MN-2

