

1021-1741

8-1-2000

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
1021-
1741

Date of Issuance:
AUG - 1 2000

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:
Evercide Permethrin 40%
EC 2779

Name and Address of Registrant (include ZIP Code):

McLaughlin, Gormley, King Company
8810 Tenth Avenue N.
Minneapolis, Minnesota 55427-4372

Note: Changes in labeling offering in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 1021-1741".
 - b. The Agency published a PR Notice (2000-3) in April, 2000, which announced changes to the guidance for language under First Aid Statements. Per that PRN, change the language under "First Aid, If Swallowed" to: "Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person".

Signature of Approving Official:

George T. LaRocca
George T. LaRocca, Product Manager 13

Date:


AUG - 1 2000

- c. As required by the Pet PR Notice 96-6; if the International Poison Control Center number given on the label is only intended for human incidents, you need to supply a company number or an Animal Poison Control Center number to provide information concerning proper use of the product and specific actions to take in case of emergencies.
 - d. Further in light of PRN 96-6, bold the following label statements: "Read entire label before each use" and "For pet use - use only on dogs".
3. The formulating description provided with the above referenced submission satisfies requirements detailed in 40 CFR 158.165. No further product chemistry requirements are identified at this time.
 4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

MIGK McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE® PERMETHRIN 40% EC 2779

For Agricultural/Commercial Use and Vector Control Agency, Pest Control Operators Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

FOR CONTROL OF FLIES, LICE, MITES, AND TICKS ON LIVESTOCK AND THEIR PREMISES

CAN BE USED ON LACTATING AND NON-LACTATING CATTLE AND GOATS, BEEF CATTLE, SHEEP, SWINE, POULTRY AND HORSES

DIRECTIONS FOR FLEA AND TICK CONTROL ON DOGS AS SPRAY DIP WASH OR DIP TANK

CAN BE USED IN ALL AREAS OF DAIRY BARN, INCLUDING MILK ROOMS

AIDS IN CONTROL OF FIRE ANTS

ACTIVE INGREDIENT:

Permethrin [*-(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate).....

40.00%

** OTHER INGREDIENTS

60.00%

100.00%

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

NOTE TO PHYSICIAN

This product contains a pyrethroid and a petroleum solvent. The possibility of aspiration pneumonia must be considered. The product can cause severe eye damage; ophthalmology consultation is recommended. Mucosal damage may contraindicate the use of gastric lavage.

ACCEPTED
with **COMMENTS**
EPA Letter Dated:

AUG - 1 2000

under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

1021-1797

4/5

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not use this or any other pesticide on sick, old or debilitated animals.

Do not use on dogs under 4 months old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

FOR PET USE - USE ONLY ON DOGS.

TARGET SPECIES	USE	DILUTE (NO. TREATED)	APPLICATION RATE
Lactating and Non-Lactating Dairy Cattle and Goats, Beef Cattle and Sheep			
Horn flies only (For 1 week residual control)	High pressure spray	4 fl. oz. (118 ml) to 50 gals. water (treats 200) 0.025% Active Ingredient (AI)	1 qt. of coarse spray per animal
Horn flies, Face flies, Stable flies, House flies, Horse flies, Deer flies, Black flies, Mosquitoes, Eye gnats, Mange mites, Scabies mites, Ticks, Lice, Sheep keds (1-2 weeks residual control of horn flies)	High pressure spray	4 fl. oz. (118 ml) to 25 gals. water (treats 50-100) 0.05% AI	1-2 qt. of coarse spray per animal over whole body surface. For mange, Scabies, Ticks and Lice thoroughly wet animal. Repeat application 10-14 days for Mites and Lice.
Horn flies, Face flies, Stable flies, Ear ticks and Lice. (2-3 weeks residual control of horn flies)	Low pressure spray (Hand pump sprayer)	4 fl. oz. (118 ml) to 2-1/2 gals. water (treats 64-80) 0.5% AI	For fly and lice control, spray midline from face to tailhead to point of runoff (4-5 fl. oz.) (115-148 ml). For ear tick control, spray directly into each ear (1/2 fl. oz. (15 ml) each).
Horn flies, Face flies, Stable flies (Season long control of horn flies)	Backrubber, Self Oiler	4 fl. oz. (118 ml) to 10 gals. diesel oil or suitable mineral oil, 0.125% AI	Keep rubbing device charged. Results improved by daily forced use.
Poultry			
Northern fowl mites, Lice	High pressure spray	1-4 fl. oz. (30-118 ml) to 3.75 gals. water (treats 375) 0.08-0.33% AI	1 gal. of coarse spray per 100 birds, paying particular attention to vent area.
Swine (Allow 5 days between last treatment and slaughter)			
Lice, Mange	Sprayer or Dip	4 fl. oz. (118 ml) to 25 gals. water (treats 50-100) 0.05% AI	Thoroughly wet or dip animals including ears. For Mange, spray pen floors, sides and bedding. Repeat at 14 days.
Horses & Dogs (Do not use on cats)			
Horn flies, Face flies, Stable flies, House flies, Horse flies, Black flies, Mosquitoes, Eye gnats, Mange mites, Scabies mites, Ticks, Lice, Fleas	Low pressure spray	1/4 fl. oz. (7.5 ml) to 1 pt. Water 0.625% AI	1-2 fl. oz. (30-60ml) spray per animal. Spot treat back, face, <u>legs, tail and ears.</u> Thoroughly wet animal to skin with sponge or rag. Let dip dry. Make sure all areas are soaked to skin. Let dip dry on animal. Do not rinse off.
	Dip wash	1/4 fl. oz. (7.5 ml) to 1.25 gals. water 0.0625% AI	
	Dip (dogs only)	4 fl. oz. (118 ml) to 20 gals. water 0.0625% AI	

5/5

Premises - in and around Horse, Beef, Dairy, Swine, Sheep and Poultry Premises, Animal Hospitals, Pens and Kennels and Outside Meat Processing premises			
House flies, Stable flies, Little House flies (Fannia Spp.). Aids in control of Cockroaches, Ants, Spiders, Mosquitoes and crickets	Surface Spray	4 fl. oz. (118 ml) to 10 gals. water 0.125% AI	Spray surfaces until wet or 1 gal. per 750-1000 sq. ft. (Do not use in Milk Rooms) Apply as fog or fine mist until area is filled with mist, using 2 fl. oz. (60 ml) per 1000 cubic ft. (Can be used in Milk Rooms) 4 fl. oz. (118 ml) spray per 1000 cu. ft. of air space. (Do not use in Milk Rooms)
	Space Spray	1.5 fl. oz. (45 ml) to 1 gal. water 0.469% AI	
	Overhead space spray system	4 fl. oz. (118 ml) to 10 gals. mineral oil 0.125% AI	
Temporary reduction of annoyance from pests mentioned above	Outdoor space spray	1.5 fl. oz. (45 ml) to 1 gal. water 0.469% AI	Fill area with mist. Apply while the air is still and avoid wetting foliage.
Bed bugs and Chicken mites	Sprayer	4 fl. oz. (118 ml) to 10 gals.. For severe infestation, it is permissible to use 4 fl. oz. to 4 gals.	Spray crevices and roost poles, cracks in walls and cracks in nest and nest boxes.
Ticks, including the Deer tick, Fleas	Indoor Sprayer	3 fl. oz. (90 ml) to 2 gals. water 0.469% AI	Treat around windows, doors, porches, screens, caves, patios, garages, under stairways and in crawl spaces where these pests may occur. Apply until surface is (approx. 1 gal. per 750-1000 sq. ft.) Use enough finished spray to penetrate foliage, usually 50-100 gals. per acre. To prevent infestation of buildings, treat a band of vegetation 6-10 feet adjacent to the structure.
	Outdoor Sprayer	4 fl. oz. (118 ml) to 100 gals. water. For longer residual, use up to 8 fl. oz. (236 ml) to 100 gals. water 0.0125%-0.025% AI	
TARGET SPECIES	USE	DILUTE (NO. TREATED)	APPLICATION RATE
Imported Fire Ants	Sprinkler can	3 fl. oz. (90 ml) to 1 gal. water 0.938% AI	Gently sprinkle 1 gal. over the surface of each mound. Thoroughly wet the mound and surrounding area to treat a 4 ft. diameter. For best results, apply in cool weather 65-80°F (early morning or late evening). Pressurized sprayers may disturb ants and cause migration reducing product effectiveness.

Do not apply dilutions for premise treatment directly on livestock or poultry. Ensure that feed and water are not contaminated by spray drift. For space spraying, do not remain in treated areas and ventilate the area before reoccupying. Animals should be removed from area prior to treatment. The use of any residual fly spray should be supplemental with proper manure management and general sanitation to reduce or eliminate fly breeding sites.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

METAL CONTAINERS: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

PLASTIC CONTAINERS: Triple rinse or equivalent. Then offer for recycling or reconditioning and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

Made in USA